Troubleshooting Domino plug-in-specific errors

Snap Creator Framework

Aksel Davis, Zachary Wambold
April 01, 2021

This PDF was generated from https://docs.netapp.com/us-en/snap-creator-framework/domino-ops/reference_domino_plug_in_specific_errors.html on August 04, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Troubleshooting Domino plug-in-specific errors . . . 1
Domino plug-in is not supported on this platform . . . 1
Snap Creator backup fails because of a bad database . . . 1
Domino restore using custom action fails . . . 2
All Domino plug-in-specific errors . . . 2

Troubleshooting Domino plug-in-specific errors

Common Snap Creator errors fall into two categories: generic Snap Creator errors and Domino plug-in-specific errors. Domino plug-in-specific errors typically involve preinstallation issues, bad databases, or problems with a custom restore action.

For information about generic Snap Creator errors, see the Snap Creator Framework 4.1.2 Administration Guide.

Domino plug-in is not supported on this platform

You typically receive this error when the prerequisites for the Domino plug-in have not been met. Generally, the error message is similar to the following:

```
Failed to load plug-in domino. Reason: ERROR: [ltd-00009] Domino plug-in
couldn't be loaded. Reasons could be 1) Domino plug-in is not supported
on this platform.
```

The following error message has also been known to appear:

```
ERROR: [tampico:9090(4.1.x)] SCF-00038: Application quiesce for
plug-in [domino] failed with exit code [99], continuing with backup.
```

As well as this one:

```
ERROR: [scf-00094] Application environment set for plug-in domino failed
[ERROR: [scf-00060] unknown application object [app] / application domino
at snapcreator.pl line 6410.
```

These errors messages appear if one of the following conditions is not met:

- Preinstallation steps were not performed or were performed incorrectly:
  - On UNIX hosts, you must create symbolic links to IBM Domino shared object files.
  - On Windows hosts, you must add the IBM Domino installation path to the PATH environment variable. For more information, see the Snap Creator Framework 4.1.2 Installation Guide.
- The bit level of Domino is different from the bit level of Snap Creator. For example, if you are using 32-bit Domino, you should use 32-bit Snap Creator.

Snap Creator backup fails because of a bad database

By default, a backup operation will fail if one or more databases are in an inconsistent or corrupted state. You can force the plug-in to proceed with backup operations despite errors, as described in step task using the gui to create a configuration file.

Domino restore using custom action fails

Restore errors typically occur when restore paths are not set correctly. Check the paths for extra characters and backslashes. Also, verify that the Data Restore Directory is set correctly.

Errors are similar to the following:

```
########## Custom plug-in action ##########
[Thu Apr 19 16:05:55 2012] DEBUG: Restoring to current time.
[Thu Apr 19 16:05:55 2012] DEBUG: Calling dominocore::postRestoreToTime
with
arguments(C:\Lotus\Domino\notes.ini,F:\Domino\data\,H:\changeinfo\fuji15-
daily_20120419130836,-1,F:\Domino\data\restore\mail\dadams.nsf,UP-TO-THE-
MINUTE,H:\changeinfo\logs\)
[Thu Apr 19 16:05:55 2012] TRACE: Notes API initialized
Applying Change info for:F:\Domino\data\restore\mail\dadams.nsf
Error: unable to open file 'H:\changeinfo\fuji15-
daily_20120419130836/restore_mail_dadams.nsf.info', for path
'F:\Domino\data\restore\mail\dadams.nsf'.
Error:5114
NSFRecoverDatabases failed for
database:F:\Domino\data\restore\mail\dadams.nsf
Recovery Manager: Recovery only supported for Backup Files.ERROR_CODE:5114
[Thu Apr 19 16:05:55 2012] ERROR: [ltd-00008] Restoring databases finished
with errors
[Thu Apr 19 16:05:55 2012] ERROR: [scf-00154] Action custom for plugin
domino failed with exit code 1, Exiting!
[Thu Apr 19 16:05:55 2012] DEBUG: Exiting with error code - 2
```

All Domino plug-in-specific errors

The following table lists the IBM Domino plug-in-specific error messages in reference format:

Error code	Error message	Description/resolution
ltd-00001	Domino plug-in cannot work with SNAP_TIMESTAMP_ONLY = N. SNAP_TIMESTAMP_ONLY should be set to Y.	For more information, see step task_using_the_gui_to_create_a_configuration_file.md#STEP_81795CF9D6294AC891BC3D0CE4827CA3.
ltd-00002	Quiescing databases finished with errors	Domino plug-in was unable to put all databases in backup mode. Check the logs to find the exact reason for the error or run Snap Creator in debug mode to find the error.

Error code	Error message	Description/resolution
ltd-00003	Unquiescing databases finished with errors	Domino plug-in was unable to take all databases out of backup mode. Check the logs to find the exact reason for the error or run Snap Creator in debug mode to find the error.
ltd-00004	Discovering databases failed	An application error caused application discovery to fail. Check the configuration and application settings. You can disable automatic discovery by setting APP_AUTO_DISCOVERY=N and commenting out VALIDATE_VOLUMES.
ltd-00005	Collection of operating system information failed - $@	An error collecting operating system information caused the scdump action to fail. Check the logs and try running the command manually.
ltd-00006	Collection of SnapDrive information failed - $@	An error collecting SnapDrive information caused the scdump action to fail. Check the logs and try running the command manually.
ltd-00008	Restoring databases finished with errors	Domino plug-in was unable to restore all the databases successfully. Check the logs to find the exact reason for the error or run Snap Creator in debug mode to find the error.
ltd-00009	Domino plug-in cannot be run as root	Reasons could be: • Domino plug-in is not supported on this platform. • Prerequisites for the Domino plug-in to run are not satisfied. For more information, see Domino plug-in is not supported on this platform.
ltd-00010	Errors encountered while opening databases	Check the logs to find the exact reason for the error or run Snap Creator in debug mode to find the error.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.