Configuring log backups

Snap Creator Framework

NetApp
August 04, 2021

This PDF was generated from https://docs.netapp.com/us-en/snap-creator-framework/sap-hana-ops/concept_housekeeping_of_log_backups.html on August 04, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Configuring log backups . . . 1
Housekeeping of log backups . . . 1
Modifying the housekeeping of log backups . . . 2

Configuring log backups

Log backups should be stored on a different storage system than the primary storage. The storage system that is used for the data backup can also be used for the log backup.

At the secondary storage, a volume needs to be configured to hold the log backups. Ensure that automatic Snapshot copies are switched off for this volume.

1. Mount the volume at each database node, either by running the mount command or editing the file system table (fstab) file.

   ```
   hana2b:/vol/backup_log_ANA /mnt/backup_log_ANA nfs
   rw,bg,vers=3,hard,timeo=600,rsize=65536,wsize=65536,actimeo=0,noatime
   0  0
   ```

   Within SAP HANA Studio, the log backup destination is configured as shown in the following figure.



Housekeeping of log backups

Housekeeping of log backups in SAP HANA is based on a function within the HANA Studio or based on an SQL statement that allows deleting all backups that are older than a selected backup.

Snap Creator handles the housekeeping of data backups (Snapshot copies) by deleting the Snapshot copies on the primary or secondary storage and by deleting the corresponding entries within the HANA catalog, based on a defined retention policy.

The log backups that are older than the latest data backup are deleted because they are not required.

Snap Creator handles the housekeeping of log file backups on file system level and within the SAP HANA backup catalog. As part of each Snapshot backup with Snap Creator, the following steps are executed:

- Read backup catalog and obtain the backup ID of the oldest successful data or Snapshot backup.
- Delete all backups that are older than the oldest backup.

Snap Creator only handles housekeeping for backups based on Snapshot copies. If additional file-based backups are created, you must ensure that the file-based backups are deleted from the backup catalog and file system. If such a data backup is not deleted manually from the backup catalog, it can become the oldest data backup, and the log backup housekeeping operation will fail.

Modifying the housekeeping of log backups

You can modify the parameters that are configured for the housekeeping of log backups if you want to disable the log cleanup operation.

1. Select the SAP HANA profile that you want to modify.
2. Select the configuration you want to modify, and click **SAP HANA Settings**.
3. Edit the Enable LOG cleanup parameter, and click **Save**.



Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.