将归档备份从 SnapManager for Microsoft SQL Server 导入到 SnapCenter

SnapCenter Software 4.6

NetApp
May 31, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/snapcenter/protect-scsql/concept_import_archived_backups_from_snapmanager_for_sql_to_snapcenter.html on May 31, 2022. Always check docs.netapp.com for the latest.

目录

将归档备份从 SnapManager for Microsoft SQL Server 导入到 SnapCenter 1
导入归档备份概述 1
与导入功能相关的限制 1
导入归档备份 1
在 SnapCenter 服务器中查看导入的备份 2

将归档备份从 SnapManager for Microsoft SQL Server 导入到 SnapCenter

导入归档备份概述

通过将数据从 SnapManager for Microsoft SQL Server 导入到 SnapCenter ，您可以继续使用先前版本中的数据。您只能将使用 SnapVault 技术归档的备份从 SnapManager for Microsoft SQL Server 导入到 SnapCenter 。

SnapCenter 不支持在 7- 模式下运行的 Data ONTAP 。您可以使用 7- 模式过渡工具将运行 7- 模式 Data ONTAP 的系统上存储的数据和配置迁移到 ONTAP 系统。

与导入功能相关的限制

了解将归档备份从 SnapManager for Microsoft SQL Server 导入到 SnapCenter 之前的限制将有助于成功完成导入。这些备份必须已使用 SnapVault 技术进行归档。

- 您不能在 SnapCenter 中管理使用适用于 Microsoft SQL Server 的 SnapManager 创建的克隆。您必须在适用于 Microsoft SQL Server 的 SnapManager 中管理克隆。
- 您不能从 SnapCenter 图形用户界面（ GUI ）导入备份。
- 您不能从具有 VMDK 磁盘的虚拟机导入数据库。

导入归档备份

您只能从命令行界面将使用 SnapVault 技术归档的备份从 SnapManager for Microsoft SQL Server 导入到 SnapCenter 中。

- 您需要的内容 *
- 适用于 Microsoft SQL Server 的 SnapCenter 插件和适用于 Microsoft SQL Server 的 SnapManager 7.x 必须安装在同一主机上。
- 要获得集群支持，必须已在集群中的每个节点上安装插件和 7.x 产品。
- 您必须已将主机或集群添加到 SnapCenter 并发现主机或集群上可用于备份的资源。
- 您必须已备份 SnapManager for Microsoft SQL Server SnapInfo 文件夹。

  如果导入操作失败，您可以从 SnapInfo 目录检索备份元数据。

- 最佳实践： * 最佳实践是为适用于 Microsoft SQL Server 的 SnapCenter 插件配置日志备份文件夹。

有关 SnapCenter 安装和配置任务的信息，请参见 SnapCenter 安装信息。有关适用于 Microsoft SQL Server 的 SnapManager 安装和配置任务的信息，请参见 SnapManager 安装信息。

将归档备份从 SnapManager for Microsoft SQL Server 导入到 SnapCenter 后，您可以从 SnapCenter 对这些备

份执行还原和克隆操作。同时，您还可以使用适用于 Microsoft SQL Server 的 SnapManager 继续执行备份，还原和克隆操作。

- 步骤 *

1. 执行以下步骤，在 SnapCenter 中手动创建类似于 SnapManager for Microsoft SQL Server 计划的计划：
   a. 使用 `Get-SmSchedule` cmdlet 从 SnapManager for Microsoft SQL Server 检索计划信息。
   b. 保存计划信息。

      您可以在 SnapCenter 中创建策略时使用此计划信息。

   c. 使用 `Get-SmSchedule -Hostname <hostname> -PluginCode SMSQL -DisableCurrentGenSchedule` cmdlet 禁用 SnapManager for Microsoft SQL 计划。
2. 使用 `invoke-SmBackupMigration` cmdlet 导入归档备份。

   例如，要迁移独立的 SQL 主机： `invoke-SmBackupMigration -Hostname <hostname> -PluginCode SMSQL`

例如，要迁移集群主机： `invoke-SmBackupMigration -Hostname <clustername> ` -PluginCode SMSQL`

在 SnapCenter 服务器中查看导入的备份

导入适用于 Microsoft SQL Server 的 SnapManager 归档备份后，您可以从 " 拓扑 " 页面在 SnapCenter 中查看这些备份。

- 步骤 *

1. 在左侧导航窗格中，单击 * 资源 * ，然后从列表中选择相应的插件。
2. 创建包含所有数据库的资源组。
3. 选择资源组。
4. 保护资源组。
5. 在拓扑页面的管理副本视图中，单击从存储副本备份。

   此时将显示备份的详细信息。

> 迁移已归档的 Snapshot 副本并在二级保留期间从存储中清理这些副本后，必须手动清理在 SnapManager 中创建的相应主 Snapshot 副本。

版权信息

版权所有©2022 NetApp、Inc.。保留所有权利。Printed in the U.S.版权所涵盖的本文档的任何部分不得以任何形式或任何手段复制、包括影印、录制、 磁带或存储在电子检索系统中—未经版权所有者事先书面许可。

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

本软件由NetApp按"原样"提供、不含任何明示或默示担保、包括但不限于适销性和特定用途适用性的默示担保、特此声明不承担任何责任。IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice.NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp.The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S.patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

商标信息

NetApp、NetApp标识和中列出的标记 http://www.netapp.com/TM 是NetApp、Inc.的商标。其他公司和产品名称可能是其各自所有者的商标。