SVM の設定情報

Snapdrive for Unix

NetApp
May 03, 2022

This PDF was generated from https://docs.netapp.com/ja-jp/snapdrive-unix/aix/concept_login_information_for_vserver.html on May 03, 2022. Always check docs.netapp.com for the latest.

目次

SVM の設定情報 1
SVM のログイン情報を指定します 1
SVM のログイン情報を指定しています 1
SVM のログイン情報を確認しています 2
SVM からユーザを削除する 2

SVM の設定情報

SnapDrive for UNIX で SVM の SnapDrive 処理を実行するには、 SVM を設定する必要があります。

SnapDrive for UNIX を使用する SVM を設定するには、 clustered Data ONTAP で、 SVM の管理論理インターフェイス（ LIF ）の IP アドレスが、 Domain Name Service （ DNS ；ドメインネームサービス）または「 /etc/hosts 」ファイルのいずれかの SVM 名にマッピングされていることを確認します。また、次のコマンドを使用して、 SnapDrive for UNIX で SVM 名が設定されていることを確認する必要があります。

「 * SnapDrive config set <vsadmin-readonly <vsadmin><Vserver name> * 」のように設定されます

- 関連情報 *

SVM のサポート

SVM のログイン情報を指定します

SnapDrive for UNIX がユーザ名およびパスワードを使用して SVM にアクセスできるようにします。また、 vsadmin としてログインするだけでなく、 SnapDrive for UNIX を実行し、プロンプトが表示されたら正しいユーザ名とパスワードを指定する必要があるため、セキュリティも確保されます。

SVM のログイン情報を指定しています

SVM のユーザログイン情報を指定する必要があります。SVM のセットアップ時に指定した名前に応じて、設定した SVM ユーザ名を各 SVM で使用する必要があります。SVM 名が変更された場合は、新しい SVM 名が SnapDrive for UNIX で設定されていることを確認する必要があります。

手順

1. 次のコマンドを入力します。

   * SnapDrive config set_user_name filename_[_ filename…_]*

   - *user_name* は、 *SVM* の初回セットアップ時に指定したユーザ名です。デフォルトのユーザは *vsadmin* です。`_*filename* は SVM 名です。
   - 「 *filer_name*` 」では、すべて同じユーザ・ログインまたはパスワードを持つ複数の SVM を 1 つのコマンド・ラインで入力できます。SVM 名は少なくとも 1 つ入力する必要があります。

     ```
     # snapdrive config set vsadmin clstr-vs2
     Password for vsadmin:
     Retype password:
     ```

SVM のログイン情報を確認しています

SnapDrive の config list コマンドを使用して、 SnapDrive for UNIX で SVM が設定されているかどうかを確認できます。

手順

1. 次のコマンドを入力します。 SnapDrive config list'

   このコマンドを実行すると、 SnapDrive for UNIX で指定したユーザ名または SVM が表示され、 SVM のパスワードは表示されません。

   次の例では '*vsadmin-readonly* を '*_StorageSystem*' として表示します

   ```
   # snapdrive config list
   username    appliance name   appliance type
   -------------------------------------------
   vsadmin     clstr-vs2        StorageSystem
   ```

SVM からユーザを削除する

SnapDrive config delete コマンドを実行すると、 SVM からログイン情報を削除できます。

手順

1. 次のコマンドを入力します。

   'SnapDrive config delete_apply_name_

   `apply_name` は、ログイン情報を削除する SVM の名前です。

   ```
   # snapdrive config delete clstr-vs2
   Deleted configuration for appliance: clstr-vs2
   ```

   SnapDrive for UNIX を使用すると、指定した SVM のログイン情報が削除されます。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.