# 接到 LUN 中的个文件

## Snapdrive for Unix

Ivana Devine
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/aix/concept_connecting_to_a_single_filespec_in_a_lun.html on October 26, 2021. Always check docs.netapp.com for the latest.

# 目□

□接到 LUN 中的□个文件□□ . . . . . 1

# □接到 LUN 中的□个文件□□

□可以□接到 LUN 中的□个文件□□。以下示例介□了如何完成此操作。

> 文件□□可以是文件系□，主机卷，磁□□或 LUN 的任意一个。

要□建受限的 FlexClone ， □需要在 `snapdrive.conf` file 中□置□□ `san-clone-method =optimal` 或提供 ` -clone optimal` ， 然后才能□接文件□□。此示例□示了要□接 LUN `homer ： /vol/vol1/lun1` 中的文件□□ ` /mnt/fs1` □的□果

源文件系□ ` /mnt/fs1` 的布局如下所示：

```
# snapdrive storage show -fs /mnt/fs_1 -capabilities
raw device: /dev/sdc1 mount point: /mnt/fs_1 (persistent) fstype jfs2

allowed operations: all

device filename adapter path size proto state clone lun path backing
snapshot
-------------- ------- ---- ---- ----- ----- ----- --------
----------------
/dev/sdc -  P 100m iscsi online No homer:/vol/vol1/lun1  -
```

```
# snapdrive snap connect -fs /mnt/fs_1 -snapname homer:/vol/vol1:snap1
-autorename

 connecting /mnt/fs_1:
        creating restricted volume clone
homer:/vol/Snapdrive_vol1_volume_clone_from_snap1_snapshot ... success

        mapping new lun(s) ... done
        discovering new lun(s) ... done
Successfully connected to snapshot homer:/vol/vol1:snap1
        file system: /mnt/fs_1_0
```

在□□情况下， SnapDrive for UNIX 会自□□□从 snapshot snap1 □建受限的 FlexClone `Snapdrive_vol1_0_volume_clone_from_snap1_snapshot` 并将其□接到此 FlexClone 中的 LUN testlun1 以□建克隆主机文件系□ /mnt/fs_1_0 。

```
# snapdrive storage show -fs /mnt/fs_1_0 -capabilities

raw device: /dev/sde1   mount point: /mnt/fs_1_0 (persistent) fstype jfs2
allowed operations: snap disconnect; snap list; snap show; storage show;
storage list

device filename adapter path size  proto  state  clone  lun path backing
snapshot
--------------- ------- ---- ----- ------ ------ ------ --------
----------------
/dev/sde  -  P  100m iscsi online flex-clone
homer:/vol/Snapdrive_vol1_volume_clone_from_snap1_snapshot/lun1 vol1:snap1
```

SnapDrive for UNIX 使用命令行界面中提及的前□□目□ FlexClone 命名。

如果生成的 FlexClone 名称（□前□）已在使用中，□ SnapDrive for UNIX 将□示一条□□消息。在□□情况下，□可以使用 ` -autorename` □□以及 ` -prefixfv` 来自□生成克隆卷名称。

` -prefixfv` CLI □□□□用于基于 SAN 的文件系□。在 FlexClone 操作期□， SnapDrive for UNIX □于基于 SAN 的文件系□会忽略 ` -destfv` CLI □□。

> 当 Snapshot 副本因 LUN 克隆而被□定□， SnapDrive for UNIX 将□示警告。但是， SnapDrive for UNIX 会□□□行 `snap connect` 操作。

**Copyright Information**

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.