# 自□□□主机□体

## Snapdrive for Unix

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/linux-administration/concept_automatic_detection_of_host_entities.html on October 26, 2021.
Always check docs.netapp.com for the latest.

# 目□

自□□□主机□体 . . . . . 1

# 自□□□主机□体

SnapDrive for UNIX 会自□□□某些命令的主机□体配置。一些 `snap storage` 命令只需要主机□体的名称。在□些情况下，□无需指定主机□体的□型。

以下命令已□用自□□□：

- s存□□除
- s存□□整大小
- `snap create`
- `snap restore`
- `snap connect`
- `snap list`

存在主机□体□， SnapDrive for UNIX 会自□□□主机□体的□型。在□□情况下，□只需要提供主机□体的名称，而不必指定□型。SnapDrive `snap` 命令和某些 `storage` 命令也只需要主机□体的名称；□不必指定□型。

□于 SnapDrive 4.1 及更高版本，自□□□命令需要□外的□□，因□它会收集所有存□□源的□□信息。如果要加快□□速度，□使用 SnapDrive for UNIX 命令指定文件□□。

□可以通□□行 SnapDrive storage delete` 命令□存□□除操作□用自□□□。

- 示例 1 ： *

```
snapdrive storage delete host_dg my_fs -full
```

在此示例中，系□会自□□□到 `host_dg` 和 `my_fs` 。

- 示例 2 ： *

```
snapdrive storage delete mydg -fs myfs -full
```

在此示例中，系□会自□□□到 `mydg` 磁□□。

□可以通□□行 SnapDrive storage resize` 命令□存□□整大小操作□用自□□□。

- 例如 * ：

```
[root@lnx197-132 ~]# snapdrive storage resize mydg23 -addlun -growby 10m
Auto detecting the type of filespec 'mydg23' in progress ... detected as
disk group
        discovering filer LUNs in disk group mydg23...done
        LUN bart:/vol/voldm/mydg23-1_SdLun ... created

        mapping new lun(s) ... done
        discovering new lun(s) ... done.
        initializing LUN(s) and adding to disk group mydg23...done
Disk group mydg23 has been resized
```

□可以通□□行 SnapDrive snap create` 命令来□ snap create 操作□用自□□□。

- 例如 * ：

```
root@lnx197-132 ~]# snapdrive snap create mydg22 mydg23 /mnt/mnt12
-snapname new_snap
Auto detecting the type of filespec 'mydg22' in progress ... detected as
disk group
Auto detecting the type of filespec 'mydg23' in progress ... detected as
disk group
Auto detecting the type of filespec '/mnt/mnt12 ' in progress ... detected
as file system

Starting snap create /dev/mapper/mydg22, /dev/mapper/mydg23, /mnt/mnt12
  WARNING:  DO NOT CONTROL-C!
            If snap create is interrupted, incomplete snapdrive
                 generated data may remain on the filer volume(s)
                 which may interfere with other snap operations.
Successfully created snapshot new_snap on bart:/vol/voldm

        snapshot new_snap contains:
        disk group mydg22
        disk group mydg23
        disk group dg121 containing host volumes
                lv121 (filesystem: /mnt/mnt12)
```

□可以通□□行 SnapDrive snap connect` 命令□ snap connect 操作□用自□□□。

- 例如 * ：

```
[root@lnx197-132 ~]# snapdrive snap connect mydg22 xxx mydg23 yyy
-snapname bart:/vol/voldm:snap_1
Auto detecting the type of filespec 'mydg22' in progress ... detected as
disk group
Auto detecting the type of filespec 'xxx' in progress ...
        xxx does not exist - Taking xxx as a destination to fspec
mydg22Auto detecting the type of filespec 'mydg23' in progress ...
detected as disk group
Auto detecting the type of filespec 'yyy' in progress ...
        yyy does not exist - Taking yyy as a destination to fspec mydg23
 connecting mydg22:
        LUN copy mydg22_SdLun_0 ... created
                 (original: bart:/vol/voldm/mydg22_SdLun)

        mapping new lun(s) ... done

 connecting mydg23:
        LUN copy mydg23_SdLun_1 ... created
                 (original: bart:/vol/voldm/mydg23_SdLun)

        mapping new lun(s) ... done
        discovering new lun(s) ... done
        Importing xxx, yyy
Successfully connected to snapshot bart:/vol/voldm:snap_1
        disk group xxx
        disk group yyy
```

□可以通□□行 SnapDrive snap restore` 命令来□快照□原操作□用自□□□。

- 例如 * ：

```
snapdrive snap restore bart:/vol/voldm/lun44 /mnt/fs3 fs5_SdDg/fs5_SdHv
fs4_SdDg -snapname bart:/vol/voldm:toi_snap

        Auto detection of file_spec(s) in progress ...
               - 'bart:/vol/voldm/lun44' detected as LUN.
               - '/mnt/fs3' detected as file system.
               - 'fs5_SdDg/fs5_SdHv' detected as logical volume.
               - 'fs4_SdDg' detected as disk group.
        Starting to restore /dev/mapper/fs4_SdDg, /mnt/fs3,
/dev/mapper/fs5_SdDg-fs5_SdHv, bart:/vol/voldm/lun44
         WARNING:  This can take several minutes.
           DO NOT CONTROL-C!
           If snap restore is interrupted, the filespecs
           being restored may have inconsistent or corrupted
           data.
       For detailed progress information, see the log file /var/log/sd-
recovery.log
           Importing fs4_SdDg, fs3_SdDg, fs5_SdDg
           Successfully restored snapshot toi_snap on bart:/vol/voldm
       disk group fs4_SdDg containing host volumes
               fs4_SdHv (filesystem: /mnt/fs4)
       disk group fs3_SdDg containing host volumes
               fs3_SdHv (filesystem: /mnt/fs3)
       disk group fs5_SdDg containing host volumes
               fs5_SdHv (filesystem: /mnt/fs5)
       raw LUN: bart:/vol/voldm/lun44
```

□于不正□的文件□□， SnapDrive 不支持自□□□ Snap □接和 Snap □原操作。

□可以通□□行 SnapDrive snap list` 命令来□快照列表操作□用自□□□。

- 例如 * ：

```
root@lnx197-132 ~]# snapdrive snap list -snapname bart:/vol/voldm:snap_1

snap name                            host                   date
snapped
-------------------------------------------------------------------------
------
bart:/vol/voldm:snap_1           lnx197-132.xyz.com Apr  9 06:04 mydg22
mydg23 dg121
[root@lnx197-132 ~]# snapdrive snap list mydg23
Auto detecting the type of filespec 'mydg23' in progress ... detected as
disk group

snap name                            host                   date
snapped
-------------------------------------------------------------------------
------
bart:/vol/voldm:snap_1           lnx197-132.xyz.com Apr  9 06:04 mydg22
mydg23 dg121
bart:/vol/voldm:all                  lnx197-132.xyz.com Apr  9 00:16
mydg22 mydg23 fs1_SdDg
bart:/vol/voldm:you                  lnx197-132.xyz.com Apr  8 21:03
mydg22 mydg23
bart:/vol/voldm:snap_2                  lnx197-132.xyz.com Apr  8 18:05
mydg22 mydg23
```

**Copyright Information**

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.