接 Snapshot 副本的准

Snapdrive for Unix

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/linux-administration/concept_guidelines_forconnectingsnapshot_copies.html on October 26, 2021.
Always check docs.netapp.com for the latest.

目□

□接 Snapshot 副本的准□ 1

□接 Snapshot 副本的准□

□接到 Snapshot 副本□，□遵循相□准□。

- SnapDrive snap connect` 命令□□用于在□用于 UNIX 的 SnapDrive 4.2 中□建的 Snapshot 副本。
- 在非源主机上， SnapDrive 4.1 for UNIX 支持使用 Linux LVM1 或 LVM2 □行 Snapshot □接操作。但是，如果 LUN 是 Linux LVM1 卷管理器的一部分，□不支持在□起主机上□行 Snapshot □接操作。
- 在源主机上， SnapDrive for UNIX 支持□接和□原由先前版本的 SnapDrive for UNIX □建的 Snapshot 副本。

> 在 Linux □起主机上， Snapshot □接操作□□用于 Linux LVM2 以及 SnapDrive for UNIX □建的 Snapshot 副本。

- 在 Linux 主机上，如果所□接的 SnapDrive 副本包含 LUN 或具有文件系□的 LUN ， □支持 lun snap connect` 命令，□文件系□是在未激活 Linux LVM1 的情况下□建的。SnapDrive for UNIX 不支持□使用 Linux LVM1 □建的 SnapDrive □体使用 snap connect` 命令。

  SnapDrive snap connect` 命令不允□重命名 Linux 主机上的磁□□。例如，不支持以下命令： SnapDrive snap connect -dg dg1 dg1copy -snapname daster: /vol/vol1 ： dg1snapshot`

- 要□ NFS 目□□□行□写□□， SnapDrive snap connect` 命令使用 Data ONTAP FlexVol 卷功能，因此需要 Data ONTAP 7.3 或更高版本。使用 Data ONTAP 7.1 的配置可以□接 NFS 文件或目□□，但提供只□□□□限。
- 如果在 Snapshot □接操作期□将 `enable-split-clone` 配置□量□□置□ "`on` " 或 " `sync` " ，并在 Snapshot 断□操作期□将 "`off` " ， □ SnapDrive for UNIX 不会□除 Snapshot 副本中的原始卷或 LUN 。
- □必□将 Data ONTAP 7.2.2 配置□□ `vfiler.vol_clone_zapi_allow` 的□□置□ "`on` " ，才能□接到 vFiler □元中卷或 LUN 的 Snapshot 副本。
- 具有不同主机配置的主机不支持 Snapshot □接操作。
- 用于□接到物理存□系□或 vFiler □元的根卷的 SnapDrive snap connect` 命令失□，因□ Data ONTAP 不允□克隆根卷。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.