Linux 主机要求

Snapdrive for Unix

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/linux-installation-7mode/reference_linux_host_requirements.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

Linux 主机要求 1

Linux 主机要求

必□先准□ Linux 主机，然后才能安装□用于 UNIX 的 SnapDrive 。

- 如果□使用的是 FC 或 iSCSI □□，□必□从 NetApp 支持站点下□并安装 Linux Host Utilities 。

  "NetApp 下□：□件"

  □必□使用 `sanlun version` 命令□□是否已成功安装 Linux Host Utilities 。

- □必□在所有 Linux 系□中安装 `sg3_utils` □件包，以使 SnapDrive for UNIX 命令正常□行。

  > □必□□保 `sg3_utils` 和 `sg3_utils-libs` □可用于 Red Hat Enterprise Linux （ RHEL ）和 Oracle Enterprise Linux （ OEL ）。在□用于 SUSE Linux Enterprise Server （ SLES ） 10 及更早版本的 `sCSI` □件包以及□用于 `SLES 11` 及更高版本的 `sG3_utils` □件包中提供了 `sg3_utils` □。

- 如果□的主机是 64 位 Linux 操作系□，并且□正在□□安装 32 位 SnapDrive for UNIX ，□必□下□并安装□些□或二□制□件包。

  - 32 位版本的 `glibc` ， `libnl` ， `libhba` ， `libgcc` 来自 *Red Hat Enterprise Linux site* 的□件包。

    "Red Hat Enterprise Linux 站点"

  如果主机系□中缺少 32 位版本的`glibc` □件包，□ SnapDrive for UNIX 安装将失□。

  - QLogic site_ 中 `QConvergeConsoleCLI` □件包的 32 位二□制文件。如果□的主机是 64 位 Linux 操作系□，并且安装□用于 Emulex HBA 的 Emulex OnCommand Manager □件包的 32 位二□制文件，□□必□在 QLogic HBA 的 ` etc/HBA.conf` 文件中将 `qla2xxx64 /usr/lib64/libqlsdm.so` 更改□ `qla2xxx /usr/lib/libqlsdm.so` 。

    "QLogic 站点"

  - 如果□□□□□ `FC` ，□必□安装 `libHBAAPI` □件包或供□商□用的□件包，以便 SnapDrive for UNIX 能□在主机上□行。

- 在安装 SnapDrive for UNIX 之前，必□在主机上安装受支持的主机服□包。

  互操作性表工具 _ 提供了有□受支持服□包的□□信息。

  "NetApp 互操作性表工具"

- 相□信息 *

"NetApp 互操作性表工具"

"NetApp 支持"

"《 Linux Unified Host Utilities 7.1 安装指南》"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.