建不相体的 Snapshot 副本

Snapdrive for Unix

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/solaris/concept_creating_snapshotcopies_of_unrelatedentities.html on October 26, 2021.
Always check docs.netapp.com for the latest.

目□

□建不相□□体的 Snapshot 副本 1

□建不相□□体的 Snapshot 副本

SnapDrive for UNIX 通□□□各个崩□状□一致的 Snapshot 副本来□建不相□□体的 Snapshot 副本。

除非□□有指定，否□ SnapDrive for UNIX 会假定□在特定 SnapDrive snap create 命令行上指定的所有□体都是相□的；□言之，□一个□体的更新是否有效取决于□指定的其他□体的更新。如果存□□体以□□方式□行依□写入，□ SnapDrive for UNIX 将采取□□□所有存□□体□建一个□中崩□状□一致的 Snapshot 副本。

以下示例□示了 SnapDrive for UNIX 如何□可能具有依□写入的存□□体□建 Snapshot 副本。在以下示例中，SnapDrive snap create 命令用于指定 LUN 上的文件系□以及磁□□。磁□□由□留在□个存□系□上的 LUN □成（□参□□建 Snapshot 副本）。LUN 上的文件系□位于不同的存□系□和存□系□卷上。作□一个□，文件系□和磁□□跨越多个存□系□卷，而□个卷不会跨越多个存□系□卷。

以下命令指定一个同□包含文件系□ ` /mnt/fs1 和磁□□ dg1 的 Snapshot 副本： SnapDrive snap create -fs /mnt/fs1 -dg dg1 -snapname fs1_dg1`

由于□些存□□体可能具有依□写入，因此 SnapDrive for UNIX 会□□□建崩□状□一致的 Snapshot 副本，并将文件系□ /mnt/fs1 和磁□□ dg1 □□一个□。□意味着，在□建 Snapshot 副本之前，需要使用 SnapDrive for UNIX □□□存□系□卷的 I/O 操作。

□卷中的多个存□□体□建崩□状□一致的 Snapshot 副本需要□外的□□，如果 SnapDrive for UNIX 无法□□ I/O 操作，□此操作并非始□可行。因此， SnapDrive for UNIX 允□□□不相□的存□□体□建 Snapshot 副本。不相□的存□□体是指在□建 Snapshot 副本□□可以指定的不具有依□写入的□体。由于□些□体没有依□写入，因此 SnapDrive for UNIX 不会采取措施使□些□体作□一个□保持一致。相反， SnapDrive for UNIX 会□建一个 Snapshot 副本，其中□个存□□体的崩□状□一致。

以下命令用于指定 LUN 上文件系□的 Snapshot 副本以及前面所述的磁□□。由于指定了 -unrelated □□，因此 SnapDrive for UNIX 会□建一个 Snapshot 副本，其中文件系□ /mnt/fs1 和磁□□ dg1 作□□个存□□体崩□状□一致，但不会被□□□。以下命令不要求 SnapDrive for UNIX □□存□系□卷上的 I/O 操作： SnapDrive snap create -fs /mnt/fs1 -dg dg1 -unrelated -snapname fs1_dg1`

- 相□信息 *

□建 Snapshot 副本

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.