一些配置命令

Snapdrive for Unix

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/solaris/reference_some_configuration_commands.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

一些配置命令 1

一些配置命令

有几个命令可以□助□配置□用于 UNIX 的 SnapDrive 。

下表□□了有助于配置 SnapDrive for UNIX 的其他命令：

命令或操作	Description
配置和□□ SnapDrive for UNIX □件的版本	` * SnapDrive 配置□示 *`
□□ `snapdrive.conf` 文件中的□。	` * SnapDrive 版本 *``
□□□用于 UNIX 的 SnapDrive 版本。	` * 快照□□ *`
□□ SnapDrive for UNIX 守□□程。	` * SnapDrive 配置准□ -count count_value*` [-DeviceType ｛ shared
dedicated ｝]	准□主机以□建特定数量的 LUN ， 并□定可以□建的 LUN 数量。
` * SnapDrive 配置集 -viadmin <user> <vadmin_name>*`	准□子系□以在 Solaris x86 子操作系□上□建 RDM LUN 。 只有在没有主机□用程序的情况下使用 FCP □□的情况下，才能在 Solaris x86 主机上使用□些命令。
` * SnapDrive clone split *`	估算，□□，停止和□□卷克隆或 LUN 克隆的拆分状□。

` * SnapDrive 配置□□ cluster*`	在 Solaris 主机上的 SFRAC 集群□境中□□以下内容：
	
	• □用于 UNIX 的 SnapDrive 版本
	• □成□□格服□ / 原子广播（ GAB ）配置
	• 集群状□
	• Host Cluster Volume Manager （ CVM ）状□
	• 使用 rsh 或 ssh 在主机集群□点内□行安全通信
	• 在 `snapdrive.conf` 文件中□置以下配置□量□的差□：
	  ◦ `` default-transport= fcp_
	  ◦ multipathing-type=DMP

命令或操作	Description
□□ `snapdrive.conf` 文件中的□量。	更改日志文件的路径名称和□□。SnapDrive for UNIX 会将信息□□到三个文件中： • □核文件 • 恢□文件 • 跟踪文件
□置和□示主机与存□系□之□的□□控制□限。	□□与□主机□□的存□系□上的□□控制□限文件（ SD ` *hostname*` .prbac ）。
指定主机□存□系□的□□控制□限。□可以□存□系□上的主机□置以下□□□□： • 无—无□□□限。 • snap create —□建 Snapshot 副本。 • snap use—Delete 和 rename Snapshot 副本。 • Snap All- □建，□原，□除和重命名 Snapshot 副本。 • storage create delete-create， resize 和 delete 存□。 • 存□使用—□接和断□存□□接。 • 存□全部—□建，□除，□接和断□存□□接。 • 所有□□—所有操作。	` * SnapDrive 配置□□ show <filer_name>*`
□示有□主机□存□系□的□□控制□限的信息。	` * SnapDrive 配置□除 < 文件名 ><< 文件名 > 。。.]*`

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.