在存□系□上□置 SFRAC I/O 隔□□境

Snapdrive for Unix

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/solaris/task_setting_up_an_sfrac_i_o_fencing_environment_on_a_storage_system.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

在存□系□上□置 SFRAC I/O 隔□□境 1

在存□系□上□置 SFRAC I/O 隔□□境

SnapDrive for UNIX 提供了存□配置和 Snapshot 管理□□，用于在 SFRAC □境中管理主机集群□□的共享磁□□和□点本地磁□□以及文件系□。

□□

1. 手□□置 `rsh` 或 `ssh` 以□所有主机集群□点上的 root 用□使用 access-without password-prop 。

   有□□置□明，□参□ *Veritas Cluster Server Installation Guide for Solaris* 。

2. 在主机集群中的所有□点上安装 SnapDrive for UNIX 。

   如果在不同□点上安装了不同版本的 SnapDrive for UNIX ， □ SnapDrive for UNIX 操作将失□。

3. □□存□系□之□的 FC □接。

   要了解主机的硬件要求，□参□ SFRAC *Release Notes*。

   > 所有□点上的 ` /opt/NTAPsnapdrive/SnapDrive.conf` 文件必□将 `default-transport` 配置□量□置□ fcp 。

4. □ ` *secure communication-amongst cluster-nodes*` 配置□量□置一个□，以□保已□集群中的所有□点配置 root 用□的 `rsh` 或 `ssh` access-without password-Prompt 。

   此□是必需的，因□如果从主机集群中的任何□点（主□点或非主□点）□□ SnapDrive for UNIX 命令，□ SnapDrive for UNIX 将在主机集群中的其他□点上□行操作。

5. 在主机集群中的□个□点上□行以下命令，以□□主机集群□点上的□□□□情况：

   ` * SnapDrive storage create -lun *long_lun_name* [*lun_name…*] -lunsize 大小 [ { *-reserve_ _ _ _* -noreserv_ } ] （ *igroup ig_name _ _ig_name …*]*`

```
    # snapdrive storage create -lun f270-197-109:/vol/vol2/luntest
-lunsize 20m

        LUN f270-197-109:/vol/vol2/luntest ... created

        mapping new lun(s) ... done
        discovering new lun(s) ... done

        LUN to device file mappings:
    -f270-197-109:/vol/vol2/luntest => /dev/vx/dmp/c5t0d6s2

    # snapdrive storage delete -lun f270-197-109:/vol/vol2/luntest
-lunsize 20m
    - LUN f270-197-109:/vol/vol2/luntest ... deleted
```

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.