SnapDrive for UNIX 中的 Snapshot 操作是什

Snapdrive for Unix

NetApp
October 26, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/aix/concept_considerations_when_working_with_snapshot_copies.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

SnapDrive for UNIX 中的 Snapshot 操作是什□ 1
使用 Snapshot 副本□的注意事□ 1

SnapDrive for UNIX 中的 Snapshot 操作是什□

通□ SnapDrive for UNIX， □可以使用 Data ONTAP Snapshot 技□□存□系□上存□的主机数据□建映像（ Snapshot 副本）。

此 Snapshot 副本可□□提供一□数据副本，□可以□后□原□些数据。Snapshot 副本中的数据可以位于一个存□系□上，也可以跨越多个存□系□及其卷。□些存□系□可以位于 HA □或□点本地文件系□中，也可以位于主机集群□境中的磁□□或 LUN 中。在安装了 SnapDrive for UNIX 的非集群模式 UNIX 主机上，□可以□存□系□上的一个或多个卷□□建 Snapshot 副本。

Snapshot 副本可以包含文件系□，□□卷，磁□□， LUN 和 NFS 目□□。□建 Snapshot 副本后，□可以□其□行重命名，□原或□除。□也可以□接到同一主机上的其他位置或其他主机。□接后，□可以□看和修改 Snapshot 副本的内容，也可以断□ Snapshot 副本的□接。此外，□□可以通□ SnapDrive for UNIX □示有□已□建的 Snapshot 副本的信息。在安装了 SnapDrive for UNIX 的集群模式 UNIX 主机上，□可以□包含磁□□和文件系□的主机集群□点□行 Snapshot 操作。Snapshot 操作包括□建，重命名，□原，□接，断□□接， □示和□除。

使用 Snapshot 副本□的注意事□

在使用 Snapshot 副本□，□牢□一些注意事□，例如 SnapDrive for UNIX □□用于其□建的 Snapshot 副本，或者 Snapshot 副本自□从存□系□□制到主机等。

使用 Snapshot 操作□，□考□以下事□：

- SnapDrive for UNIX □□用于其□建的 Snapshot 副本。

  它无法□原未□建的 Snapshot 副本。

- 在目□存□系□上□建 Snapshot 副本□， Snapshot 副本会自□从□建□副本的源存□系□□制到目□存□系□。

  通□ SnapDrive for UNIX， □□可以□原目□存□系□上的 Snapshot 副本。

- 如果□使用 SnapDrive snap connect` 命令在上次□接（或仍□接）的主机上的新位置□接到 Snapshot 副本，□会□接到源主机。
- □跨多个存□系□卷或多个存□系□的存□□体的 Snapshot 支持□限于不允□在□件堆□中□行□□操作的配置。
- 通□ NFS □□□出卷□，必□将匿名用□ ID □□□置□ 0， SnapDrive for UNIX 命令才能正常□行。
- 如果一个磁□□中有□个 JFS 文件系□（ JFS 和 JFS2 ）， □ SnapDrive for UNIX □支持□ JFS2 文件系□□行操作。
- 通□ SnapDrive for UNIX， □可以□建并□卷□的 Snapshot 副本，以及使用相同属性克隆或□原。
- 在□建 Snapshot 副本后立即□行□文件 SnapRestore （ SFSR ）操作失□。

  必□在□□一段□□后重□此操作。有□□□信息，□参□ "《集群模式 Data ONTAP □□存□管理指南》"。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.