storage delete 命令

Snapdrive for Unix

NetApp
October 26, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/aix/concept_guidelines_for_usingthe_storage_deletecommand.html on October 26, 2021.
Always check docs.netapp.com for the latest.

目□

storage delete 命令 1
使用 storage delete 命令的准□ 1
使用 SnapDrive storage delete 命令所需的信息 1

storage delete 命令

SnapDrive storage delete` 命令除了□除主机上的所有底□主机端□体及其后□存□系□ LUN 之外，□会□除主机上的存□□体。

> 此命令将□除数据。

使用 storage delete 命令的准□

SnapDrive storage delete` 命令在 SnapDrive for UNIX 中具有一些限制。

- □除文件系□□， SnapDrive for UNIX 始□会□除文件系□的挂□点。
- 如果使用 ` -lun` □□指定属于主机磁□□或文件系□的 LUN 的名称，□ SnapDrive storage delete` 命令将失□。
- 如果使用 ` -lun` □□指定主机上的多路径□件未□□的 LUN 的名称，□ SnapDrive storage delete` 命令将失□。

使用 SnapDrive storage delete 命令所需的信息

在使用 SnapDrive storage delete` 命令之前，□需要提供一些信息。此信息有助于□正□使用命令。

要求	参数
根据□□入的命令，□可以□除以下任何□型的存□： • LUN 指定要从存□系□中□除的一个或多个 LUN 。 如果□除一个或多个 LUN ，□第一个参数必□使用□形式的 LUN 名称，此名称用于指定存□系□名称，卷名称以及卷中 LUN 的名称。 要指定其他 LUN ，如果新 LUN 与上一个 LUN 位于同一存□系□和卷上，□可以□独使用 LUN 名称。否□，□可以指定新的存□系□名称和卷名称（或□指定卷名称）来替□先前的□。 • 直接在 LUN 上□建的文件系□ • 磁□或卷□ • 磁□或卷□上的文件系□ • 主机或□□卷 □ file_spec. 参数□入的□必□□□要□除的存□□体。	LUN （` -lun` ）

要求	参数
` lun_name_`	其他 LUN
` lun_name_` （□或短格式）	磁□□（` -dg *file_spec*` ）或卷□（` - vg *file_spec*` ）
磁□□或卷□的名称	文件系□（` -fs *file_spec*` ）
` 文件系□名称 _`	主机卷（` -hostvol *file_spec*` ）或□□卷（` -lvol *file_spec*` ）
主机卷或□□卷的名称 □必□同□提供□求的卷及其所在的磁□□；例如， ` - hostvol dg3/Acct_volume` 。	如果□希望 SnapDrive for UNIX □除□指定的存□，即使□在命令提示符□包含具有其他□体（例如具有一个或多个主机卷的磁□□）的主机端□体，也可以在命令提示符□包含 ` -full` □□。 如果不包含此□□，□只能指定空的主机端□体。
` 全□`	~
指定要□除存□的共享主机□体。	` - fstype`
` _ □型 _`	` -vmtype`
` _ □型 _`	• 可□： * 指定用于 SnapDrive for UNIX 操作的文件系□和卷管理器的□型。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.