什□是 SnapDrive 向□

Snapdrive for Unix

NetApp
October 26, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/aix/concept_operations_performed_using_wizards.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

什□是 SnapDrive 向□ 1
使用向□□行的操作 1
使用向□管理存□ 1
使用向□管理 Snapshot 副本 1
使用向□□除存□ 2

什□是 SnapDrive 向□

SnapDrive 提供了不同的向□，可□助□以交互方式□行特定的 SnapDrive 操作。

使用向□□行的操作

□可以使用不同的向□高效地□建存□□体并操作 SnapDrive for UNIX 。

以下 SnapDrive for UNIX 命令具有一个等效的向□来□行操作：

- `Astorage create`
- s存□□除
- `snap restore`
- `snap connect`
- `snap disconnect`

使用向□管理存□

□可以使用□用于 UNIX 的 SnapDrive 向□以交互方式高效地□建存□。□向□将引□□完成一系列□□，以□助□□建存□。

□可以使用 SnapDrive storage wizard create` 命令□□此向□。

可以□行以下存□管理操作：

- □建 LUN
- □建磁□□并自□□置 LUN
- □建磁□□并指定 LUN 。
- □建主机卷并自□□置 LUN
- □建主机卷并指定 LUN
- 在 LUN 上□建文件系□并自□□置 LUN
- 在 LUN 上□建文件系□并指定 LUN 。
- 在 LUN 上□建文件系□，并使用指定的□□卷管理器（ LVM ）和磁□□自□□置 LUN
- 在 LUN 上□建文件系□，并使用指定的 LVM 和磁□□指定 LUN
- 在 LUN 上□建文件系□，并使用指定的 LVM 和主机卷自□□置 LUN
- 在 LUN 上□建文件系□，并使用指定的 LVM 和主机卷指定 LUN

使用向□管理 Snapshot 副本

□可以使用向□管理 Snapshot 副本。此向□将引□□完成一系列□□，并□助□□行 snap connect， snap restore 和 snap disconnect 操作。

□可以使用 SnapDrive snap wizard` 命令□行此向□。

下表列出了□行此向□所需的不同操作和相□命令。□□向□后，按照□用程序□口中的□□□行操作。

操作	命令
Snapshot □原	SnapDrive 快照向□□原`
Snapshot □接	SnapDrive Snap 向□□接`
包含存□系□卷的文件系□的快照□接操作	磁□□的 Snapshot □接
LUN 的 Snapshot 断□□接	SnapDrive 快照向□断□□接`
磁□□的 Snapshot 断□□接	主机卷的 Snapshot 断□□接

- 限制： * 在 SnapDrive for UNIX 4.1 及更高版本中， SnapDrive snap wizard` 命令具有以下限制：
- `snap wizard restore` 命令不支持基于卷的 SnapRestore 。
- `snap wizard connect` 命令不支持 FlexClone ® 卷。
- 不支持使用 `snap` 向□ 命令□无□□的文件□□□行操作。

使用向□□除存□

□可以使用存□□除向□□行某些□除操作。

□可以使用 SnapDrive storage wizard delete` 命令□□此向□。

□可以□除以下□体：

- LUN
- 磁□□
- 一个□□卷
- 一□文件系□

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.