使用 storage delete 命令的准

Snapdrive for Unix

NetApp
October 26, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/solaris/concept_guidelines_for_storage_deletion_in_a_host_cluster_environment.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

使用 storage delete 命令的准□ 1
在主机集群□境中□除存□的准□ 1

使用 storage delete 命令的准□

SnapDrive storage delete` 命令在 SnapDrive for UNIX 中具有一些限制。

- □除文件系□□， SnapDrive for UNIX 始□会□除文件系□的挂□点。
- 如果使用 ` -lun` □□指定属于主机磁□□或文件系□的 LUN 的名称，□ SnapDrive storage delete` 命令将失□。
- 如果使用 ` -lun` □□指定主机上的多路径□件未□□的 LUN 的名称，□ SnapDrive storage delete` 命令将失□。

  例如，在 Solaris 主机上， LUN 必□受 DMP 控制。□言之， LUN 必□具有□□的 ` /dev/vx/dmp` □□。

在主机集群□境中□除存□的准□

□必□了解在主机集群□境中使用 SnapDrive storage delete` 命令的一些准□。

- 如果□从主机集群中的任何非主□点使用 ` -DeviceType` shared □□□□ SnapDrive storage delete` 命令，□□命令将□送到主□点并□行。要做到□一点，□必□□保所有主机集群□点上都允□使用 rsh 或 ssh `access-without password-Prompt` 。
- 可以从主机集群中的任何□点□行 SnapDrive storage delete` 命令。
- 要成功□行存□□除操作，□者都不□□ false ：
  - 必□共享存□□体。
  - LUN □映射到主机集群中的所有□点。
- □可以通□使用 ` -DeviceType dedicated` □□或在命令行□法中省略 ` -DeviceType` □□来□除特定□点上的存□□体，因□默□□□ dedicated 。
- 如果使用 ` □□□型□用` □□□除共享存□□体或 LUN ， 或者使用共享□□□除□用存□□体或 LUN ， □ SnapDrive storage delete` 命令将□示一条□□消息。
- 如果□生以下情况之一，存□□除操作将失□：
  - □除存□□体期□□生任何□□。

    SnapDrive for UNIX 将□除存□□体，断□ LUN 与所有非主□点的□接，然后断□ LUN 与主机集群中主□点的□接并将其□除。

  - 如果主机集群中的□点在□行 SnapDrive storage delete` 命令之前□□并重新□□，

    □生□□情况的原因是， LUN 仍映射到非□有□点。要避免□□情况，□使用 ` -force` □□。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.