在 Operations Manager 控制台中配置 SD-admin

Snapdrive for Unix

NetApp
October 26, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/aix/task_configuring_sd_admin_using_cli.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

在 Operations Manager 控制台中配置 SD-admin 1
使用命令行界面配置 SD-admin 1

在 Operations Manager 控制台中配置 SD-admin

Operations Manager 控制台管理□可以□建 SD-admin 用□。

Operations Manager 控制台管理□□建一个名□ sd-admin 的用□，□用□能□□全局□（全局 `Dfm.core.AccessCheck` ）□行核心□□□□。在 Operations Manager 控制台管理□配置了 SD-admin 用□后，□必□手□将凭据信息□送□ SnapDrive for UNIX 管理□。有□使用 Operations Manager 控制台配置用□和角色的□□信息，□参□ _Operations Manager 控制台管理指南和□机□助。

> □可以使用任何名称来代替 SD-admin ；但是，最好使用 SD-admin 。

要在 Operations Manager 控制台中□建角色，□□□ * □置 * > * 角色 * 。在 SD-admin 配置□面中， Operations Manager 控制台管理□必□将全局□上的 `Dfm.Database.Write` 功能分配□ sd-admin-role ，以便 SnapDrive for UNIX 可以在 Operations Manager 控制台中刷新存□□体。

使用命令行界面配置 SD-admin

存□系□管理□可以使用命令行界面配置 SD-admin 用□。

□□

1. 添加一个名□ sd-admin 的用□。

```
# useradd sd-admin
```

```
# passwd sd-admin
Changing password for sd-admin.
New password:
Re-enter new password:
Password changed
```

2. 添加一个名□ sd-admin 的管理□。

```
# dfm user add sd-admin
Added administrator sd-admin.
```

3. □建一个名□ sd-admin-role 的角色。

```
# dfm role create sd-admin-role
Created role sd-admin-role.
```

4. 向□□ 3 中□建的角色添加功能。

```
# dfm role add sd-admin-role DFM.Core.AccessCheck Global
Added 1 capability to role sd-admin-role.
```

5. Operations Manager 管理□□可以将全局□上的 `Dfm.Database.Write` 功能授予 ` <sd-admin>` ，以使 SnapDrive for UNIX 能□在 Operations Manager 中刷新存□系□□体。

```
# dfm role add sd-admin-role DFM.Database.Write Global
Added 1 capability to role sd-admin-role.
```

6. 将 SD-admin-role 角色添加到 SD-admin 用□。

```
# dfm user role set sd-admin sd-admin-role
Set 1 role for administrator sd-admin.
```

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.