存□□建操作的准□

Snapdrive for Unix

NetApp
October 26, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapdrive-unix/solaris/concept_guidelines_for_storage_create_operation_in_a_host_cluster_environment.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

存□□建操作的准□ 1
在主机集群□境中□行存□□建操作的准□ 1

存□□建操作的准□

在□ `storage create` 操作使用 SnapDrive storage create 命令□，□遵循特定准□。

- 如果使用 ` -lun` □□列出不同存□系□卷中的 LUN ，□不能在命令提示符□包含 ` -dg` ， ` -hostvol` 或 ` -fs` □□。
- ` -nolvm` □□直接在 LUN 上□建文件系□，而不激活主机 LVM 。

  使用此□□□，无法指定主机卷或磁□□。

- 不能□ NFS 文件或目□□使用 SnapDrive for UNIX 存□配置命令。
- 如果使用 lun storage create` 命令直接在 SnapDrive 上□建文件系□，□不能指定多个 lun 。

  使用此形式的命令□， SnapDrive for UNIX 始□会□建新的 LUN 。

- 某些操作系□会限制□可以□建的 LUN 数量。

  如果主机□行的是其中一个操作系□，□可能需要□行 SnapDrive config check lun` 命令。

- 如果同□安装了 UFS 和 Veritas 堆□，□□使用□ `UFS` with the ` -fstype` □□直接在 LUN 上□建 UFS 文件系□。
- 支持在具有 DMP 多路径的原始 LUN 上□建文件系□。
- 相□信息 *

□□某些映射□□□， SnapDrive for UNIX storage create 命令失□

配置□□及其默□□

在主机集群□境中□行存□□建操作的准□

在主机集群□境中□建存□□，□遵循特定准□。

- □可以从主机集群中的任何□点□行 SnapDrive storage create` 命令。
- 要使存□□建操作成功，□者均不□□ true ：
  - 存□□体不□位于主机集群中的任何□点上。
  - LUN 不□映射到主机集群中的任何□点。
- □可以使用 ` □□□型` □用或 ` □□□型共享` □□在特定□点上□建存□□体。如果□要□建的存□□体□于□用模式，□可以省略 ` □□□型` □□，因□默□□□ d已□置 。
- 在使用 Veritas 卷管理器和 Veritas 文件系□（ VxFS ）的磁□□上，支持在集群□□内□建文件系□的主机存□。此操作不支持原始 LUN ； ` -nolvm` □□也不支持。
- 存□□建操作不支持 ` -igroup` □□。
- 如果□生以下情况之一，□存□□建操作将失□：
  - □建存□□体期□是否出□任何□□消息。SnapDrive for UNIX 从主机集群中的主□点□行存□□建操作。在□建共享存□□体之前， SnapDrive for UNIX 会□建 LUN ，将 LUN 映射到主□点，然后将 LUN 映射到

所有非主□点。SnapDrive for UNIX 在内部□所有□点□建和管理 igroup 。

- 如果在□□主机集群卷管理器（ CVM ）之前主机集群中的某个□点□□并重新□□，□□在□□点上□□ LUN 使用的共享磁□□。默□情况下，如果 FC 端口地址未更改，□会□示□些 LUN ；否□，□必□使用 SnapDrive storage connect` 命令映射□些 LUN 。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.