多個子網路組態

Snapdrive for Unix

NetApp
May 03, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/snapdrive-unix/aix/task_configuring_management_and_data_interfaces_for_a_storage_system.html on May 03, 2022. Always check docs.netapp.com for the latest.

目錄

多個子網路組態 1
設定儲存系統的管理和資料介面 1
檢視管理介面的所有資料介面 1
刪除管理介面的資料介面項目 2
SAN環境中的LUN名稱 2
純NFS環境 2
混合式SAN與NFS環境 3

多個子網路組態

在您想要分隔管理流量和資料流量的環境中、多個子網路非常實用。這種分隔方式可建立更安全的環境來管理網路流量。在這類環境中、伺服器上執行的適用於UNIX及更新版本支援所有可在獨立環境、主機與HA配對環境中執行的功能。SnapDrive SnapDrive

與儲存系統管理相關的資料會透過管理介面傳輸。DataFabric Manager、Protection Manager和SnapDrive UNIX版的功能可作為管理介面的一部分。資料介面用於儲存系統之間的資料流量。

若要在環境中設定多個子網路、您應該使用「mgmtpath」選項搭配「SnapDrive show config set」命令。

UNIX版不支援SAN環境中的作業、因為SAN環境中的儲存系統主機名稱與公用名稱不同、但兩個名稱都會解析為相同的IP位址。SnapDrive若要解決此情況、您可以執行下列其中一項：

- 為系統名稱指派不同的IP位址。
- 設定系統、使其在您嘗試連線時不會回覆。

設定儲存系統的管理和資料介面

您可以在NFS環境中為單一管理介面設定多個資料介面、以便將管理流量與儲存系統上的資料流量分開。

步驟

1. 設定新管理介面的組態：

   「* SnapDrive 組態集root *」

   ```
   # snapdrive config set root f3050-197-91
   Password for root:
   Retype password:
   ```

2. 設定新管理介面的資料介面：

   「* SnapDrive 組態集*」

   ```
   # snapdrive config set -mgmtpath f3050-197-91 f3050-220-91#
   ```

   在前面的命令中、「f3050-191-191」是管理介面、「f3050-220-91」是資料介面。

檢視管理介面的所有資料介面

您可以在SnapDrive NFS環境中使用「FSconfig list」命令來檢視管理介面的所有資料介面。

1. 在CLI中輸入下列命令：

   `* SnapDrive 《組態清單**-mgmtpath**》

```
#snapdrive config list -mgmtpath
system name        management interface   datapath interface
-----------------------------------------------------------------------
-------
f3050-197-91        10.72.197.91           10.72.220.91|10.72.168.91
```

刪除管理介面的資料介面項目

您可以使用「SnapDrive show config DELETE -mgmtpath」命令、刪除NFS環境中與特定管理介面相關聯的資料介面項目。

1. 在CLI中輸入下列命令：

   `* SnapDrive 《組態刪除**-mgmtpath** ***data_interface***》

```
#snapdrive config delete –mgmtpath f3050-197-91
Deleted configuration for appliance: f3050-197-91
```

SAN環境中的LUN名稱

在所有的SAN作業中、無論LUN名稱是否解析為IP位址、LUN名稱的格式都應該是主機名稱。在純SAN環境中、沒有資料路徑的概念。管理介面對應必須與資料路徑介面相同。

SAN多個子網路環境中的組態清單輸出

```
#snapdrive config set -mgmtpath f3050-197-91 f3050-197-91

#snapdrive config list -mgmtpath
system name        management interface   datapath interface
-----------------------------------------------------------
bart               10.72.197.91           10.72.197.91
```

純NFS環境

如果您將系統設定為多個子網路、並透過管理介面掛載一或多個NFS磁碟區、則應一律將第一個資料介面設定為管理介面。

在以下範例中、管理介面為「10.72.221.19」、資料介面為「10.72.220.45」。

```
# snapdrive config list
username    appliance name   appliance type
-------------------------------------------
root        10.72.221.19     StorageSystem

# snapdrive config list -mgmtpath
system name    management interface   datapath interface
----------------------------------------------------------
f2040-221-19   10.72.221.19           10.72.220.45
```

混合式SAN與NFS環境

在混合式SAN與NFS環境中、必須對應管理與資料介面、使第一個資料介面與管理介面相同。

在以下範例中、管理介面為「10.72.197.91」、資料介面為「a10.72.220.91」。

```
#snapdrive config set -mgmtpath f3050-197-91 f3050-197-91 f3050-197-91
f3050-220-91

#snapdrive config list -mgmtpath
 system name        management interface   datapath interface
 ---------------------------------------------------------------------
 bart               10.72.197.91           10.72.197.91|10.72.220.91
```

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.