安裝SnapDrive 適用於UNIX的

Snapdrive for Unix

NetApp
May 03, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/snapdrive-unix/linux-installation-7mode/task_verifying_the_installation.html on May 03, 2022. Always check docs.netapp.com for the latest.

目錄

安裝SnapDrive 適用於UNIX的 1
驗證安裝 1
執行安裝後工作 1

安裝SnapDrive 適用於UNIX的

您可以SnapDrive 從命令列介面在Linux主機上安裝適用於UNIX的功能。

步驟

1. 從SnapDrive NetApp支援網站下載適用於UNIX for Linux的安裝程式 "NetApp下載：軟體" 並將檔案複製到Linux主機。
2. 以root使用者身分登入主機系統。

   如果您是從遠端執行安裝程式檔案、而且系統組態不允許您以root使用者的身分登入、請使用「show」命令以root使用者的身分登入。

3. 瀏覽至Linux主機上您已複製安裝程式的目錄。
4. 安裝SnapDrive 適用於UNIX的功能：

   「* rpm-ivh *installer_file_name**」

安裝後、這個程式會自動啟動。SnapDrive

```
Starting snapdrive daemon: Successfully started daemon
```

驗證安裝

安裝SnapDrive 完適用於UNIX的功能後、您必須確認安裝是否成功。適用於UNIX的支援在主機上安裝多個檔案、例如執行檔、組態檔、解除安裝檔案、診斷檔案、SnapDrive 和手冊頁。

步驟

1. 確認「snapdrive.conf」檔案位於「/opt /NetApp/SnapDrive/」資料夾。
2. 驗證SnapDrive Linux作業系統的UNIX執行檔是否安裝在下列位置：
   - 「/opt/NetApp/SnapDrive / BIN/SnapDrive」
   - 「/opt/NetApp/SnapDrive / bin /快照」
3. 驗證SnapDrive 是否已將適用於UNIX的解決方案檔安裝在「/opt /NetApp/SnapDrive /診斷程式」資料夾中。
4. 驗證SnapDrive 是否已將for UNIX手冊頁安裝在「/opt/NetApp/SnapDrive / DOCS」資料夾中。
5. 驗證/var/log/sdconfine.out檔案中已安裝組態元件的詳細資料。

執行安裝後工作

安裝完成後、您必須設定其他功能。您必須安裝伺服器憑證並設定SnapDrive 適用於UNIX的功能、才能與儲存系統和精靈服務建立安全連線。

步驟

1. 如果SnapDrive 您使用的是與儲存系統和精靈服務的安全連線、請將適用於UNIX的伺服器憑證安裝在「side-solide-path=/opt/NetApp/SnapDrive / SnapDrive .pem」位置。

   憑證路徑是在s'napdrive.conf檔案中的「教育-取消儲存憑證路徑」組態變數中定義。

2. 在「snapdrive.conf」檔案中設定「use-https-to -SDU-daemon=on_」、以使用HTTPS與儲存系統和精靈服務進行安全連線。

   適用於UNIX及更新版本的支援HTTPS以進行精靈通訊。SnapDrive預設會停用此選用參數。

3. 重新啟動SnapDrive 此程式服務：

   快照的start*

   每次手動變更組態檔時、您都必須重新啟動SnapDrive 這個程式。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.