# 損毀一致的Snapshot複本

## Snapdrive for Unix

NetApp
May 03, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/snapdrive-unix/aix/concept_crash_consistency_with_data_ontap_7_2_and_later.html on May 03, 2022. Always check docs.netapp.com for the latest.

# 目錄

損毀一致的Snapshot複本 . . . . . 1
使用NetApp 7.2及更新版本時、當機狀況一致Data ONTAP . . . . . 1
一致性群組SnapDrive UNIX適用的Snapshot複本 . . . . . 1
建立一致性群組Snapshot複本 . . . . . 2
停用一致性群組Snapshot複本 . . . . . 2

# 損毀一致的Snapshot複本

## 您可能必須為檔案系統或磁碟群組建立與當機狀況一致的Snapshot複本。UNIX版建立Snapshot複本、其中包含實體中指定之所有儲存系統磁碟區的映像。SnapDrive

當您建立儲存實體（例如檔案系統或磁碟群組）的Snapshot複本時、SnapDrive 適用於UNIX的會建立Snapshot複本、其中包含組成您使用「file_spec」引數所指定實體的所有儲存系統磁碟區映像。「file_spec」引數指定SnapDrive 儲存實體、例如供UNIX使用的檔案系統、LUN或NFS目錄樹狀結構、以建立Snapshot複本。

適用於UNIX的可提供一致的儲存元件、以構成您在Snapshot複本中要求的實體。SnapDrive這表示在使用「SnapDrive _sfsnap create」命令「file_spec」引數指定的LUN或目錄、在Snapshot複本中可能沒有一致的影像。UNIX版的支援功能可讓您僅還原Snapshot複本中「file_spec」引數所指定的一致實體。SnapDrive

單一儲存系統磁碟區中所含實體的Snapshot複本、永遠保持損毀一致。適用於UNIX的執行特殊步驟、以確保橫跨多個儲存系統或儲存系統磁碟區的Snapshot複本也能保持當機一致。SnapDriveUNIX使用的方法可確保當機一致性、取決於Snapshot複本中儲存實體所在的版本。SnapDrive Data ONTAP

# 使用NetApp 7.2及更新版本時、當機狀況一致Data ONTAP

## UNIX版支援由支援支援的一致性群組、可讓跨越多個磁碟區的所有Snapshot複本都保持一致的當機狀態。SnapDrive Data ONTAP

支援一致性群組和儲存系統屏障的版本7.2及更新版本。Data ONTAPUNIX版使用這些功能、確保橫跨多個磁碟區的所有Snapshot複本都能保持當機一致。SnapDrive

為了在多個Volume之間建立一致的當機Snapshot複本、SnapDrive 適用於UNIX的功能如下：

- Fences（凍結）I/O會儲存實體所在的每個磁碟區。
- 為每個Volume建立Snapshot複本。

圍磁碟區和建立Snapshot複本所需的時間有限、且由Data ONTAP NetApp控制。

在「sfapdrive.conf」檔案中的「* snapcreame-Cg -timeout*」參數會指定Data ONTAP 您想要允許儲存系統隔離的時間量（在不受限制的範圍內）。您可以指定緊急、中或休閒的時間間隔。如果儲存系統需要的時間超過完成隔離作業所允許的時間、SnapDrive 則適用於UNIX的功能會使用先前Data ONTAP 版本的一致性方法來建立Snapshot複本。您也可以在建立Snapshot複本時、使用「-nofilerfence」選項來指定此方法。

如果您申請的Snapshot複本適用於橫跨Data ONTAP 含有上述版本的儲存系統的儲存實體Data ONTAP、SnapDrive 那麼適用於UNIX的版本也會使用7.2 Data ONTAP 之前版本的一致性方法來建立Snapshot複本。

# 一致性群組SnapDrive UNIX適用的Snapshot複本

## 一致性群組Snapshot是一組橫跨叢集不同Vserver或節點的磁碟區的Snapshot複本、以單一實體的形式進行管理。

適用於UNIX的範圍涵蓋叢集不同Vserver或節點的所有磁碟區、都能擷取損毀一致的Snapshot複本。SnapDrive 您也可以設定擷取Snapshot複本的期間。

UNIX版根據預設會擷取一致性群組Snapshot複本。SnapDrive您可以停用此功能、並在盡力模式下恢復擷

取Snapshot複本。

> 適用於UNIX 5.2的支援一致性群組Snapshot複本、僅適用於叢集式的8.2或更新版本。SnapDrive Data ONTAP Data ONTAP

相關資訊

建立一致性群組Snapshot複本

停用一致性群組Snapshot複本

# 建立一致性群組Snapshot複本

## 您可以設定SnapDrive UNIX版的功能、以建立一致性群組Snapshot複本。

步驟

1. 在主機上輸入下列命令：

   hy* SnapDrive f-sap create -fs /mnt/test -snapname *SnapshotName*-f -nosmpat*。

   「SnapshotName_」是為一致性群組Snapshot複本指定的名稱。

### 範例

以下是命令的範例：

```
snapdrive snap create -fs /mnt/test -snapname snap_123 -f -noprompt
```

已成功建立一致性群組Snapshot複本。

# 停用一致性群組Snapshot複本

## 您可以設定SnapDrive UNIX版的功能、停用一致性群組Snapshot複本。

步驟

1. 輸入：

   hy* SnapDrive fsnap create -fs /mnt/fS3 -snapname_ nfs_snap _節點檔案隔離*

   一致性群組Snapshot複本已成功停用。

**Copyright Information**

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.