将 ASM 数据库与 SnapManager 配合使用的要求

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/unix-administration/concept_requirements_for_using_asm_databases_with_snapmanager.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

将 ASM 数据□与 SnapManager □合使用的要求 1

将 ASM 数据□与 SnapManager □合使用的要求

□必□了解将自□存□管理（ Automatic Storage Management， ASM ）数据□与 SnapManager □合使用的要求。了解□些要求有助于避免 ASMLib， 分区和克隆□□等方面的□□。

- SnapManager （ 3.0.3 或更高版本）使用 Oracle 11gR2 提供的新 sysasm 特□，而不是 sysdba 特□来管理 Oracle ASM □例。

  如果□使用 sysdba □限□ ASM □例□行管理命令，□会□示一条□□消息。数据□使用 sysdba □限□□磁□□。如果□使用 sysasm □限□接到 ASM □例，□可以完全□□所有可用的 Oracle ASM 磁□□和管理功能。

  > 如果□使用的是 Oracle 10gR2 和 11gR1， □必□□□使用 sysdba □限。

- SnapManager （ 3.0.3 或更高版本）支持□□直接存□在 ASM 磁□□上的数据□，前提是□磁□□□包含自□集群文件系□（ ACFS ）卷。

  □些文件由 SnapManager □接保□，可以使用 ASM 磁□□的其余内容□行□原，但 SnapManager （ 3.0.3 或更高版本）不支持 ACFS 。

  > ACFS 是 Oracle 11gR2 提供的一□多平台，可□展的文件系□存□管理技□。ACFS □展了 ASM 功能，可支持在 Oracle 数据□外部□□的客□文件。

- 如果 SnapManager （ 3.0.3 或更高版本）磁□□□包含 Oracle 集群注册表（ Oracle Cluster Registry， OCR ）文件或表决磁□文件，□支持□□存□在 ASM 磁□□上的文件；但是，□原操作需要使用速度□慢，基于主机或部分文件快照□原（ PFSR ）方法。

  最好在不包含数据□文件的磁□□上使用 OCR 和投票磁□。

- 用于 ASM 的□个磁□只能包含一个分区。
- 托管 ASM 数据的分区必□正□□□，以避免出□□重的性能□□。

  □意味着 LUN 的□型必□正□，分区的偏移量必□□ 4 k 字□的倍数。

  > 有□如何□建与 4K □□的分区的□□信息，□参□知□□文章 1010717 。

- 未在克隆□□中指定 ASM 配置。

  在将主机升□到 SnapManager （ 2.2 或更高版本）之前，□必□手□□除使用 SnapManager 2.1 □建的克隆□□中的 ASM 配置信息。

- SnapManager 3.1， 3.1p1 和 3.2 或更高版本支持 ASMLib 2.1.4 。
- SnapManager 3.1p4 或更高版本支持 ASMLib 2.1.4， 2.1.7 和 2.1.8 。

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.