操作的任脚本中可用的量

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/unix-administration/concept_variables_available_in_the_task_scripts_for_backup_operation.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

□□操作的任□脚本中可用的□量 1

□□操作的任□脚本中可用的□量

SnapManager 以与正在□行的□□操作相□的□境□量的形式提供上下文信息。例如，□的脚本可以□索原始主机的名称，保留策略的名称以及□□的□□。

下表列出了可在脚本中使用的□境□量：

□量	Description	格式。
sm_operation_ID	指定当前操作的 ID	string
sm_profile_name	指定所用配置文件的名称	string
sm_SID	指定数据□的系□□□符	string
sm_host	指定数据□的主机名	string
sm_os_user	指定数据□的操作系□（ OS ）所有者	string
sm_os_Group	指定数据□的操作系□□	string
sm_backup_type	指定□□的□型（□机，脱机或自□）	string
sm_backup_label	指定□□的□□	string
sm_backup_ID	指定□□的 ID	string
sm_backup_retention	指定保留期限	string
sm_backup_profile	指定用于此□□的配置文件	string
sm_allow_database_shutdown	指定是要□□□是□□数据□如果需要，可以从命令行界面使用 -force □□。	boolean
sm_backup_scope	指定□□□□（完整或部分）	string
sm_backup_protection	指定是否□用□□保□	boolean
sm_target_filer_name	指定目□存□系□名称 * 注： * 如果使用多个存□系□，□存□系□名称必□用逗号分隔。	string

□量	Description	格式。
sm_target_volume_name	指定目□卷名称 * 注： * 目□卷名称必□以存□□□名称作□前□，例如 sm_target_filer_name/sm_target_volume_name 。	string
sm_host_file_system	指定主机文件系□	string
sm_snapshot_names	指定 Snapshot 列表 * 注： * Snapshot 副本的名称必□以存□系□名称和卷名称作□前□。Snapshot 副本的名称以逗号分隔。	string array
sm_asm_disk_groups	指定 ASM 磁□□列表	string array
sm_archive_logs_directory	指定□□日志目□ * 注： * 如果□□日志位于多个目□中，□□些目□的名称以逗号分隔。	string array
sm_redo 日志目□	指定重做日志目□ * 注： * 如果重做日志位于多个目□中，□□些目□的名称以逗号分隔。	string array
sm_control_files_directory	指定控制文件目□ * 注： * 如果控制文件位于多个目□中，□□些目□的名称以逗号分隔。	string array
sm_data_files_directory	指定数据文件目□ * 注： * 如果数据文件位于多个目□中，□□些目□的名称以逗号分隔。	string array
用□定□的	指定用□定□的其他参数。用□定□的参数不可用于用作策略的□件。	用□定□的

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.