smo backup mount 命令

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/unix-administration/reference_the_smosmsapbackup_mount_command.html on October 26, 2021.
Always check docs.netapp.com for the latest.

目□

smo backup mount 命令 1
□法 1
Parameters 1
示例 2

smo backup mount 命令

□可以使用外部工具□行 backup mount 命令来挂□□□，以便□行恢□操作。

□法

```
        smo backup mount
-profile profile_name
[-label label \[-data \| -archivelogs\] \| \[-id id\]
[-host  host]
\[-from-secondary \{-copy-id id\}\]
\[-dump\]
[-quiet | -verbose]
```

Parameters

- -profile profile_name*

  指定与要挂□的□□□□的配置文件。配置文件包含数据□的□□符和其他数据□信息。

- * — id guid*

  使用指定 GUID 挂□□□。GUID 由 SnapManager 在□建□□□生成。□可以使用 smo backup list 命令□示□个□□的 GUID 。

- * —□□□□ *

  挂□具有指定□□的□□。

- * 数据 *

  指定数据文件。

- * — archivelogs*

  指定□□日志文件。

- 从二□卷 * 到副本 -copy-id id*

  从二□存□挂□□□。如果未指定此□□，□ SnapManager 将从主存□挂□□□。如果已□放□□，□可以使用此□□。

  □当指定 -from-secondary □□□，都必□指定 -copy-id □□。如果二□存□系□上有多个□□，□使用 -copy-id □□指定□使用二□存□上的□个□□副本挂□□□。

  > 如果□使用的是在 7- 模式下□行的 Data ONTAP ，□必□□ -copy-id □□指定有效□。但是，如果使用的是集群模式 Data ONTAP ，□不需要 -copy-id □□。

- * —主机主机 *

  指定要挂□□□的主机。

- * —□□ *

  在挂□操作成功或失□后收集□□文件。

- * —静默 *

  在控制台中□□示□□消息。默□□置□□示□□和警告消息。

- * —□□ *

  在控制台中□示□□，警告和信息性消息。

> 只有在使用 Oracle Recovery Manager （ RMAN ）等外部工具□，才必□使用此命令。如果□使用 smo backup restore 命令□原□□，□ SnapManager 会自□□理□□挂□。此命令将□示一个列表，其中□示了已挂□ Snapshot 副本的路径。只有在指定 -verbose □□□，才会□示此列表。

示例

以下示例将挂□□□：

```
smo backup mount -profile SALES1 -label full_backup_sales_May -verbose
SMO-13046 [INFO ]: Operation GUID 8abc013111b9088e0111b908a7560001
starting on Profile SALES1
SMO-08052 [INFO ]: Beginning to connect mount(s) [/mnt/ssys1/logs,
/mnt/ssys1/data] from logical snapshot
SMO_SALES1_hsdb1_F_C_1_8abc013111a450480111a45066210001.
SMO-08025 [INFO ]: Beginning to connect mount /mnt/ssys1/logs from
snapshot SMO_SALES1_hsdb1_F_C_1_8abc013111a450480111a45066210001_0 of
volume hs_logs.
SMO-08027 [INFO ]: Finished connecting mount /mnt/ssys1/logs from snapshot
SMO_SALES1_hsdb1_F_C_1_8abc013111a450480111a45066210001_0 of volume
hs_logs.
SMO-08025 [INFO ]: Beginning to connect mount /mnt/ssys1/data from
snapshot SMO_SALES1_hsdb1_F_C_1_8abc013111a450480111a45066210001_0 of
volume hs_data.
SMO-08027 [INFO ]: Finished connecting mount /mnt/ssys1/data from snapshot
SMO_SALES1_hsdb1_F_C_1_8abc013111a450480111a45066210001_0 of volume
hs_data.
SMO-08053 [INFO ]: Finished connecting mount(s) [/mnt/ssys1/logs,
/mnt/ssys1/data] from logical snapshot
SMO_SALES1_hsdb1_F_C_1_8abc013111a450480111a45066210001.
SMO-13037 [INFO ]: Successfully completed operation: Backup Mount
SMO-13048 [INFO ]: Operation Status: SUCCESS
SMO-13049 [INFO ]: Elapsed Time: 0:01:00.981
Operation Id [8abc013111b9088e0111b908a7560001] succeeded.
```

- 相□信息 *

挂□□□

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.