克隆数据□□□而不重置日志

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/unix-administration/task_cloning_database_backups_without_resetlogs.html on October 26, 2021.
Always check docs.netapp.com for the latest.

目□

克隆数据□□□而不重置日志 1
示例 1

克隆数据□□□而不重置日志

通□ SnapManager ， □可以□行□活的克隆，以便可以手□将克隆的数据□恢□到所需的□□点，而无需使用重置日志打□数据□。□也可以手□将克隆的数据□配置□ Data Guard □用数据□。

如果□可以在□建克隆□□□ -no-resetlogs □□，□ SnapManager 将□行以下活□来□建克隆的数据□：

1. 在□□克隆操作之前，□行□□理任□活□（如果指定）
2. 使用用□指定的 SID □建克隆的数据□
3. □行□克隆的数据□□出的 SQL □句。

   □会成功□行可在挂□状□下□行的 SQL □句。

4. □行后□理任□活□（如果指定）。
   - 要手□恢□克隆的数据□，需要□行□些任□ *
5. 使用挂□路径中的□□日志文件手□挂□□□日志□□并恢□克隆的数据□。
6. □行手□恢□后，使用 -resetlogs □□打□已恢□的克隆数据□。
7. 根据需要□建□□表空□。
8. □行 DBNEWID □用程序。
9. □克隆的数据□的凭据授予 sysdba □限。

在使用 -no-resetlogs □□克隆数据□□□□， SnapManager 会使克隆的数据□保持挂□状□，以便手□恢□。

> 使用 -no-resetlogs □□□建的克隆数据□不是完整的数据□。因此，□不能□此数据□□行任何 SnapManager 操作，但 SnapManager 不会限制□□行任何操作。

如果未指定 -no-resetlogs □□，□ SnapManager 将□用□□日志文件，并使用 resetlogs 打□数据□。

1. □入以下命令： smo clone create -profileprofileprofile_name "-backup-labelbackup_name _ -backup -idbackup_id _ current] -newsidnew_sid-clonesefull_path_to_clonesorfile-no-resetlogs

   如果□□□同□指定 -no-resetlogs 和 recovery-from-location □□，□ SnapManager 不允□同□指定□□个□□，并□示□□消息： SMO-04084 ： You must specify one of the options ： -no-resetlogs or -recovery-from -location 。

示例

```
smo clone create -profile product -backup-label full_offline -newsid
PROD_CLONE -clonespec prod_clonespec.xml -label prod_clone-reserve -no
-reset-logs
```

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.