# 使用□□理脚本和后□理脚本□行□□，□原和克隆操作

## SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/unix-administration/task_performing_backup_restore_and_clone_operations_using_prescript_and_post_scripts.html on October 26, 2021. Always check docs.netapp.com for the latest.

# 目□

使用□□理脚本和后□理脚本□行□□，□原和克隆操作 . . . . . 1
使用任□□□ XML 文件□建□□的示例 . . . . . 1

# 使用□□理脚本和后□理脚本□行□□，□原和克隆操作

□可以在□□□□，□原或克隆操作□使用自己的脚本。SnapManager 会在□□□建向□，□原或恢□向□或克隆□建向□中□示一个任□□用□面，□可以在其中□□脚本并□脚本所需的任何参数提供□。

- 在正□的 SnapManager 安装位置安装□件脚本。
- 使用 smo plugin check 命令□□是否已正□安装□件。
- □保使用的是 bash shell 。

在命令行界面（ CLI ）中，列出脚本名称，□□参数并□置□。

1. 要□□是否正在使用 bash shell ，□在命令提示符□□入以下命令： bash

   或者，□也可以在提示符□□入 which — bash 命令，并使用命令□出作□脚本的 start 参数。

   如果未看到□□，□ bash shell □行正常。

2. □于□□操作，□入 -taskspecs □□并提供任□□□ XML 文件的□□路径，以便在□□操作之前或之后□行□□理或后□理活□： SMO backup create -profile profile_name ｛ -full ｛ -online | -offline | -auto ｝ ｛ -retain ｛ -hourly | -weekly | -monthly | -unlimited ｝ ] ｛ -verify] | ｛ -data 〔 -filesfiles 【文件文件文件〕〕 _ 表空□ -tablesogs ｛ -tablespacesaces ） ]] "-protect | -noprotect | -protectnow] -backup-destpath1 [ ， [path2]] （ -exclude-destpath1 [ ， path2]]] （ -prunelog ｛ -all _ -untilSCtilNUN□□ _ -before ｛ -dateydesty-mm-dd HH ： mm ： sn | -months | -prunteamesnvs ； -dunesun-dunesunesun-destinationsun-dunese-zh_unese -zh_unese-zh.-zh_-dump_-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-zh.-d

   如果□□□件操作失□，□□□示□件名称和返回代□。□件脚本必□包含日志消息，并将□些消息重定向到用□定□的日志文件。

3. □于□□□原操作， □入 -taskSpec □□，并提供任□□□ XML 文件的□□路径，以便在□原操作之前或之后□行□□理或后□理活□： smo backup restore -profileprofile_name ｛ -label-label <labk> | -id<id> ｝ ｛ -files<files>|-tablesspeci< 表空□ > | -complete | -files> ， 直到 ←restology> □止 -from-secondary "-temp-volume <temp_volume>] （ -copy-idiedi]] （ -taskspec<taskspec>] ）（ -verify] （ -force] ）□□□原 -fast （ 需要，覆□，回退和□□）（ -preview ） -dump （ -quiet ， -verbose ）

   如果□原□件操作失□，□□□示□件名称和返回代□。□件脚本必□包含日志消息，并将□些消息重定向到用□定□的日志文件。

4. □于克隆□建操作，□入 -taskspecs □□并提供任□□□ XML 文件的□□路径，以便在克隆操作之前或之后□行□□理或后□理活□： SMO clone create -profileprofileprofile_name ｛ -backup-labelbackup_name _ -backup-id<backup-id>> -current ｝ -newsidnew_sid-clonesefull_path_to_clonspecfile [-reserve<yes ， no ， herity>] （ -host<host>] ）【 -label<label> 】（ -label-sID-cluster> ）

   如果克隆□件操作失□，□□□示□件名称和返回代□。□件脚本必□包含日志消息，并将□些消息重定向到用□定□的日志文件。

## 使用任□□□ XML 文件□建□□的示例

```
smo backup create -profile SALES1 -full -online -taskspec
sales1_taskspec.xml -force -verify
```

**Copyright Information**

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.