数据

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/unix-installation-cmode/task_backing_up_your_database.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

□□数据□ 1

□□数据□

□建配置文件后，□必□□□数据□。□可以在初始□□和□□后□□重□□□。

以下□□□明了如何使用 SnapManager 用□界面□建数据□□□。如果□□意，也可以使用命令行界面（ CLI ）。

有□如何使用命令行界面□建□□的信息，□参□ *Oracle SnapManager for UNIX* 管理指南。

1. 从存□□□中，右□□□包含要□□的数据□的配置文件，然后□□ * □□ * 。
2. 在 * □□ * 中，□入□□的自定□名称。

   名称中不得包含空格或特殊字符。如果不指定名称， SnapManager 会自□□建□□□□。

   在 SnapManager 3.4 中，□可以修改 SnapManager 自□□建的□□□□。□可以□□ override.default.backup.pattern 和 new.default.backup.pattern 配置□量以□建自己的默□□□□□模式。

3. 在 * SnapVault SnapMirror □□ * 中，□必□在□置 SnapVault □系□□入在 SnapMirror 策略□□中指定的 SnapMirror □□。

   > 只有在□建配置文件□□□了 _SnapManager_cDOT_Vault_as 保□策略□， * SnapVault Label* 字段才会□示。

4. 如果需要，□□ * 允□□□或□□数据□ * 以修改数据□的状□。

   此□□可□保如果数据□未□于□建□□所需的状□， SnapManager 会自□将数据□置于所需状□以完成此操作。

5. 在要□□的数据□，表空□或数据文件□面上，□行以下操作：
   a. □□ * □□数据文件 * 可□□完整数据□，□定数据文件或□定表空□。
   b. □□ * □□□□日志 * 可□独□□□□日志文件。
   c. 如果要从已□□的活□文件系□中□除□□日志文件，□□□ * □□框□□日志 * 。

      > 如果□□□日志文件□用了 Flash Recovery Area （ FRA ），□ SnapManager 无法□□□日志文件□行修剪。

   d. 如果要□用□□保□，□□□ * 保□□□ * 。

      只有在□建配置文件□□□了保□策略□，才会□用此□□。

   e. 从 * □型 * 下拉列表中，□□要□建的□□□型（脱机或□机）。

      如果□□自□， SnapManager 将根据数据□的当前状□□建□□。

   f. 从 * 保留□ * 下拉列表中，□□保留□。
   g. 如果要□保□□的文件未□坏，□□中 * 使用 Oracle DBVERIFY □用程序□□□□ * □□框。
6. 在任□□用□面上，指定是否要在□□操作完成前后□行任□。
7. 在□行□□操作□面上，□□信息并□□ * □□ * 。

8. □□ * 完成 * 以□□向□。

   如果操作失□，□□□ * 操作□□信息 * 以□看□致操作失□的原因。

   - 相□信息 *

"《□用于 UNIX 的 SnapManager 3.4 for Oracle 管理指南》"

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.