什□是配置文件

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/windows/concept_what_profiles_are.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

什□是配置文件 1

什□是配置文件

SnapManager 使用配置文件存□□□定数据□□行操作所需的信息。配置文件包含有□数据□的信息，包括其凭据，□□和克隆。通□□建配置文件，□不必在□次□□数据□□行操作□都指定数据□□□信息。

一个配置文件只能引用一个数据□。同一数据□可以由多个配置文件引用。使用一个配置文件□建的□□无法从其他配置文件□□，即使□□个配置文件都引用同一数据□也是如此。

配置文件信息存□在存□□中。存□□包含数据□的配置文件信息以及用作数据□□□的 Snapshot 副本的相□信息。□□ Snapshot 副本存□在存□系□上。Snapshot 副本名称存□在包含□数据□的配置文件的存□□中。□数据□□行操作□，必□从存□□中□□配置文件。

下□□明了存□□如何可以包含多个配置文件，但□个配置文件只能定□一个数据□：



在上述示例中， Repository2 位于数据□ DB1 上，而 Repository1 位于数据□ DB4 上。

□个配置文件都包含与□配置文件□□的数据□的凭据。通□□些凭据， SnapManager 可以□接到数据□并使用□数据□。存□的凭据包括用于□□主机，存□□，数据□的用□名和密□□，以及使用 Oracle Recovery Manager （ RMAN ）□所需的□接信息。

□无法□□使用不同配置文件中的一个配置文件□建的□□，即使□□个配置文件都与同一数据□相□□也是如此。SnapManager 会□定数据□，以防止同□□行□个不兼容的操作。

- 用于□建完整□□和部分□□的配置文件 *

□可以□建配置文件来□行完整□□或部分□□。

□□□建完整□□和部分□□而指定的配置文件既包含数据文件，又包含□□日志文件。SnapManager 不允□此□配置文件将□□日志□□与数据文件□□分□。完整和部分□□会根据□有□□保留策略□行保留。□可以根据□合自己的□□和□率□□完整□□和部分□□。

- 用于□建□数据文件□□和□□□日志□□的配置文件 *

使用 SnapManager （ 3.2 或更高版本），□可以□建配置文件，以便将□□日志文件的□□与数据文件分□。使用配置文件分□□□□型后，□可以□数据□□建□数据文件□□或□□□日志□□。□□可以□建一个同□包含数据文件和□□日志文件的□□。

保留策略会在□□日志□□未分□□□所有数据□□□□行□用□景。分□□□日志□□后， SnapManager 允□□指定不

同的保留期限。

- 保留策略 *

SnapManager 会通□考□保留□数（例如 15 个□□）和保留期限（例如 10 天的□日□□）来□定是否□保留□□。如果□□的期限超□□其保留□□置的保留期限，并且□□数量超□保留数量，□□□将□期。例如，如果□□□数□ 15 （表示 SnapManager 已成功□建□□ 15 ），并且□ 10 天的□日□□□置了持□□□要求，□五个最旧，成功且符合条件的□□将□期。

- □□日志保留持□□□ *

分隔□□日志□□后，它□将根据□□日志保留期限□行保留。无□□□日志保留期限如何，使用数据文件□□□建的□□日志□□始□会与□些数据文件□□一起保留。

- 相□信息 *

管理配置文件以□□高效□□

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.