smo notification set 命令

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/windows/reference_the_smosmsap_notification_set_command.html on October 26, 2021.
Always check docs.netapp.com for the latest.

目□

smo notification set 命令 1
□法 1
Parameters 1
示例 2

smo notification set 命令

□可以使用 notification set 命令配置□件服□器。

□法

```
        smo notification set
-sender-email email_address
-mailhost mailhost
-mailport mailport
[-authentication
-username username
-password password]
-repository
-dbname repo_service_name
-port repo_port]
-host repo_host
-login -username repo_username
[-quiet | -verbose]
```

Parameters

- * —□件人□子□件 email_address*

  指定□送□子□件警□的□件人的□子□件地址。在 SnapManager 3.2 for Oracle 中，□可以在指定□子□件地址的域名□使用□字符（ - ）。例如，□可以将□件人□子□件地址指定□ -sender-email07lbfmdatacenter@continental-corporation.com 。

- * — mailhost mailhost*

  指定□理□子□件通知的主机服□器的名称或 IP 地址。

- * — mailport mailport*

  指定□件服□器端口号。

- * — authentication -username username -password password*

  指定□子□件地址的身□□□□□信息。□必□指定用□名和密□。

- * 存□□ *

  指定存□□数据□的□□信息。

- * 端口 repo_port*

  指定用于□□存□□数据□的□□控制□□（ Transmission Control Protocol， TCP ）端口号。

- * — dbname repo_service_name*

  指定存□□数据□的名称。□可以使用全局名称或系□□□符。

- * — host repo_host*

  指定存□□数据□所在主机的名称或 IP 地址。

- * —登□ *

  指定存□□登□□□信息。□是可□的。如果未指定，□ SnapManager 默□□操作系□身□□□□接模式。

- * 用□名 repo_username*

  指定□□存□□数据□所需的用□名。

- * —静默 *

  在控制台中□□示□□消息。默□情况下会□示□□和警告消息。

- * —□□ *

  在控制台中□示□□，警告和信息性消息。

示例

以下示例将配置□件服□器：

```
smo notification set -sender-email admin@org.com -mailhost
hostname.org.com -mailport 25 authentication -username davis -password
davis -repository -port 1521 -dbname SMOREPO -host hotspur
-login -username grabal21 -verbose
```

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.