smo repository create 命令

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/windows/reference_the_smosmsaprepository_create_command.html on October 26, 2021.
Always check docs.netapp.com for the latest.

目□

smo repository create 命令 1
□法 1
Parameters 1
命令示例 2

smo repository create 命令

□法

此命令将□建一个存□□，用于存□数据□配置文件和□□凭据。此命令□会□□□大小是否足□。

```
        smo repository create
-repository
-port repo_port
-dbname repo_service_name
-host repo_host
-login -username repo_username
[-force] [-noprompt]
\[-quiet \| -verbose\]
```

Parameters

- * 存□□ *

  repository 后面的□□用于指定存□□的数据□□□信息

- * 端口 repo_port*

  指定用于□□存□□的数据□的 TCP 端口号。

- * — dbname repo_service_name*

  指定存□□的数据□的名称。使用全局名称或 SID 。

- * — host repo_host*

  指定□行存□□数据□的主机□算机的名称或 IP 地址。

- * —登□ *

  □□存□□登□□□信息。

- * 用□名 repo_username*

  指定□□存□□的数据□所需的用□名。

- * —□制 *

  □□□制□建存□□。使用此□□会□致 SnapManager 提示□在□建存□□之前□□存□□。

- * — noprompt-*

  如果使用 -force □□，□在□建存□□之前不会□示□□□存□□的提示。使用 -noproPrompt □□可□保不会□示

此提示符，从而可以更□松地使用脚本□建存□□。

- * —静默 *

  在控制台上□□示□□消息。默□情况下会□示□□和警告消息。

- * —□□ *

  在控制台上□示□□，警告和信息性消息。

命令示例

以下示例将在主机 Hotspur 上的数据□ SMOREPO 中□建一个存□□。

```
smo repository create -repository -port 1521 -dbname SMOREPO -host hotspur
-login -username grabal21 -verbose
SMO-09202 [INFO ]: Creating new schema as grabal21 on
jdbc:oracle:thin:@//hotspur:1521/SMOREPO.
SMO-09205 [INFO ]: Schema generation complete.
SMO-09209 [INFO ]: Performing repository version INSERT.
SMO-09210 [INFO ]: Repository created with version: 30
SMO-13037 [INFO ]: Successfully completed operation: Repository Create
SMO-13049 [INFO ]: Elapsed Time: 0:00:08.844
```

- 相□信息 *

正在□建存□□

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.