从克隆数据

SnapManager Oracle

NetApp
August 06, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/windows/task_cloning_databases_from_backups.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

从□□克隆数据□ 1

从□□克隆数据□

□可以使用 clone create 命令从□□克隆数据□。

□必□先□数据□□建克隆□□文件。SnapManager 将根据此□□文件中的信息□建克隆。

□必□□克隆提供一个新的 Oracle 系□□□符（ SID ）。不能在同一主机上同□□行具有相同 SID 的□个数据□。□可以在使用相同 SID 的其他主机上□建克隆。要□克隆指定唯一名称，□使用 -label 。如果不使用此□□，SnapManager 将□克隆□建一个唯一名称，其中包括 SID ， 日期和□□。

克隆数据□后，□可能需要使用新克隆的数据□□接信息更新客□端□算机上的 tnsnames.ora 文件。tnsnames.ora 文件用于□接到 Oracle □例，而无需指定完整的数据□信息。SnapManager 不会更新 tnsnames.ora 文件。

如果□使用的是使用 -include-with -online backup □建的配置文件，□ SnapManager 始□会□建□□，其中包括□□日志文件。使用 SnapManager ， □只能克隆完整的数据□□□。

通□ SnapManager （ 3.2 或更高版本），□可以克隆包含数据文件和□□日志文件的□□。

如果可以从外部位置□□□□日志，□可以在克隆期□指定外部位置，以便将克隆的数据□恢□到一致的状□。□必□□保 Oracle 可□□外部位置。不支持克隆□□□日志□□。

□然□□日志□□是与□机部分□□一起□建的，但□不能使用此□□□建数据□克隆。

在指定外部□□日志位置以将克隆的数据□恢□□一致状□□，必□□保将外部位置名称完全包含在大写中。在文件系□中，所有文件□和子文件□的名称必□□大写，因□ Oracle 数据□会将目□路径□□□大写，并要求外部目□路径，文件□名称和子文件□名称采用大写。如果以小写形式指定外部□□日志目□路径，□数据□可能无法□□指定路径，并且无法恢□克隆的数据□。

□只能从独立数据□的外部□□日志文件位置克隆数据□□□。

□可以将 -dump □□指定□可□参数，以便在成功或失□的克隆□建操作后收集□□文件。

- 克隆数据文件□□而不使用□□日志□□ *

如果数据文件□□不包括□□日志□□，□ SnapManager for Oracle 将根据□□期□□□的系□更改□号（ SCN ）克隆数据□。如果无法恢□克隆的数据□，□会□示 "Thade <number> and change <SCN> required to complete recovery " □□消息，即使 SnapManager for Oracle □□克隆数据□，并最□成功□建克隆。

使用数据文件□□而不包括□□日志□□□行克隆□， SnapManager 会恢□克隆的数据□，直到□□期□□□的最后一个□□日志 SCN □止。

1. □建克隆□□文件。
2. 要□建克隆，□□入以下命令： smo clone create -backup-labelbackup_name-newsidnew_sid -labelclone_label-profileprofile_name-clonetfull_path_to_clonspecfile [-spectaskspec] [-recovery-from-location] path1 [， <path2>…]-dump
   - 相□信息 *

在当前状□下克隆数据□

将数据□克隆到□用主机的注意事□

正在□建克隆□□

smo clone create 命令

□建任□前，任□后和策略脚本

克隆操作的任□脚本中可用的□量

正在□建任□脚本

存□任□脚本

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.