建或更新 POST 脚本

SnapManager Oracle

NetApp
October 26, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/windows/task_using_post-processing_task_specification_to_mirror_volumes.html on October 26, 2021. Always check docs.netapp.com for the latest.

目□

□建或更新 POST 脚本 1
□建后□理，任□□□文件 1

□建或更新 POST 脚本

□可以□建新的 POST 脚本，也可以使用 default_install_directory\plugins\backup\create\post 中提供的脚本。

□必□以特定方式□脚本□行□□□整，以便可以在 SnapManager 操作的上下文中□行□脚本。根据□期操作，可用□入参数和返回代□□定□建脚本。

1. □建新脚本或使用可用的示例脚本。
2. 根据需要修改或包括函数，□量和参数。
3. 保存自定□脚本。
4. 在后□理任□□□ XML 文件中添加脚本名称和所需□入，或者通□□□正□的脚本和□入参数从□形用□界面提供□入。

   □不必在任□□□ XML 文件中提供二□存□□□信息。

   ◦ 相□信息 *

□ SnapManager 操作□建任□□□文件和脚本

□建后□理，任□□□文件

通□ SnapManager ，□可以□□□操作□建后□理，任□□□的 XML 文件，其中包括 SnapMirror 或 SnapVault 后脚本。通□□些脚本，□可以将□□□像或存□到二□存□。

1. 打□新的 XML 文件。

   □可以在 default_install_directory\plugins\examples □看任□□□ XML 文件示例。

2. 将脚本名称添加□□入参数。
3. 保存任□□□ XML 文件。

使用后□理任□□□□像卷

通□ SnapManager for Oracle ，□可以在 Windows □境中□行□□操作后使用脚本□像卷。

1. □建任□□□ XML 文件。
2. 在 XML 文件中，□入脚本名称作□□入参数。
3. 保存任□□□ XML 文件。
4. 使用以下命令□建数据□到二□存□的受保□□□。

   □建受保□的□□□，□必□在 -taskSpec □□后面提供已保存任□□□ XML 文件的完整路径。

   示例： smobackup create -profile test_profile -full -online -taskspecC ： \\mirror\\snapmirror.xml

以下示例□示了使用 7- 模式 Data ONTAP □的后□理任□□□□□：

```
#     <post-tasks>
#               <task>
#                   <name>Mirror the backup</name>
#                    <description>Mirror the backup</description>
#               </task>
#             <post-tasks>
```

以下示例□示了使用集群模式 Data ONTAP □的后□理任□□□□□：

```
# <task-specification>
#              <post-tasks>
#                  <task>
#                   <name>"Vault the backup for cDOT"</name>
#                    <parameter>
#                    <name>SNAPSHOT_LABEL</name>
#                   <value>TST</value>
#                    </parameter>
#                  </task>
#                </post-tasks>
#              </task-specification>
#            </preposttask-specification>
```

使用后□理任□□□来存□ qtree

通□ SnapManager for Oracle， □可以在 Windows □境中□行□□操作后使用脚本来存□ qtree 。

1. □建任□□□ XML 文件。
2. 在 XML 文件中，□入脚本名称作□□入参数。
3. 保存任□□□ XML 文件。
4. 使用以下命令□建数据□到二□存□的受保□□□。

   □建受保□的□□□，□必□在 -taskSpec □□后面提供已保存任□□□ XML 文件的完整路径。

   示例： smobackup create -profile test_profile -full -online -taskspec" C ： \\mirror\\snapvault.xml"

以下示例□示了使用 7- 模式 Data ONTAP □的后□理任□□□□□：

```
# <post-tasks>
#                <task>
#                  <name>Vault the backup</name>
#                   <description>Vault the backup</description>
#              </task>
#         <post-tasks>
```

以下示例□示了使用集群模式 Data ONTAP □的后□理任□□□□□：

```
# <task-specification>
#                <post-tasks>
#                  <task>
#                   <name>"Vault the backup for cDOT"</name>
#                 <parameter>
#                    <name>SNAPSHOT_LABEL</name>
#                    <value>TST</value>
#                    </parameter>
#                  </task>
#                </post-tasks>
#              </task-specification>
#            </preposttask-specification>
```

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.