什么是适用于 **Oracle** 的 **SnapManager** 架构

SnapManager Oracle

NetApp
May 03, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/snapmanager-oracle/windows/concept_snapmanager_host.html on May 03, 2022. Always check docs.netapp.com for the latest.

目录

什么是适用于 Oracle 的 SnapManager 架构 1
SnapManager 主机 1
SnapManager 图形用户界面和命令行界面 2
SnapManager 存储库 2
SnapDrive 服务器上的 SnapManager 2

什么是适用于 Oracle 的 SnapManager 架构

适用于 Oracle 的 SnapManager 架构包含许多组件，例如适用于 Oracle 主机，客户端和存储库的 SnapManager 。其他组件包括主存储系统和二级存储系统以及其他 NetApp 产品。

SnapManager for Oracle 架构包括以下架构组件：

- SnapManager 主机
- SnapManager 图形用户界面或命令行界面
- SnapManager 存储库
- 主存储系统
- 二级存储系统
- 适用于 Windows 的 SnapDrive

下图显示了适用于 Oracle 的 SnapManager 架构以及相关组件：



SnapManager 主机

SnapManager 主机是一个 Windows 服务器，它也运行其他 NetApp 产品。

SnapManager 主机安装了以下产品：

- 适用于 Windows 的 SnapDrive
- Host Utilities

SnapManager 主机作为服务运行。

SnapManager 图形用户界面和命令行界面

SnapManager 客户端包括一个图形用户界面（ GUI ）和一个命令行界面（ CLI ）。

SnapManager 存储库

存储库可存储与不同 SnapManager 操作相关的信息，例如备份时间，备份的表空间和数据文件，使用的存储系统，创建的克隆以及创建的 Snapshot 副本。

存储库数据库不能位于同一数据库中，也不能位于 SnapManager 正在备份的同一数据库中。这是因为存储库会存储在备份操作期间创建的数据库 Snapshot 副本的名称。必须在与要备份的数据库不同的数据库中创建存储库。这意味着您必须至少有两个数据库： SnapManager 存储库数据库和由 SnapManager 管理的目标数据库。运行 SnapManager 服务时，两个数据库都必须已启动且正在运行。

存储库数据库关闭时，不能使用 GUI 或命令行界面执行任何 SnapManager 操作。

SnapDrive 服务器上的 SnapManager

SnapManager 使用 SnapDrive for Windows 创建存储系统的 Snapshot 副本。SnapDrive 与 SnapManager 位于同一服务器上。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.