プロキシ設定を管理します

StorageGRID

NetApp
May 17, 2022

This PDF was generated from https://docs.netapp.com/ja-jp/storagegrid-116/admin/configuring-storage-proxy-settings.html on May 17, 2022. Always check docs.netapp.com for the latest.

目次

プロキシ設定を管理します 1
ストレージプロキシを設定します 1
管理プロキシを設定します 2

プロキシ設定を管理します

ストレージプロキシを設定します

プラットフォームサービスまたはクラウドストレージプールを使用している場合は、ストレージノードと外部の S3 エンドポイントの間に非透過型プロキシを設定できます。たとえば、インターネット上のエンドポイントなどの外部エンドポイントへプラットフォームサービスメッセージを送信する場合などには、非透過型プロキシが必要です。

必要なもの

- 特定のアクセス権限が必要です。
- を使用して Grid Manager にサインインします サポートされている Web ブラウザ。

設定できるストレージプロキシは 1 つです。

手順

1. [* 設定 * > * セキュリティ * > * プロキシ設定 *] を選択します。

   ストレージプロキシの設定ページが表示されます。デフォルトでは、サイドバーメニューで「 * Storage * 」が選択されています。

   

2. Enable Storage Proxy （ストレージプロキシの有効化）チェックボックスを選択します。

   ストレージプロキシを設定するためのフィールドが表示されます。

   

3. 非透過型ストレージプロキシのプロトコルを選択します。
4. プロキシサーバのホスト名または IP アドレスを入力します。
5. 必要に応じて、プロキシサーバへの接続に使用するポートを入力します。

プロトコルにデフォルトのポート 80 を使用する場合は、このフィールドを空白のままにできます。HTTP の場合は 80 、 SOCKS5 の場合は 1080 です。

6. [保存（ Save ）] を選択します。

   ストレージプロキシが保存されたら、プラットフォームサービスまたはクラウドストレージプールの新しいエンドポイントを設定してテストできます。

   プロキシの変更が有効になるまでに最大 10 分かかることがあります。

7. プロキシサーバの設定をチェックして、 StorageGRID からのプラットフォームサービス関連メッセージがブロックされないようにします。

ストレージプロキシを無効にする必要がある場合は、 * ストレージプロキシを有効にする * チェックボックスの選択を解除し、 * 保存 * を選択します。

関連情報

- プラットフォームサービス用のネットワークとポート
- ILM を使用してオブジェクトを管理する

管理プロキシを設定します

HTTP または HTTPS を使用して AutoSupport メッセージを送信する場合（を参照）AutoSupport を設定します）を使用して、管理ノードとテクニカルサポート（ AutoSupport ）の間に非透過型プロキシサーバを設定できます。

必要なもの

- 特定のアクセス権限が必要です。
- を使用して Grid Manager にサインインします サポートされている Web ブラウザ。

設定できる管理プロキシは 1 つです。

手順

1. [* 設定 * > * セキュリティ * > * プロキシ設定 *] を選択します。

   Admin Proxy Settings ページが表示されます。デフォルトでは、サイドバーメニューで「 * Storage * 」が選択されています。

2. サイドバーのメニューから、 **Admin** を選択します。



3. [管理プロキシを有効にする *] チェックボックスをオンにします。



4. プロキシサーバのホスト名または IP アドレスを入力します。
5. プロキシサーバへの接続に使用するポートを入力します。
6. 必要に応じて、プロキシユーザ名を入力します。

   プロキシサーバでユーザ名が不要な場合は、このフィールドを空白のままにします。

7. 必要に応じて、プロキシパスワードを入力します。

   プロキシサーバでパスワードが不要な場合は、このフィールドを空白のままにします。

8. [保存（ Save ）] を選択します。

   管理プロキシが保存されると、管理ノードとテクニカルサポートの間にプロキシサーバが設定されます。

   プロキシの変更が有効になるまでに最大 10 分かかることがあります。

9. プロキシを無効にする必要がある場合は、 * 管理者プロキシを有効にする * チェックボックスの選択を解除し、 * 保存 * を選択します。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.