重新启动网格节点

StorageGRID

NetApp
May 17, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/storagegrid-116/maintain/rebooting-grid-node-from-grid-manager.html on May 17, 2022. Always check docs.netapp.com for the latest.

目录

重新启动网格节点 1
从网格管理器重新启动网格节点 1
从命令 Shell 重新启动网格节点 2

重新启动网格节点

您可以从网格管理器或节点的命令 Shell 重新启动网格节点。

重新启动网格节点时，该节点将关闭并重新启动。所有服务都会自动重新启动。

如果您计划重新启动存储节点，请注意以下事项：

- 如果 ILM 规则指定了 " 双提交 " 的载入行为或规则指定了 " 已平衡 " ，并且无法立即创建所有必需的副本，则 StorageGRID 会立即将任何新载入的对象提交到同一站点上的两个存储节点，并在稍后评估 ILM 。如果要重新启动给定站点上的两个或多个存储节点，则在重新启动期间可能无法访问这些对象。
- 为了确保您可以在存储节点重新启动时访问所有对象，请在重新启动节点之前，停止在站点上载入对象大约一小时。

管理 StorageGRID

从网格管理器重新启动网格节点

从网格管理器重新启动网格节点会在目标节点上发出 `reboot` 命令。

您需要什么？ **#8217** ；将需要什么

- 您将使用登录到网格管理器 支持的 Web 浏览器。
- 您具有维护或 root 访问权限。
- 您具有配置密码短语。

步骤

1. 选择 * 节点 * 。
2. 选择要重新启动的网格节点。
3. 选择 * 任务 * 选项卡。



4. 选择 * 重新启动 * 。

   此时将显示确认对话框。



   如果要重新启动主管理节点，则确认对话框会提醒您，服务停止后，浏览器与网格管理器的连接将暂时断开。

5. 输入配置密码短语，然后单击 * 确定 * 。
6. 等待节点重新启动。

   关闭服务可能需要一些时间。

   节点重新启动时， * 节点 * 页面左侧会显示灰色图标（管理员关闭）。当所有服务重新启动且节点已成功连接到网格时， * 节点 * 页面应显示正常状态（节点名称左侧没有图标），表示没有活动警报且节点已连接到网格。

从命令 Shell 重新启动网格节点

如果您需要更密切地监控重新启动操作，或者无法访问网格管理器，则可以登录到网格节点并从命令 Shell 运行 Server Manager reboot 命令。

您必须具有 `passwords.txt` 文件。

1. 登录到网格节点：

   a. 输入以下命令： `ssh admin@ grid_node_ip_`

b. 输入 `passwords.txt` 文件中列出的密码。

c. 输入以下命令切换到 root： `su -`

d. 输入 `passwords.txt` 文件中列出的密码。

以 root 用户身份登录时，提示符将从 `$` 更改为 `#` 。

2. 或者，停止服务： `service servermanager stop`

   停止服务是一个可选步骤，但建议执行此步骤。服务可能需要长达 15 分钟才能关闭，您可能需要远程登录到系统以监控关闭过程，然后再在下一步中重新启动节点。

3. 重新启动网格节点： `reboot`

4. 注销命令 Shell： `exit`

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.