# 管理Proxy設定

StorageGRID

NetApp
May 17, 2022

This PDF was generated from https://docs.netapp.com/zh-tw/storagegrid-116/admin/configuring-storage-proxy-settings.html on May 17, 2022. Always check docs.netapp.com for the latest.

# 目錄

管理Proxy設定 . . . . . 1
設定儲存Proxy設定 . . . . . 1
設定管理Proxy設定 . . . . . 2

# 管理Proxy設定

## 設定儲存Proxy設定

如果您使用的是平台服務或雲端儲存資源池、可以在儲存節點和外部S3端點之間設定不透明的Proxy。例如、您可能需要不透明的Proxy、才能將平台服務訊息傳送至外部端點、例如網際網路上的端點。

您需要的是 **#8217** ；需要的是什麼

- 您擁有特定的存取權限。
- 您將使用登入Grid Manager 支援的網頁瀏覽器。

您可以設定單一儲存Proxy的設定。

步驟

1. 選擇*組態*>*安全性*>* Proxy設定*。

   此時會出現「儲存Proxy設定」頁面。預設會在側邊列功能表中選取* Storage *。

   
   

2. 選取*啟用儲存Proxy *核取方塊。

   此時會顯示用於設定儲存Proxy的欄位。

   
   

3. 選取不透明儲存Proxy的傳輸協定。
4. 輸入Proxy伺服器的主機名稱或IP位址。
5. 或者、輸入用來連線至Proxy伺服器的連接埠。

   如果您使用傳輸協定的預設連接埠：HTTP為80、SOCKS5為1080、則可將此欄位留白。

6. 選擇*保存*。

   儲存Proxy之後、即可設定及測試平台服務或雲端儲存資源池的新端點。

   > Proxy變更可能需要10分鐘才能生效。

7. 檢查Proxy伺服器的設定、確保StorageGRID 不會封鎖來自下列項目的平台服務相關訊息。

如果您需要停用儲存Proxy、請取消選取「啟用儲存**Proxy**」核取方塊、然後選取「*****儲存」。

相關資訊

- 平台服務的網路和連接埠
- 使用ILM管理物件

# 設定管理Proxy設定

## 如果您使用AutoSupport HTTP或HTTPS傳送不實訊息（請參閱 設定AutoSupport 功能）、您可以在管理節點和技術支援AutoSupport （例如、）之間設定不透明的Proxy伺服器。

您需要的是 **#8217** ；需要的是什麼

- 您擁有特定的存取權限。
- 您將使用登入Grid Manager 支援的網頁瀏覽器。

您可以設定單一管理Proxy的設定。

步驟

1. 選擇*組態*>*安全性*>* Proxy設定*。

   此時會出現「管理Proxy設定」頁面。預設會在側邊列功能表中選取* Storage *。

2. 從側欄功能表中、選取*管理*。




3. 選中*啓用管理代理*複選框。




4. 輸入Proxy伺服器的主機名稱或IP位址。
5. 輸入用來連線至Proxy伺服器的連接埠。
6. 或者、輸入Proxy使用者名稱。

   如果您的Proxy伺服器不需要使用者名稱、請將此欄位留白。

7. 或者、輸入Proxy密碼。

   如果您的Proxy伺服器不需要密碼、請將此欄位留白。

8. 選擇*保存*。

   儲存管理Proxy之後、系統會設定管理節點與技術支援之間的Proxy伺服器。

   > Proxy變更可能需要10分鐘才能生效。

9. 如果您需要停用Proxy、請取消選取*啟用管理Proxy 核取方塊、然後選取*儲存。

**Copyright Information**

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.