# 在概述面上控集群的整体行状况

## VCP

Ann-Marie Grissino, Dave Bagwell, Paula Carrigan
October 27, 2021

This PDF was generated from https://docs.netapp.com/zh-cn/vcp/vcp_task_reports_overview.html on October 27, 2021. Always check docs.netapp.com for the latest.

# 目□

在概述□面上□控集群的整体□行状况 . . . . . 1
□告概述□面数据 . . . . . 1

# 在概述□面上□控集群的整体□行状况

□可以从□用于 vCenter Server 的 NetApp Element □件的 NetApp Element 管理□展点的□告□□□的概述□面□看□定集群的集群信息概要，包括整体容量，效率和性能。

□□

1. 从 vCenter □件中，□□ * NetApp Element Management* 。
2. □□ * □告 * 。
3. □控 " 概述 " □面上的数据。

## □告概述□面数据

以下数据将□示在 "Reporting Overview" □面上：

- * 集群容量 * ：□存□，元数据和已配置空□的剩余容量。将指□移□到□度条上方可□看□□信息。
- * 集群信息 * ：集群□用信息，例如集群名称，集群上□行的 NetApp Element □件版本， MVIP 和 SVIP 地址以及集群上的□点数， 4k IOPS ，卷和会□数。
  - * 集群名称 * ：集群的名称。
  - * 存□ IP （ SVIP ） * ：存□虚□ IP 地址（ SVIP ）。
  - * 管理 IP （ MVIP ） * ：管理虚□ IP 地址（ MVIP ）。
  - * SVIP VLAN □□ * ：主 SVIP 地址的 VLAN □□符。
  - * MVIP VLAN □□ * ：主 MVIP 地址的 VLAN □□符。
  - * □点□数 * ：集群中活□□点的数量。
  - * 集群 4k IOPS* ：集群可以在一秒内□取 / 写入的 4096 （ 4k ）□的数量。
  - * Element OS Version* ：集群□行的 NetApp Element □件版本。
  - * 卷□数 * ：集群上的卷□数，不包括虚□卷。
  - * 虚□卷□数 * ：集群上的虚□卷□数。
  - * iSCSI 会□ * ：□接到集群的 iSCSI 会□。
  - * 光□通道会□ * ：□接到集群的光□通道会□。
- * 集群效率 * ：考□到精□配置，重□数据□除和数据□□的当前使用的系□□容量。□算得出的集群□□是通□比□□□存□□□上不使用精□配置，重□数据□除和数据□□□的容量利用率来□算得出的。
- * 保□域 * ：集群的保□域□控摘要。

  > 保□域功能与双□点集群不兼容。

  - * 保□域□控□□ * ：用□□□的保□域故障恢□能力□□。可能□□机箱或□点。□色表示集群能□□到□定□控□□。□色表示集群不再能□□到□定□控□□，需要采取更正操作。
  - * 剩余□容量 * ：表示□保持□定故障恢□能力□□而剩余□容量的百分比。
  - * 元数据容量 * ：指示是否有足□的元数据容量来从故障中恢□，同□保持数据可用性不中断。正常（□色）表示集群具有足□的元数据来保持□定□控□□。Full （□色）表示集群不再能□□到□定□控□□，需要

采取更正操作。

- * 已配置 IOPS* ：集群上如何□度配置卷 IOPS 的摘要。配置的 IOPS □算方法是，将集群上所有卷的最小 IOPS ， 最大 IOPS 和突□ IOPS □数之和除以集群的□定最大 IOPS 。

> 例如，如果集群中有四个卷，□个卷的最小 IOPS □ 500 ， 最大 IOPS □ 15 ， 000 ， 突□ IOPS □ 15 ， 000 ， □最小 IOPS □数□ 2 ， 000 ， 最大 IOPS □数□ 60 ， 000 ， 突□ IOPS □数□ 60 ， 000 。如果集群的□定最大 IOPS □ 50 ， 000 ， □□算□果如下： * 最小 IOPS* ： 2000/50000 = 0.04x * 最大 IOPS* ： 60000/50000 = 1.20x * 突□ IOPS* ： 60000/50000 = 1.20x 1.00x 1.00x 是基□，在此基□下，已配置的 IOPS 等于集群的□定 IOPS 。

- * 集群□行状况 * ：集群□行状况的硬件，容量和安全□件。□色代□表示以下内容：
  - * □色 * ：□行状况良好
  - * 黄色 * ：□重
  - * □色 * ：□□
- * 集群□入 / □出 * ：集群上当前□行的 I/O 。□些□是根据先前的 I/O □量□与当前 I/O □量□□行□算的。□些是□中□示的□量□：
  - * □□ * ：系□中□生的□写 IOPS 的□合。
  - * □取 * ：□生的□取 IOPS 数。
  - * 写入 * ：写入 IOPS 的数量。
- * 集群吞吐量 * ：集群上的□取，写入和□□□活□：
  - * □□ * ：集群中用于□取和写入活□的□ MB/ 秒。
  - * □取 * ：集群的□取活□，以 MB/ 秒□□位。
  - * 写入 * ：集群的写入活□，以 MB/ 秒□□位。
- * 性能利用率 * ：正在使用的集群 IOPS 百分比。例如，以 100K IOPS □行的 250K IOPS 集群将□示消耗率□ 40% 。

# 了解更多信息

- "NetApp HCI 文□"
- "SolidFire 和 Element □源□面"

**Copyright Information**

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

**Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.