



Scripted Events

Virtual Desktop Service

NetApp
July 20, 2021

This PDF was generated from https://docs.netapp.com/us-en/virtual-desktop-service/Management.Scripted_Events.scripted_events.html on July 20, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Scripted Events	1
Scripted Events	1

Scripted Events

Scripted Events

Overview

Scripted Events provides the advanced administrator with a mechanism to create custom automation for system maintenance, user alerts, group policy management, or other events. Scripts can be designated to run as an executable process with arguments, or can be used as arguments for a different executable program. This functionality allows for scripts to be combined and nested to support complex customization and integration needs.

A detailed example of scripted events in action is found in the [Application Entitlement Guide](#).

Additionally, Scripted Events allows for the creation of automation that does not require a script to process, rather the automation flow is launched by a system trigger and runs an existing program or system utility with optional arguments.

Scripts Events contains both a **repository** of scripts and **activities**. Scripts contain the instructions on **what** to do while activities link the scripts with the appropriate trigger and target (**when and where**) for the script.

Repository

The Repository Tab shows a list of all scripts available to be deployed from within your VDS account. This is a custom repository that is shared by all administrators in your VDS instance. Access to Scripted Events can be managed on the *VDS > Admins > Permissions page*.

NetApp Virtual Desktop Service

Home > Scripted Events

Scripted Events

Repository Activities

Filter By

Keyword ☐ Customer ☐ Global Refresh Add Script

Name	Script	Type	Created on	Actions
Install Adobe Reader	InstallAdobeReader.ps1	Customer	Dec 4, 2020, 12:39 PM	⋮
Install Microsoft Office 365	InstallMicrosoftOffice365.ps1	Customer	Dec 8, 2020, 9:57 AM	⋮

Customer Filter

Each VDS administrator organization has a private library of scripts created and/or customized by their organization. These scripts are defined as Script Type "Customer." Customer scripts can be deleted and edited by any VDS administrator with appropriate admin permissions to the Scripted Events section.

Global Filter

NetApp also publishes and maintains a library of "Global" scripts that is the same across all VDS administrator organizations. These scripts are defined as Script type "Global." Global scripts can not be edited or deleted by any VDS administrator. Rather, Global scripts can be "Cloned" and the resulting script is a "Customer" script that can be edited and used.

Download Script

The ability to download the script file associated with a Scripted Event allows the VDS Administrator to review and edit the underlying script file prior to deployment. Running a script that you don't fully understand is never advisable.

NetApp Virtual Desktop Service

Home > Scripted Events

Scripted Events

Repository Activities

Filter By

Keyword ☐ Customer ☒ Global Refresh + Add Script

Name	Script	Type	Created on	Actions
Install Adobe Reader	InstallAdobeReader.ps1	Global	Jan 12, 2021, 12:42 PM	<div>Download Clone</div>
Install AMD Radeon Instinct Drivers	InstallAMDRadeonInstinctDrivers.ps1	Global	Jan 12, 2021, 12:25 PM	
Install Ezeep Print App	InstallEzeepPrintApp.ps1	Global	Jan 12, 2021, 12:41 PM	

Add Script

Clicking on the + *Add Script* button opens a new page for creating a script and saving it to the repository.

NetApp Virtual Desktop Service

Home > Scripted Events > Add Script

Add Script

Name Required

Install Microsoft Edge Chromium

Include Script File Script File

☒ Yes ☐ No

✓ InstallMicrosoftEdgeChromium.ps1 Attach

[Unattach file](#)

Execute With Required Arguments ?

rShell\v1.0\powershell.exe -file %scriptname%

Documentation URL

<https://docs.netapp.com/us-en/virtual-desktop-service/scriptlibrary.MicrosoftEdgeChromium.html>

Cancel Add Script

The following fields need to be completed to create a new script:

- **Name**
- **Include Script File**
 - Yes - Allows for a script file (e.g. a .ps1 file) to be uploaded and run by the "Execute With" executable.
 - No - Removes the "Script File" field (below) and simply runs the "Execute With" and "Arguments" command
- **Script File**
 - If *Include Script File* = Yes this field is visible and allows for the upload of a script file.
- **Execute With**
 - Defines the path of the executable that is used to run the script file or the the command that is run.

- For example, to run with PowerShell the "Execute With" value would be `C:\Windows\system32\WindowsPowerShell\v1.0\powershell.exe`

• Arguments

- Defines any additional arguments that are run against the "Executes With" command.
- VDS offers some context aware variables that can be used including:
 - `%companycode%` - Company code at runtime
 - `%servername%` - VM name at runtime
 - `%samaccountname%` - `<username>.<companycode>`
 - `%applicationname%` - Requested application name at runtime
 - `%scriptname%` - Script name at runtime
 - `%username%` - `username@loginidentifier` at runtime

• Documentation URL

- This field allows the writer of the script to link it to documentation found outside of VDS such as a Knowledge Base system used by the VDS admins' organization.

Edit Script

Clicking the name of a script in the repository opens a new page with details about the script and an action button to **edit**.

When editing a script the same fields are editable as documented above in the [Add Script](#) section.

On this script detail page, you can also **delete** the script and **download** any uploaded script file.

The screenshot shows the NetApp Virtual Desktop Service interface. The sidebar on the left contains navigation links: Home, Organizations, Deployments, Workspaces, App Services, Service Board, Scripted Events (highlighted), Admins, Reports, Applications, Cost Estimator, and SaaS Backup. The top navigation bar includes a search bar, a notification bell, and a user profile for 'Toby'. The main content area displays the 'Install Microsoft Office 365' script details. At the top right of the main content area, there are buttons for 'Refresh', 'Download', 'Edit', and a menu icon. The 'Script Details' section includes the following information:

Name	Type
Install Microsoft Office 365	Customer Script

Script	Execute With	Arguments
InstallMicrosoftOffice365.ps1	C:\Windows\system32\WindowsPowerShell\v1.0\powershell.exe	-file %scriptname%


Created By	Created On
toby.vanrooijen@vdsdocsdemo	Dec 8, 2020, 9:57 AM

Updated By	Updated On
None	None

Documentation URL
<https://docs.netapp.com/us-en/virtual-desktop-service/scriptlibrary/MicrosoftOffice365.html>

Activities

Activities link a script from the repository to a Deployment, a subset of VMs and a trigger event.



Add Activity

Clicking on the + *Add Activity* button opens a new page for creating an Activity.

Add Activity

Activity Settings

Name Required Description

Install Chrome Install Chrome

Deployment Required Script Required Arguments

VDSGCPDemo (kokk) ✕ InstallGoogleChrome ✕ Enter arguments...

☒ Enabled

Event Settings

Event Type Required

Application Install ✕

Target Settings

Application Required

Google Chrome ✕

Shortcut Path Required


\\shortcuts\Google Chrome.lnk

Cancel Add Activity

The following fields need to be completed to create a new activity:

- **Name**
- **Description** (Optional)
- **Deployment**
- **Script**
- **Arguments**
- **Enabled** checkbox
- **Event Settings**

Activity Triggers



- **Application Install**

- This is triggered when the VDS Admin clicks "+ Add..." from the *Workspace > Applications* page.
- This selection allows you to select an application from the Application Library and to pre-define the shortcut of the application.
- Detailed instructions for this trigger are highlighted in the [Install Adobe Reader DC script documentation](#).

- **Application Uninstall**

- This is triggered when the VDS Admin clicks **Actions > Uninstall** from the *Workspace > Applications* page.
- This selection allows you to select an application from the Application Library and to pre-define the shortcut of the application.
- Detailed instructions for this trigger are highlighted in the [Uninstall Adobe Reader DC script documentation](#).

- **Clone Server**

- This is triggered when the Clone function is performed against an existing VM

- **Create Cache**

- This is triggered anytime a new VM is built by VDS for a provisioning collection cache

- **Create Client**

- This is triggered anytime a new Client organization is added to VDS

- **Create Server**

- This is triggered anytime a new VM is built by VDS
- **Create User**
 - This is triggered anytime a new user is added via VDS
- **Delete User**
 - This is triggered anytime a new user is deleted via VDS
- **Manual**
 - This is triggered by a VDS admin manually from within the **Scripted Events › Activity** page
- **Manual Application Update**
- **Scheduled**
 - This is triggered when the defined date/time is reached
- **Start Server**
 - This is triggered on a VM each time it boots up

Clicking on the *Name* opens a dialog box where the activity can be edited.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.