安装 OnCommand Workflow Automation 的系统要求

OnCommand Workflow Automation 5.1

NetApp
July 19, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/workflow-automation/windows-install/reference-ports-required-for-oncommand-workflow-automation.html on July 19, 2022. Always check docs.netapp.com for the latest.

目录

安装 OnCommand Workflow Automation 的系统要求 1
安装 WFA 的硬件要求 1
安装 WFA 的软件要求 1
Workflow Automation 所需的端口 2

安装 OnCommand Workflow Automation 的系统要求

在安装 WFA 之前，您必须了解 OnCommand Workflow Automation （ WFA ）的硬件和软件要求。

安装 WFA 的硬件要求

下表列出了 WFA 服务器的最低硬件要求和建议的硬件规格。

组件	最低要求	建议的规格
CPU	2.27 GHz 或更快， 4 核， 64 位	2.27 GHz 或更快， 4 核， 64 位
RAM	4 GB	8 GB
可用磁盘空间	5 GB	20 GB

如果要在虚拟机（ VM ）上安装 WFA ，则应预留所需的内存和 CPU ，以便 VM 具有足够的资源。安装程序不会验证 CPU 速度。

安装 WFA 的软件要求

WFA 在 64 位 Windows 操作系统上运行，应安装在专用物理机或 VM 上。您不能在运行 WFA 的服务器上安装任何其他应用程序。

WFA 从 Microsoft Windows Server 2012 Enterprise Edition 运行到 Microsoft Windows Server 2016 （所有版本）。建议使用 Windows 操作系统 Enterprise Edition 。

对于 Windows 2012 服务器， Windows 系统上必须安装 .NET Framework 4.5.2 版。如果未安装 .NET Framework 4.5.2 版，则 WFA 5.1 安装将失败。

- 支持以下浏览器之一：
  - Mozilla Firefox
  - Microsoft Internet Explorer
  - Google Chrome
- PowerShell 3.0
- VMware PowerCLI 版本 5

> 只有在使用 WFA 在 VMware vSphere 上执行工作流时，才需要 VMware API 的 PowerShell 扩展。

> 防病毒应用程序可能会阻止 WFA 服务启动。

要避免此问题描述，请为以下 WFA 目录配置防病毒扫描排除项：

- 安装 WFA 的目录
- 安装 Perl 的目录
- 安装 OpenJDK 的目录
- MySQL 数据目录

有关详细信息，请参见互操作性表工具。

- 相关信息 *

"NetApp 互操作性表工具"

Workflow Automation 所需的端口

如果您使用的是防火墙，则必须了解 Workflow Automation （WFA）所需的端口。

本节列出了默认端口号。如果要使用非默认端口号，则必须打开该端口进行通信。有关详细信息，请参见防火墙上的文档。

下表列出了应在 WFA 服务器上打开的默认端口：

Port	协议	方向	目的
80， 443	HTTP， HTTPS	传入	打开 WFA 并登录
80， 443， 22	HTTP， HTTPS， SSH	传出	命令执行（ZAPI，PowerCLI）
445， 139， 389， 636	microsoft-DS， netbios-ssN， AD LDAP， AD LDAPS	传出	Microsoft Active Directory LDAP 身份验证
161.	SNMP	传出	发送有关工作流状态的 SNMP 消息
3306	MySQL	传入	缓存只读用户
25.	SMTP	传出	邮件通知
80， 443， 25	HTTP， HTTPS， SMTP	传出	正在发送 AutoSupport 消息
514.	系统日志	传出	将日志发送到系统日志服务器

下表列出了 Unified Manager 服务器上应打开的默认端口：

Port	协议	方向	目的
2638	Sybase	传入	从 Active IQ Unified Manager 6.0 之前的版本缓存数据
3306	MySQL	传入	缓存 Active IQ Unified Manager 6.0 及更高版本中的数据
8088 ， 8488	HTTP ， HTTPS	传入	从低于 6.0 的 Active IQ Unified Manager 中的 Performance Advisor 缓存数据

下表列出了应在 VMware vCenter 上打开的默认端口：

Port	协议	方向	目的
443.	HTTPS	传入	从 VMware vCenter 缓存数据

下表列出了应在 SNMP 主机上打开的默认端口：

Port	协议	方向	目的
162.	SNMP	传入	接收有关工作流状态的 SNMP 消息

版权信息

版权所有©2022 NetApp、Inc.。保留所有权利。Printed in the U.S.版权所涵盖的本文档的任何部分不得以任何形式或任何手段复制、包括影印、录制、 磁带或存储在电子检索系统中—未经版权所有者事先书面许可。

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

本软件由NetApp按"原样"提供、不含任何明示或默示担保、包括但不限于适销性和特定用途适用性的默示担保、特此声明不承担任何责任。IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice.NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp.The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S.patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

商标信息

NetApp、NetApp标识和中列出的标记 http://www.netapp.com/TM 是NetApp、Inc.的商标。其他公司和产品名称可能是其各自所有者的商标。