管理 Perl 和 Perl 模块

OnCommand Workflow Automation 5.1

NetApp
April 20, 2022

This PDF was generated from https://docs.netapp.com/zh-cn/workflow-automation/windows-install/task-configure-your-preferred-perl-interpreter.html on April 20, 2022. Always check docs.netapp.com for the latest.

目录

管理 Perl 和 Perl 模块 1
配置首选 Perl 分发版 1
管理站点特定的 Perl 模块 1
修复 ActivePerl 安装 4

管理 Perl 和 Perl 模块

OnCommand Workflow Automation （ WFA ）支持使用 Perl 命令执行工作流操作。安装 WFA 时，会在 WFA 服务器上安装和配置 ActivePerl 5.26.3 。您可以安装和配置首选 Perl 分发版和 Perl 模块。

除了 ActivePerl 之外，安装 WFA 时还会安装 NetApp 易管理性 SDK 中所需的 Perl 模块。要成功执行 Perl 命令，需要使用 NetApp 易管理性 SDK Perl 模块。

配置首选 Perl 分发版

默认情况下， ActivePerl 随 OnCommand Workflow Automation （ WFA ）一起安装。如果要使用另一个 Perl 分发版，可以将首选 Perl 分发版配置为使用 WFA 。

您必须已在 WFA 服务器上安装所需的 Perl 分发版。

您不能卸载或覆盖默认的 ActivePerl 安装。您必须在单独的位置安装首选 Perl 版本。

步骤

1. 打开 Windows 资源管理器并导航到以下目录：

   ```
   wfa_install_location\wfA\bin\
   ```

2. 双击 ps.cmd 文件。

   此时将打开 PowerShell 命令行界面（ CLI ）提示符，其中已加载 ONTAP 和 WFA 模块。

3. 在提示符处，输入以下内容：

   ```
   sET-WfaConfig -Name CustomPerl -PerlPath CustomPerlPath
   ```

   ```
   sET-WfaConfig -Name CustomPerl -PerlPath C ： \myperl\perl.exe
   ```

4. 出现提示时，重新启动 WFA 服务。

管理站点特定的 Perl 模块

您可以使用 ActiveState Perl 软件包管理器（ PPM ）管理站点特定的 Perl 模块。您必须在 OnCommand Workflow Automation （ WFA ）安装目录之外安装站点专用的 Perl 模块，以避免在 WFA 升级期间删除 Perl 模块。

使用 PERL5LIB 环境变量，您可以将 WFA 服务器上安装的 Perl 解释器配置为使用 Perl 模块。

在此操作步骤 中，我们将在 c ： \Perl 的用户区域中安装试用 Perl 模块作为一个示例。卸载 WFA 时不会删除此用户区域，您可以在重新安装或升级 WFA 后重复使用此区域。

步骤

1. 将 PerL5LIB 环境变量设置为要安装 Perl 模块的位置。

c： \>echo %perL5LIB% c： \Perl

2. 使用 `PPM Area list` 验证 Perl 模块区域是否未初始化。

   C： \Program Files\NetApp\WFA\Perl64\bin>PPM 区域列表

```
┌──────────┬────────┬──────────────────────────────────────────────────────────────────────────────────────────────────────────┐
│ name     │ pkgs   │ lib                                                                                                      │
├──────────┼────────┼──────────────────────────────────────────────────────────────────────────────────────────────────────────┤
│ (user)   │ n/a    │ C:/Perl                                                                                                  │
│ site*    │ 0      │ C:/Program Files/NetApp/WFA/Perl64/site/lib                                                              │
│ perl     │ 229    │ C:/Program Files/NetAPP/WFA/Perl64/lib                                                                   │
└──────────┴────────┴──────────────────────────────────────────────────────────────────────────────────────────────────────────┘
```

3. 使用 `ppm area init user` 初始化 Perl 模块区域。

   C： \Program Files\NetApp\WFA\Perl64\bin>PPM Area init user

```
Syncing user PPM database with .packlists...done
```

4. 使用 `PPM Area list` 验证 Perl 模块区域是否已初始化。

   C： \Program Files\NetApp\WFA\Perl64\bin>PPM 区域列表

```
┌──────────┬────────┬──────────────────────────────────────────────────────────────────────────────────────────────────────────┐
│ name     │ pkgs   │ lib                                                                                                      │
├──────────┼────────┼──────────────────────────────────────────────────────────────────────────────────────────────────────────┤
│ user     │ 0      │ C:/Perl                                                                                                  │
│ site*    │ 0      │ C:/Program Files/NetApp/WFA/Perl64/site/lib                                                              │
│ perl     │ 229    │ C:/Program Files/NetAPP/WFA/Perl64/lib                                                                   │
└──────────┴────────┴──────────────────────────────────────────────────────────────────────────────────────────────────────────┘
```

5. 添加所需的存储库并安装所需的软件包。

   a. 使用 `pPM repo add` 添加所需的存储库。

      ` c： \Program Files\NetApp\WFA\Perl64\bin>PPM repoadd http://ppm4.activestate.com/MSWin32-x64/5.16/1600/package.xml`[]

```
Downloading ppm4.activestate.com packlist...done
Updating ppm4.activestate.com database...done
Repo 1 added.
```

b. 使用 `pPM repo list` 验证是否已添加所需的存储库。

`C ： \Program Files\NetApp\WFA\Perf64\bin>PPM repo list`

```
┌──────────┬────────┬──────────────────────────────────────────────────────────
──────────┐
│ id       │ pkgs   │ name                                                     │
├──────────┼────────┼──────────────────────────────────────────────────────────
──────────┤
│  1       │17180   │ ppmr.activestate.com                                     │
└──────────┴────────┴──────────────────────────────────────────────────────────
──────────┘
 (1 enabled repository)
```

c. 使用 `PPM install` 安装所需的 Perl 模块。

`C ： \Program Files\NetApp\WFA\Perl64\bin>PPM install try-iny -area user`

```
Downloading ppm4.activestate.com packlist...done
Updating ppm4.activestate.com database...done
Downloading Try-Tiny-0.18...done
Unpacking Try-Tiny-0.18...done
Generating HTML for Try-Tiny-0.18...done
Updating files in user area...done
   2 files installed
```

d. 使用 `ppm area list` 确认已安装所需的 Perl 模块。

`C ： \Program Files\NetApp\WFA\Perl64\bin>PPM` 区域列表

```
┌──────────┬────────┬──────────────────────────────────────────────────────────────────────────────
──────┐
│ name    │ pkgs │ lib                                                                          │
├──────────┼────────┼──────────────────────────────────────────────────────────────────────────────
──────┤
│  user   │  1    │ C:/Perl                                                                      │
│  site*  │  0    │ C:/Program Files/NetApp/WFA/Perl64/site/lib                                  │
│  perl   │  229 │ C:/Program Files/NetAPP/WFA/Perl64/lib                                       │
└──────────┴────────┴──────────────────────────────────────────────────────────────────────────────
──────┘
```

修复 ActivePerl 安装

安装 WFA 时， ActiveState ActivePerl 会安装在 OnCommand Workflow Automation （ WFA ）服务器上。执行 Perl 命令需要 ActivePerl 。如果无意中从 WFA 服务器卸载 ActivePerl ，或者 ActivePerl 安装已损坏，则可以手动修复 ActivePerl 安装。

步骤

1. 使用以下选项之一备份 WFA 数据库：
   - WFA Web 门户
   - PowerShell 脚本
2. 卸载 WFA 。
3. 安装已卸载的 WFA 版本。

   安装 WFA 时会安装 ActivePerl 。
4. 还原 WFA 数据库。

您可以查看已还原的内容以了解功能的完整性，例如自定义工作流的运行情况。

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.