The Internet After the API: documented evidence

· @Adarsh

The problem is documented: providers change defaults, limits, pagination and meaning, and academic studies measure client fragility. Primary-source consumer postmortems of silent business damage are scarce, and that gap is itself a finding.

Verdict

Yes, it is a documented real-world problem, with a caveat. Providers publicly announce changes to page sizes, rate limits, pagination models, defaults and endpoint availability, and peer-reviewed work shows clients break or fail silently when responses change. What I could not find is a first-party postmortem where a changed monetary unit or status meaning silently corrupted a business outcome. Most "silent 200 OK" stories are blog anecdotes, which I list as unverified rather than as incidents.

Evidence labels used below: **Confirmed** = stated in the original source. **Interpretation** = my reading of what that fact implies for consumers.

#	Case	Date	Category	Failure	Source type
A1	Google Cloud Service Control outage	2025-06-12	A. Availability	Loud (503s)	Official incident report
A2	Cloudflare bot-feature-file outage	2025-11-18	A. Availability (borderline)	Loud	Official postmortem (via secondary summary)
B1	Shopify REST `page` param to cursor	2019-07 to 2020-07	B. Structural	Loud once removed	Official blog and changelog
B2	Grafana Loki error body plain text to JSON	Date not captured	B. Structural	Change reverted as breaking	Open-source PR
C1	Pipedrive max page size 500 to 100	2025-01-15	C. Behavioural	**Silent** (no error)	Official changelog
C2	Lightspeed X-Series max page size 10000 to 1000	2020-02	C. Behavioural	**Silent** (no error)	Official changelog

#	Case	Date	Category	Failure	Source type
C3	IRIS HR default page size change	Announced 2025-11	C. Behavioural	Silent overlap risk	Official announcement
C4	Slack history/replies limits	2025-05-29	C. Behavioural	Mixed (429 + smaller pages)	Official changelog
C5	Docker Hub pull rate limits	2020-11-02	C. Behavioural	Loud (429)	Official blog
C6	AWS SDK default S3 checksums vs R2	2025-01-15 to 2025-02-03	C. Behavioural	Loud (errors)	Official status page and SDK notice
D1	"Same" GPT model changes behaviour	2023 study	D. Semantic	**Silent**	Peer-reviewed paper
D2	Jira text `=` becomes phrase search	2026-10-06	D. Semantic	**Silent** (announced)	Official changelog
D3	Mars Climate Orbiter units mismatch	1999	D. Semantic (not an API)	**Silent**	NASA board report
E1	Jira `/search` removal	Announced 2024-10-31	E. Removal (+B)	Loud, then silent in a consumer	Official notice and GitHub issues
E2	Twitter/X free API and v1.1 shutdown	2023-01 to 2023-11	E. Removal	Loud	News reports, secondary
E3	Spotify Web API endpoint cut-off	2024-11-27	E. Removal	Loud	Official blog

A. API availability failures (not semantic drift)

These show that dependencies fail, but the consumer saw errors. Do not present them as semantic drift.

A1. Google Cloud Service Control outage, 12 June 2025

- **Dependency:** Google Cloud's API gateway and quota-policy service (Service Control).
- **What changed (confirmed):** A quota-policy feature shipped 29 May 2025 without error handling or a feature flag. On 12 June at about 10:45 PDT a policy row with unintended blank fields replicated globally and put every regional binary into a crash loop.
- **Consumer expected:** Normal API authorisation and quota checks.
- **What happened (confirmed):** Google Cloud, Workspace and Security Operations returned increased 503 errors. The incident ran 10:51 to 18:18 PDT.
- **Obvious or silent:** Obvious. Hard errors.

- **Detection and resolution (confirmed):** Google froze changes to the Service Control stack and manual policy pushes after recovery. Detailed timing is in the report.
- **Business consequences:** Not quantified in the report.
- **Supports our statement?** Only indirectly. It is an availability failure caused by a malformed data record, not a consumer assumption gone stale. Useful as a contrast case.
- **Source:** Google Cloud incident report

A2. Cloudflare global outage, 18 November 2025 (borderline)

- **What changed (confirmed via secondary summaries of the postmortem):** A ClickHouse permissions change made a query return duplicate rows. The Bot Management feature file doubled in size and exceeded a limit in the core proxy.
- **What happened:** Core traffic failed from 11:20 UTC; core traffic was restored about 14:30 UTC and fully normal about 17:06 UTC.
- **Obvious or silent:** Obvious.
- **Supports our statement?** Weakly. The failing contract was internal to Cloudflare. The lesson that schema or permission changes can alter query results without any code change is analogous but not an external-consumer case.
- **Sources:** Cloudflare's own postmortem (URL taken from a secondary write-up; I read the ilert summary, not the original page).

B. Structural compatibility failures

B1. Shopify REST Admin API: `page` parameter replaced by cursors

- **Dependency:** Shopify REST Admin API list endpoints.
- **What changed (confirmed):** In API version 2019-07 Shopify removed the `page` parameter on selected endpoints and added cursor pagination through a `Link` header carrying `page_info`. Support for `page` ended in April 2020 for version 2019-04 and July 2020 for 2019-07, after which no endpoints supported it. A later changelog entry confirms page-based pagination was removed across many REST resources.
- **Consumer expected:** `?page=N` returns page N.
- **What happened:** Clients still sending `page` had to rewrite pagination. Shopify also exposes a deprecated-calls resource that returns the message "The page filter has been removed from multiple endpoints".

- **Obvious or silent:** Not established for the removal itself. Interpretation: a client that ignores the `Link` header and an unsupported `page` value could keep fetching the first page, but I found no source documenting that case.
- **Detection and resolution:** Shopify provides a deprecated-API-calls report per app and a migration guide. Consumer-side detection is not documented.
- **Consequences:** Not quantified.
- **Supports our statement?** Yes for structural change with a long, versioned notice period. Shopify's dated API versions gave clients a notice period; the removal still forced a code change.
- **Sources:** Shopify blog, Shopify changelog, deprecated API calls

B2. Grafana Loki: error bodies from plain text to JSON (small-scale)

- **What changed (confirmed):** PR #4845 changed API error responses from plain text to JSON. The maintainers later reverted it, writing that changing the content type from plain text to JSON is a breaking change that should wait for a major release.
- **Obvious or silent:** Not documented. Clients parsing the error body as text would see a different structure.
- **Supports our statement?** It confirms "error response changes structure" is recognised as breaking by a real project, but it is a self-caught design review, not a consumer incident. Date was not captured in my extract.
- **Source:** grafana/loki PR 4845

Not found: a first-party incident where a field rename caused wrong results. The closest are blog anecdotes (see Gaps). The academic study in the Academic section measures what happens when fields are removed or retyped.

C. Behavioural changes

The contract shape stays the same; limits, defaults or request handling change. None of the sources below reports a named customer loss, so consequences are **interpretation** unless stated.

C1. Pipedrive: files endpoints max page size 500 to 100 (effective 2025-01-15)

- **Dependency:** Pipedrive REST API, files endpoints. Announced 27 September 2024.
- **What changed (confirmed):** The `limit` ceiling fell from 500 to 100. Pipedrive states that a larger `limit` returns no error and is treated as 100. The default page size stayed at 100.

- **Consumer expected:** A request with `limit=500` returns up to 500 items.
- **What happened (confirmed by the notice):** The call still succeeds with at most 100 items. Pipedrive's own migration advice says clients that grab only the first page should paginate properly.
- **Obvious or silent: Silent.** HTTP success, valid body, fewer rows.
- **Consequence (interpretation):** A client that treats one response as the full set under-counts records.
- **Detection and resolution:** Not documented on the consumer side. The provider's fix is client-side pagination or omitting `limit`.
- **Supports our statement? Directly.** It is a documented, announced, silently-degrading change to a default or limit.
- **Source:** Pipedrive changelog

C2. Lightspeed X-Series: search max page size 10,000 to 1,000 (2020-02)

- **What changed (confirmed):** Requests above 1,000 return the first 1,000 records and are not rejected.
- **Provider warning (confirmed):** Do not use the page-size parameter to decide whether to fetch more; keep fetching until an empty collection comes back.
- **Obvious or silent: Silent** at the HTTP level. Interpretation: a loop that stops when fewer rows than requested arrive would stop early.
- **Source:** Lightspeed changelog

C3. IRIS HR: default record count changes (announced November 2025)

- **What changed (confirmed):** Endpoints that returned 250 records by default will return endpoint-specific defaults, announced with a three-month notice. The per-endpoint table was not captured in my extract.
- **Provider's own example:** With the Employees default moving to 1,000, `$skip=250` returns records 251 to 1,250 instead of 251 to 500, so the next page overlaps the previous one. Fix: set `$top` explicitly.
- **Obvious or silent: Silent**; duplicates rather than errors. The overlap scenario is the provider's illustration, not a reported incident.
- **Source:** IRIS announcement

C4. Slack: `conversations.history` and `conversations.replies` limits (2025-05-29)

- **What changed (confirmed):** For apps outside the Slack Marketplace, new installs and apps created after 29 May 2025 move from Tier 3 to Tier 1: one request per minute, and the maximum and default `limit` drop to 15 objects. Existing installs continue to function.
- **Consumer expected:** Roughly 50+ requests per minute with larger pages.
- **What happened (confirmed):** Slack's notice says new installs may hit additional rate-limit errors. The 15-object page size is a silent shrink; the rate limit is loud (429).
- **Interpretation:** Data-ingestion tools, including AI assistants that read channel history, would sync far more slowly or incompletely for new customers while old customers see no change, so the same code behaves differently by install date.
- **Source:** Slack changelog

C5. Docker Hub pull rate limits (effective early November 2020)

- **What changed (confirmed):** Anonymous pulls limited to 100 per six hours per IP, authenticated free users to 200. Docker announced this in August 2020; the start slipped to 2 November.
- **What happened (confirmed):** The pull aborts with HTTP 429 `toomanyrequests`. Red Hat warned that CI/CD systems rely on anonymous pulls and The New Stack reported Kubernetes users as most affected.
- **Obvious or silent: Loud.** Consumers saw explicit errors, so this supports the "new rate limit hits previously valid traffic" example but not silent drift.
- **Resolution:** Authenticate, run a mirror or cache, or move registries.
- **Sources:** Docker blog, Red Hat, The New Stack

C6. AWS SDKs add default S3 checksums; S3-compatible stores break (January 2025)

- **Dependency:** AWS SDKs (for example JavaScript v3.729.0, .NET 3.7.412.0) calling S3-compatible services such as Cloudflare R2.
- **What changed (confirmed):** The SDKs now calculate a CRC32 checksum by default on uploads and validate it on downloads. AWS's announcement says it may enable new features before third-party services support them, and gives `WHEN_REQUIRED` as the opt-out.
- **What happened (confirmed):** Cloudflare's status page reports R2 returned header errors (`x-amz-checksum-algorithm` CRC32 not implemented). Identified 17 January 2025, resolved 3 February 2025. Postiz reported every R2 upload failing.
- **Obvious or silent: Loud.** Errors appeared on upgrade; the surprise was that a routine SDK bump changed the wire request.

- **Resolution:** Pin an older SDK, set `WHEN_REQUIRED`, or wait for provider support.
- **Supports our statement?** Yes for "SDK behaviour changes without a visible contract change". It is a dependency-update case, not a response-semantics case.
- **Sources:** Cloudflare status, aws-sdk-net announcement, Postiz release note

D. Semantic changes and incorrect business outcomes

This is the category closest to the problem statement and the one with the thinnest first-party evidence. I found no public API postmortem showing a currency or unit change, or a status value changing meaning, producing wrong business results. What exists is below, labelled by strength.

D1. "Same" LLM service, different behaviour (Chen, Zaharia, Zou; arXiv 2023, Harvard Data Science Review 2024)

- **Dependency:** OpenAI GPT-3.5 and GPT-4 API services, March 2023 versus June 2023.
- **What changed (confirmed):** The authors measured the same tasks on both snapshots. GPT-4 identified prime versus composite numbers at 84% accuracy in March and 51% in June, partly because it followed chain-of-thought prompts less. Both models made more formatting mistakes in code generation in June.
- **Consumer expected:** A named model behaves consistently over time.
- **What happened:** Behaviour changed with no change to the endpoint, schema or status code.
- **Obvious or silent: Silent** by construction; no error is raised.
- **Business consequence:** Not measured. The paper evaluates benchmarks, not customer systems. Say "behaviour drift measured", not "customers lost money".
- **Detection:** Only by re-running a fixed evaluation set over time, which is the authors' recommendation (continuous monitoring).
- **Caveat from memory, not verified in this pass:** I recall published critiques arguing part of the measured drop reflected output formatting and evaluation choices. Check before quoting the 84% to 51% figure as proof of capability loss.
- **Supports our statement? Yes**, as peer-reviewed evidence that a provider-side change can alter results while the interface looks unchanged.
- **Sources:** arXiv 2307.09009, HDSR record

D2. Jira text queries: `=`, `IN` and `NOT IN` become phrase search (changelog 2026-10-06)

- **Dependency:** Jira Cloud JQL search used by saved filters, dashboards and automation.
- **What changed (confirmed):** `textField = "urgent"` used to match only the exact full field value. It now matches any text containing the phrase, including "very urgent issue". Atlassian tells users to review saved filters, dashboard gadgets and automation rules.
- **Consumer expected:** Exact-value match.
- **What happens (provider's description):** Queries with the same syntax return broader result sets. The notice does not discuss status codes; I infer, without confirming, that responses stay normal successes.
- **Obvious or silent: Silent** by design of the change; it was announced.
- **Consequence (interpretation):** Counts, reports and automations keyed on a text equality filter can change without any error. I found no incident report yet; the change is four days old.
- **Supports our statement? Yes**, as a fresh, first-party example of identical syntax changing meaning. Present it as an announced semantic change, not as an incident.
- **Source:** Jira Cloud changelog, 6 October 2026

D3. Mars Climate Orbiter, 1999 (analogy only, not an API)

- **What changed (confirmed by the NASA board's Phase I report, 10 November 1999):** The interface specification required thruster impulse in newton-seconds. The ground software produced pound-force seconds, a factor of about 4.45 off.
- **Obvious or silent: Silent.** Nothing errored; the spacecraft's trajectory was wrong until it was lost at Mars orbit insertion on 23 September 1999.
- **Use:** The cleanest historical illustration that a unit mismatch between two parties' assumptions produces plausible but wrong numbers. Label it as an analogy, never as an API incident. Secondary sources put the mission cost at about $125 million.
- **Sources:** Phase I report summary (UC), NASA report link cited by secondary sources (not opened)

Provider policy documents that classify these changes (supporting, not incidents)

- Circle lists "remove a value or change what an existing value means" as breaking, and tells integrators not to infer meaning from an unfamiliar status or trigger irreversible actions on it. Circle
- Moov classes adding a new status value as breaking because integrations "fall through a catch all error". Moov

- Circle and 8x8 class adding enum values as backward-compatible. 8x8
- **Interpretation:** Providers disagree on what counts as breaking. That inconsistency is part of the argument for consumer-side contract checks.

E. API deprecation and removal

E1. Jira Cloud `/rest/api/3/search` removal (announced 2024-10-31)

- **Dependency:** Atlassian Jira Cloud REST search, used by libraries, plugins and MCP servers.
- **What changed (confirmed):** Atlassian announced on 31 October 2024 that four search APIs were deprecated, with removal scheduled for 1 May 2025 in the notice quoted by plugin maintainers. The replacement `/rest/api/3/search/jql` returns a `nextPageToken` for paging. A current Atlassian knowledge-base page states the legacy endpoint has been fully removed. I could not confirm from the primary changelog whether the removal date moved.
- **Consumer expected:** The old endpoint keeps working; offset paging.
- **What happened (confirmed by issue reports):** The old endpoint returns a message that the API "has been removed" and points to `/search/jql`. The jira-python library, a Jenkins plugin and an Embulk input plugin all needed changes.
- **Silent downstream failure (reported, not independently verified):** An issue on Atlassian's own MCP server says its `jira_search` tool returned an empty result (`issues: []`) for every query, because the removed endpoint answered HTTP 410 while the new one worked with the same credentials. If accurate, the tool turned an explicit removal into an empty answer an agent could read as "no matching issues".
- **Obvious or silent:** Loud at the HTTP layer; **silent** in at least one consumer.
- **Detection and resolution:** Users found it from failures; maintainers migrated to the new endpoint and token paging.
- **Business consequences:** Not quantified.
- **Supports our statement? Yes**, and it directly involves an MCP server and a pagination-model change.
- **Sources:** Atlassian KB, Jenkins plugin issue quoting the notice, jira-python issue, Atlassian MCP server issue, Adaptavist migration note

E2. Twitter/X API: third-party clients, free tier and v1.1 (2023)

- **What changed (reported):** Third-party clients were cut off on 13 January 2023. Twitter announced the end of free API access for 9 February 2023, extended it to 13 February, and developers reported the old free API stopped working around 5 to 6 April 2023. In August 2023 X announced v1.1 endpoint retirement dates, from 20 September 2023 for search endpoints and 20 November 2023 for status endpoints; some had no v2 equivalent.
- **What happened (reported):** Login with Twitter broke in Post News and Substack, and Jetpack Social, Echobox, Flipboard and Social Bearing were affected. Echobox said access was cut off without notice and its enterprise-sales inquiry went unanswered. Developers reported suspended-access emails.
- **Obvious or silent:** Obvious (access errors).
- **Resolution:** Pay for a tier, migrate to v2, or stop supporting the feature.
- **Evidence quality:** News coverage and a Japanese trade report. The original announcements were posts on X that I did not open.
- **Supports our statement?** Partly: it shows providers can change access terms abruptly. It is removal and pricing, not semantic drift.
- **Sources:** 9to5Mac, iMore, GIGAZINE, Impress Watch

E3. Spotify Web API: endpoint access removed for new use cases (2024-11-27)

- **What changed (confirmed):** From the day of the post, new Web API use cases lost access to Related Artists, Recommendations, Audio Features, Audio Analysis, featured and category playlists, 30-second preview URLs in multi-get responses, and algorithmic and Spotify-owned editorial playlists. Apps already in extended mode were unaffected; apps in development mode and new apps were hit.
- **What happened (reported by developers in Spotify's forum):** Developers said apps built around audio features lost their core function and that they had seen no warning. Later forum posts show new apps getting 404 from `/recommendations`.
- **Obvious or silent:** Obvious (404).
- **Resolution:** Third-party substitutes or redesign; Spotify did not announce a replacement in the thread I read.
- **Supports our statement?** Partly: sudden removal with no notice period, but not silent drift.
- **Sources:** Spotify for Developers blog, Spotify community thread

Academic evidence

Study	What they measured	Key confirmed findings	Link
Espinha, Zaidman, Gross, "Web API Fragility", TU Delft report TUD-SERG-2014-009 (June 2014 data)	Mutated live API responses (field removal, type change, empty or malformed body) for 48 popular Android apps, plus 3 developer interviews	Field removal made 10 apps crash; type change crashed 3; about 25% of apps crashed under at least one mutation; only 16 of 48 apps' APIs used versioning; one developer said backward compatibility was broken inadvertently at least twice. The paper says many apps fail silently or hang, but its text and Table IV give different counts, so quote the qualitative finding only.	arXiv 1407.4266
Serbout and Pautasso, "How Many Web APIs Evolve Following Semantic Versioning?", ICWE 2024	506,273 changes across 16,053 new versions of 3,075 OpenAPI-described APIs mined from GitHub	Only 517 APIs consistently released major versions when making breaking changes; 1,970 did not always warn clients of breaking changes in minor or patch releases; 927 never made a breaking change	Springer record
Chen, Zaharia, Zou, "How Is ChatGPT's Behavior Changing over Time?", arXiv 2023 and HDSR 2024	Same tasks on March and June 2023 snapshots of GPT-3.5 and GPT-4	Behaviour of the same named service varied substantially in months; authors call for continuous monitoring	arXiv 2307.09009

Study	What they measured	Key confirmed findings	Link
"API Change and Fault Proneness: A Threat to the Success of Android Apps", ESEC/FSE 2013 (author list not shown in my excerpt)	Android apps and the API changes they depend on	Relates API change and API-related faults to app success as estimated from user ratings. I read only a search excerpt, so I cannot state its numbers	PDF

Interpretation: The Serbout and Pautasso result is the strongest statistical backing for the claim that a version number does not reliably tell a consumer whether a change is safe. Espinha et al. is old (2014, HTTP-only apps) and tests simulated mutations, not real provider changes, so present it as evidence of consumer fragility, not of provider behaviour.

Gaps and claims to avoid

Examples from your problem statement with no first-party incident found:

- A monetary amount changing units: none found for an API. Mars Climate Orbiter is the nearest units case and is not an API.
- A status value changing meaning: only provider policy documents (Circle, Moov) that call it breaking.
- A field rename producing wrong results at a named company: only blog anecdotes.
- Error structure changing: only the Loki PR and revert, which is not a consumer incident.

Unverified practitioner posts, not counted as incidents. These describe silent 200 OK failures (a Stripe response losing a field and breaking billing, an agent creating empty-name records after a renamed field, an upstream returning a zero-length 200). They are single-author posts, some promote the author's own monitoring tool, and none links a provider notice. Use them only as colour, labelled anecdotal:

- Stripe field disappearance post
- Agent API drift post
- "Third-party APIs don't fail loudly" post

MCP tool-description changes after approval: Invariant Labs demonstrated tool poisoning and "rug pull" attacks in April 2025 with a proof of concept; the descriptions of this I read are secondary. This is a demonstrated attack pattern, not a reported production incident. It is relevant to the "MCP servers" part of your problem statement as a hypothesis for how tool definitions can change under a consumer.

Other limits of this research:

- Original postmortem pages for Cloudflare, the Twitter/X announcements and the NASA report were not opened; I relied on summaries and citations.
- Consequence fields are mostly "not documented" because providers rarely publish consumer damage.
- Detection and resolution on the consumer side are rarely documented; for several cases they are the provider's recommended fix.

Strongest three cases for the presentation

1. **Pipedrive page-size cap (C1), paired with Lightspeed (C2).** Two official changelogs, five years apart, say the same thing: a larger `limit` is accepted and silently truncated, and one provider warns clients not to infer "last page" from the returned count. It maps one-to-one onto your "default page size changes" example, is first-party, and the failure mode (a green response with fewer rows) is exactly what status-code monitoring cannot see. Say "documented", not "caused losses".
2. **Jira `/search` removal (E1), with the Jira text-query change (D2) as the sequel.** One vendor changed pagination from offset to token, removed the old endpoint, and then four days ago changed what `=` means. Consumers include libraries, plugins and Atlassian's own MCP server, where an issue reports the removed endpoint turned into an empty result. It is the only case that touches structure, pagination, removal, MCP and meaning in one product, and it is current. Flag that the MCP empty-result claim comes from a user issue and the final removal date was not confirmed.
3. **"Same" model, different behaviour (D1, Chen, Zaharia, Zou).** Peer-reviewed, and the clearest evidence of silent semantic drift behind an unchanged interface; it also speaks to AI applications that depend on a named model. Present the 84% to 51% figure as measured on benchmarks, mention that critiques exist, and do not claim business loss.

Honourable mentions. Slack's May 2025 limits (C4) for AI tools that ingest channel history; AWS SDK checksums versus R2 (C6) for "a routine dependency bump changed the wire format"; Mars Climate Orbiter as a one-slide hook, clearly labelled as an analogy.

Suggested framing for the pitch: providers do document these changes, but only as prose in changelogs, and documented does not mean consumers are told in a form their code can act on. The academic studies show consumers are fragile and that version numbers are an unreliable signal. The honest limit is that public postmortems of silent business damage are rare, which is why the problem persists unmeasured.

Sources

How these were read. Fully opened: the Espinha et al. report and the Jira Cloud changelog page (which showed the 6 October 2026 entries but not the 2024 deprecation entry). The Stripe upgrade page I opened did not contain the backward-compatibility section I was looking for, so I do not cite Stripe. Every other source was read through search-result extracts of the pages linked, not as a full-page fetch, so verify figures and dates against the original before slides go out.

Official provider or institutional sources

- Google Cloud incident report, 12 June 2025
- Slack changelog, 29 May 2025
- Pipedrive changelog, max page size
- Lightspeed X-Series changelog, 2020-02
- IRIS HR API announcements
- Shopify relative pagination blog and changelog
- Docker blog, pull limits
- Cloudflare status, R2 and AWS SDK and AWS SDK for .NET announcement
- Atlassian KB, JQL search and Jira Cloud changelog
- Spotify for Developers blog, 27 Nov 2024
- Circle API changes policy, Moov, 8x8

Academic

- Espinha, Zaidman, Gross, Web API Fragility (arXiv 1407.4266)
- Serbout and Pautasso, ICWE 2024
- Chen, Zaharia, Zou, arXiv 2307.09009

- API Change and Fault Proneness, ESEC/FSE 2013

Secondary and community sources

- ilert Cloudflare postmortem summary
- Red Hat on Docker limits, The New Stack
- 9to5Mac, iMore, GIGAZINE, Impress Watch
- Postiz release note, jira-python issue, Atlassian MCP server issue, Jenkins Jira plugin issue, Grafana Loki PR 4845
- Spotify community thread
- Mars Climate Orbiter report summary, SimScale on cost