


**Предиспитни пројекат**  
из предмета  
**Пројектовање софтверских апликација**

Датум: 27-12-2022


Студент: Сретен Прокопић, ИТ 16/20

# Садржај:

1	Питања:.....	<b>Error! Bookmark not defined.</b>
2	Код site контролера:.....	5
3	У Views/Shared фолдеру:.....	6
3.1	Код _SiteLayout фајла: .....	6
3.2	Код _AvailablePartial фајла: .....	7
4	У Views/Site фолдеру:.....	8
4.1	Код Index.cshtml фајла: .....	8
4.2	Код AvailableManga.cshtml фајла: .....	9
4.3	Код GetYourManga.cshtml фајла:.....	11
4.4	Код MangaReview.cshtml фајла: .....	13
4.5	Код Contact.cshtml фајла:.....	14
5	Модели:.....	17
5.1	Код Manga.cs фајла:.....	17
5.2	Код Sale.cs фајла: .....	17




```
Web.config*  AvailableManga.cshtml  _AvailablePartial.cshtml  Sale.cs*  HomeController.cs  MangaReview.d
<?xml version="1.0" encoding="utf-8"?>
<!--
  For more information on how to configure your ASP.NET application, please visit
  https://go.microsoft.com/fwlink/?LinkId=301880
-->
<configuration>
  <appSettings>
    <add key="webpages:Version" value="3.0.0.0" />
    <add key="webpages:Enabled" value="false" />
    <add key="ClientValidationEnabled" value="true" />
    <add key="UnobtrusiveJavaScriptEnabled" value="true" />
  </appSettings>
  <system.web>
    <globalization requestEncoding="utf-8" responseEncoding="utf-8" />
    <compilation debug="true" targetFramework="4.7.2" />
    <httpRuntime targetFramework="4.7.2" />
  </system.web>
  <runtime>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Antlr3.Runtime" publicKeyToken="eb42632606e9261f" />
        <bindingRedirect oldVersion="0.0.0.0-3.5.0.2" newVersion="3.5.0.2" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Web.Infrastructure" publicKeyToken="31bf3856ad364e35" />
        <bindingRedirect oldVersion="0.0.0.0-2.0.1.0" newVersion="2.0.1.0" />
      </dependentAssembly>
    </assemblyBinding>
  </runtime>
</configuration>
```



# 1 Код site контролера:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace MangaShop.Controllers
{
    public class SiteController : Controller
    {
        // GET: Site
        public ActionResult Index()
        {
            return View();
        }
        public ActionResult AvailableManga()
        {
            return View();
        }
        public ActionResult Contact()
        {
            return View();
        }
        [HttpGet]
        public ActionResult GetYourManga()
        {
            return View();
        }
        [HttpPost]
        public ActionResult GetYourManga(MangaShop.Models.Sale manga)
        {
            return View("MangaReview", manga);
        }
    }
}
```



## 2 У Views/Shared фолдеру:

### 2.1 Код \_SiteLayout fajла:

```
<!DOCTYPE html>

<html>
<head>
    <meta name="viewport" content="width=device-width" />
    <title>@ViewBag.Title</title>
    @Styles.Render("~/Content/css")
    @Scripts.Render("~/bundles/modernizr")
    <link rel="stylesheet" href="~/Content/fontawesome.css">
    <link rel="stylesheet" href="~/Content/templatemo-stand-blog.css">
    <link rel="stylesheet" href="~/Content/owl.css">

</head>
<body style=" padding-bottom: 70px">
    <div>
        <div id="preloader">
            <div class="jumper">
                <div></div>
                <div></div>
                <div></div>
            </div>
        </div>
        <header class="">
            <nav class="navbar navbar-expand-lg">
                <div class="container">
                    <a class="navbar-brand"
href="index.html"><h2>Proko<em>.</em></h2></a>
                    <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive" aria-controls="navbarResponsive"
aria-expanded="false" aria-label="Toggle navigation">
                        <span class="navbar-toggler-icon"></span>
                    </button>
                    <div class="collapse navbar-collapse" id="navbarResponsive">
                        <ul class="navbar-nav ml-auto">
                            <li class="nav-item">
                                <a class="nav-link" @Html.ActionLink("Home", "Index",
"Site")

                                <span class="sr-only">(current)</span>
                                </a>
                            </li>
                            <li class="nav-item">
                                <a class="nav-link" @Html.ActionLink("AvailableManga",
"AvailableManga", "Site")</a>
                            </li>
                            <li class="nav-item">
                                <a class="nav-link" @Html.ActionLink("GetYourManga",
"GetYourManga", "Site")</a>
                            </li>
                            <li class="nav-item">
                                <a class="nav-link" @Html.ActionLink("Contact",
"Contact", "Site")</a>
                            </li>
                            <li class="nav-item active" @RenderSection("Telefon",
false)</li>
                        </ul>
                    </div>
                </div>
            </nav>
        </header>
        @RenderBody()
```

```

</div>
@Scripts.Render("~/bundles/jquery")
@Scripts.Render("~/bundles/bootstrap")
@RenderSection("scripts", required: false)
<script src("~/Scripts/custom.js"></script>
<script src("~/Scripts/owl.js"></script>
<script src("~/Scripts/slick.js"></script>
<script src("~/Scripts/isotope.js"></script>
<script src("~/Scripts/accordions.js"></script>

<footer>
  <div class="container">
    <div class="row">
      <div class="col-lg-12">
        <ul class="social-icons">
          <li><a href="#">Facebook</a></li>
          <li><a href="#">Twitter</a></li>
          <li><a href="#">Behance</a></li>
          <li><a href="#">Linkedin</a></li>
          <li><a href="#">Dribbble</a></li>
        </ul>
      </div>
      <div class="col-lg-12">
        <div class="copyright-text">
          <p>
            Copyright 2020 Stand Blog Co.
            | Design: <a rel="nofollow" href="https://templatemo.com"
target="_parent">TemplateMo</a>
          </p>
        </div>
      </div>
    </div>
  </div>
</footer>

</body>
</html>

```

## 2.2 Код \_AvailablePartial fajla:

```

<h1>LIST OF</h1>
<h2>AVAILABLE MANGA BOOKS</h2>

```

## 3 У Views/Site фолдеру:

### 3.1 Код Index.cshtml фајла:


```
@{
    ViewBag.Title = "Index";
    Layout = "~/Views/Shared/_SiteLayout.cshtml";
}
<div class="main-banner header-text">
    <div class="container-fluid">
        <div class="owl-banner owl-carousel">
            <div class="item">
                
                <div class="item-content">
                    <div class="main-content">
                        <div class="meta-category">
                            <h4 style="color: #ff6a00">Bleach</h4>
                        </div>
                        <h4 style="color: #ff6a00">Taito Kubo</h4>
                    </div>
                </div>
            </div>
            <div class="item">
                
                <div class="item-content">
                    <div class="main-content">
                        <div class="meta-category">
                            <h4 style="color: #ff6a00">Naruto</h4>
                        </div>
                        <h4 style="color: #ff6a00">Masashi Kishimoto</h4></a>
                    </div>
                </div>
            </div>
            <div class="item">
                
                <div class="item-content">
                    <div class="main-content">
                        <div class="meta-category">
                            <h4 style="color: #ff6a00">One Piece</h4>
                        </div>
                        <h4 style="color: #ff6a00">Eiichiro Oda</h4>
                    </div>
                </div>
            </div>
            <div class="item">
                
                <div class="item-content">
                    <div class="main-content">
                        <div class="meta-category">
                            <h4 style="color: #ff6a00">Attack On Titan</h4>
                        </div>
                        <h4 style="color: #ff6a00">Isayama Hajime</h4>
                    </div>
                </div>
            </div>
            <div class="item">
                
                <div class="item-content">
                    <div class="main-content">
                        <div class="meta-category">
                            <h4 style="color: #ff6a00">Full Metal Alchemist</h4>
                        </div>
                        <h4 style="color: #ff6a00">Arakawa Hiromu</h4></a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```

        </div>
    </div>
</div>
<div class="item">
    
    <div class="item-content">
        <div class="main-content">
            <div class="meta-category">
                <h4 style="color: #ff6a00">My Hero Academia</h4>
            </div>
            <h4 style="color: #ff6a00">Kōhei Horikoshi</h4></a>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>

```



### 3.2 Код AvailableManga.cshtml файла:

```

@{
    ViewBag.Title = "About";
    Layout = "~/Views/Shared/_SiteLayout.cshtml";
}

<section class="about-us">
    <div class="container">

        <div class="row">
            <div class="col-lg-12">
                
                <p>@{Html.RenderPartial("_AvailablePartial"); }</p>
            </div>

            <div class="row">
                <div class="col-lg-6">
                    <h4>Bleach</h4>
                    <p>It follows the adventures of a teenager Ichigo Kurosaki, who inherits his parents' destiny after he obtains the powers of a Soul Reaper—a death personification similar to the Grim Reaper—from another Soul Reaper, Rukia Kuchiki.</p>
                </div>
            </div>
        </div>
    </div>

```


```

        <div class="col-lg-6">
            <h4>Naruto</h4>
            <p>Naruto is a Japanese manga series written and illustrated by
Masashi Kishimoto. It tells the story of Naruto Uzumaki, a young ninja who seeks
recognition from his peers and dreams of becoming the Hokage, the leader of his
village.</p>
        </div>
    </div>

    <div class="row">
        <div class="col-lg-4 col-md-6">
            <h4>One piece</h4>
            <p>One Piece is the story of Monkey D. Luffy, a young man who has a
single dream: To find the legendary treasure known as the One Piece and become the
King of the Pirates. Alongside a crew of trusted friends, Luffy sails the dangerous
seas of the Grand Line to find Laugh Tale, the hidden island containing the One
Piece.</p>
        </div>
        <div class="col-lg-4 col-md-6">
            <h4>Attack On Titan</h4>
            <p>It is set in a world where humanity is forced to live in cities
surrounded by three enormous walls that protect them from gigantic man-eating
humanoids referred to as Titans; the story follows Eren Yeager, who vows to
exterminate the Titans after they bring about the destruction of his hometown and the
death of his ...</p>
        </div>
        <div class="col-lg-4">
            <h4>Full Metal Alchemist</h4>
            <p>Set in the early 20th century, in a fictional universe in which
alchemy is a widely practiced science, the series follows the journey of two alchemist
brothers, Edward and Alphonse Elric, who are searching for the philosopher's stone to
restore their bodies after a failed attempt to bring their mother back to life ...</p>
        </div>
    </div>

    <div class="row">
        <div class="col-lg-12">
            <ul class="social-icons">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-behance"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
            </ul>
        </div>
    </div>
</div>
</section>

```



### 3.3 Код GetYourManga.cshtml файла:

```
@model MangaShop.Models.Sale
```

```
@{
```

```
    ViewBag.Title = "GetYourManga";
```

```
    Layout = "~/Views/Shared/_SiteLayout.cshtml";
```

```
}
```

```
<section class="contact-us">
```

```
    <div class="container">
```

```
        <div class="row">
```

```
            <div class="col-lg-12">
```

```
                <div class="down-contact">
```

```
                    <div class="row">
```

```
                        <div class="col-lg-8">
```

```
                            <div class="sidebar-item contact-form">
```

```
                                <div class="sidebar-heading">
```

```
                                    <h2>Send us a message</h2>
```

```
                                </div>
```

```
                            <div class="content">
```

```
                                <form id="contact" action="" method="post">
```

```

        <div class="row">
            <div class="col-md-6 col-sm-12">
                @using
(Html.BeginForm("GetYourManga","Site", FormMethod.Post))
                {
                    <div>
                        <label>Name:</label>
                        @Html.TextBoxFor(x => x.Name)
                        <label>Photo:</label>
                        @Html.TextBoxFor(x => x.Photo)
                        <hr />

                        <label>Price:</label>
                        @Html.TextBoxFor(x => x.Price)

                        <label>Publisher:</label>
                        @Html.DropDownListFor(x =>
x.Publisher, new[]
{
                            new SelectListItem()
                            {
                                Text = "Dark Horse Manga",
                                Value = "Dark Horse Manga"
                            },

                            new SelectListItem()
                            {
                                Text = "Del Rey Manga",
                                Value = "Del Rey Manga"
                            },


                            new SelectListItem()
                            {
                                Text = "Seven Seas
Entertainment",
                                Value = "Seven Seas
Entertainment"
                            }

                        })
                    </div>
                    <div>
                        <label> On Sale: </label><br>
                        <label> @Html.CheckBoxFor(x =>
x.OnSale, false) Yes </label>

                    </div><br><br>

                    }
                    <input type="submit" class="button"
value="PURCHASE">
                </div>
            </div>
        </form>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>

```




### 3.4 Код MangaReview.cshtml файла:

```
@model MangaShop.Models.Sale
@{ ViewBag.Title = "MangaReview";
    Layout = "~/Views/Shared/_SiteLayout.cshtml";
}

<section class="about-us">
    <div class="container">

        <div class="row">
            <div class="col-lg-12">
                
                <h2>@Model.Name</h2>
            </div>

            <div class="row">
                <div class="col-lg-6">
                    <h4>Price:</h4>
                    <p>@Model.Price</p>
                    @if (Model.OnSale == true)
                    { <h3><b>On Sale: </b> Yes</h3><br> }
                    else
                    { <h3><b>On Sale: </b> No</h3><br> }
                </div>
                <div class="col-lg-6">
                    <h4>Publisher:</h4>
                    <p> @Model.Publisher</p>
                </div>
            </div>
            <div class="row">
                <div class="col-lg-12">
                    <ul class="social-icons">
                        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                        <li><a href="#"><i class="fa fa-behance"></i></a></li>
                        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                    </ul>
                </div>
            </div>
        </div>
    </section>
```



### 3.5 Код Contact.cshtml fajla:


```
@{
    ViewBag.Title = "Contact";
    Layout = "~/Views/Shared/_SiteLayout.cshtml";
}
@section Telefon {<b>PHONE NUMBER:</b>
    <br /><b>065/465/10/31</b>}

@section Dodatno {<b>PHONE NUMBER:</b>
    <br /><b>065/465/10/31</b>}

<section class="contact-us">
    <div class="container">
        <div class="row">


            <div class="col-lg-12">
                <div class="down-contact">
                    <div class="row">
                        <div class="col-lg-8">
                            <div class="sidebar-item contact-form">
                                <div class="sidebar-heading">
                                    <h2>Send us a message</h2>
                                </div>
                                <div class="content">
                                    <form id="contact" action="" method="post">
                                        <div class="row">
                                            <div class="col-md-6 col-sm-12">
                                                <fieldset>
                                                    <input name="name" type="text"
id="name" placeholder="Your name" required="">
                                                </fieldset>
                                            </div>
                                            <div class="col-md-6 col-sm-12">
                                                <fieldset>
                                                    <input name="email" type="text"
id="email" placeholder="Your email" required="">
                                                </fieldset>
                                            </div>
                                            <div class="col-md-12 col-sm-12">
                                                <fieldset>
                                                    <input name="subject" type="text"
id="subject" placeholder="Subject">
                                                </fieldset>
                                            </div>
                                            <div class="col-lg-12">
                                                <fieldset>
```







## 4 Модели:



### 4.1 Код Manga.cs файла:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;

namespace MangaShop.Models
{
    public class Manga
    {
        public string Name { get; set; }
        public string Photo { get; set; }
        public double Price { get; set; }
        public string Publisher { get; set; }
    }
}
```

### 4.2 Код Sale.cs файла:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;

namespace MangaShop.Models
{
    public class Sale:Manga
    {
        public bool OnSale { get; set; }
    }
}
```