

```

#include <stdio.h>

#define SIZE 5

int deque[5];
int front = -1, rear = -1;

void insertFront(int x) {
    if ((front == 0 && rear == SIZE - 1) || (front == rear + 1)) {
        printf("Deque is full!\n");
        return;
    }
    if (front == -1) {
        front = rear = 0;
    } else if (front == 0) {
        front = SIZE - 1;
    } else {
        front--;
    }
    deque[front] = x;
}

void insertRear(int x) {
    if ((front == 0 && rear == SIZE - 1) || (front == rear + 1)) {
        printf("Deque is full!\n");
        return;
    }
    if (front == -1) {
        front = rear = 0;
    } else if (rear == SIZE - 1) {
        rear = 0;
    } else {

```

```
        rear++;  
    }  
    deque[rear] = x;  
}
```

```
void deleteFront() {  
    if (front == -1) {  
        printf("Deque is empty!\n");  
        return;  
    }  
    printf("Deleted %d from front\n", deque[front]);  
    if (front == rear) {  
        front = rear = -1;  
    } else if (front == SIZE - 1) {  
        front = 0;  
    } else {  
        front++;  
    }  
}
```

```
void deleteRear() {  
    if (front == -1) {  
        printf("Deque is empty!\n");  
        return;  
    }  
    printf("Deleted %d from rear\n", deque[rear]);  
    if (front == rear) {  
        front = rear = -1;  
    } else if (rear == 0) {  
        rear = SIZE - 1;  
    } else {  

```

```
        rear--;  
    }  
}
```

```
void display() {  
    if (front == -1) {  
        printf("Deque is empty!\n");  
        return;  
    }  
    printf("Deque elements: ");  
    int i = front;  
    while (1) {  
        printf("%d ", deque[i]);  
        if (i == rear)  
            break;  
        i = (i + 1) % SIZE;  
    }  
    printf("\n");  
}
```

// Main function with switch menu

```
int main() {  
    int choice, x;  
    while (1) {  
        printf("\n--- Double Ended Queue Menu ---\n");  
        printf("1. Insert Front\n");  
        printf("2. Insert Rear\n");  
        printf("3. Delete Front\n");  
        printf("4. Delete Rear\n");  
        printf("5. Display\n");  
        printf("6. Exit\n");
```

```
printf("Enter your choice: ");
scanf("%d", &choice);

switch (choice) {
    case 1:
        printf("Enter value to insert at front: ");
        scanf("%d", &x);
        insertFront(x);
        break;
    case 2:
        printf("Enter value to insert at rear: ");
        scanf("%d", &x);
        insertRear(x);
        break;
    case 3:
        deleteFront();
        break;
    case 4:
        deleteRear();
        break;
    case 5:
        display();
        break;
    case 6:
        return 0;
    default:
        printf("Invalid choice!\n");
}
}

return 0;
}
```

```
C:\Users\NETRA TM\OneDrive >
--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 1
Enter value to insert at front: 5

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 1
Enter value to insert at front: 6

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 2
Enter value to insert at rear: 7

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 2
Enter value to insert at rear: 9
```

```
C:\Users\NETRA TM\OneDrive >
--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 3
Deleted 6 from front

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 4
Deleted 9 from rear

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 5
Deque elements: 5 7

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 2
Enter value to insert at rear: 3
```

```
*C:\Users\NETRA TM\OneDriv x + v

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 2
Enter value to insert at rear: 3

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 5
Deque elements: 5 7 3

--- Double Ended Queue Menu ---
1. Insert Front
2. Insert Rear
3. Delete Front
4. Delete Rear
5. Display
6. Exit
Enter your choice: 6

Process returned 0 (0x0)   execution time : 54.971 s
Press any key to continue.
|
```