Michele Allegra

Network Control Theory in Practice: the Example of Brain Networks




The "Network Control Theory" framework



$$\dot{\boldsymbol{x}}(t) = A\boldsymbol{x}(t) + B\boldsymbol{u}(t)$$

A - (N,N) connectivity matrix

$$A = \begin{pmatrix} 0 & 0 & 0 & 0 \\ a_{21} & 0 & 0 & 0 \\ a_{31} & 0 & 0 & a_{34} \\ a_{41} & 0 & 0 & 0 \end{pmatrix}; B = \begin{pmatrix} b_1 & 0 \\ 0 & b_2 \\ 0 & 0 \\ 0 & 0 \end{pmatrix};$$




The "Network Control Theory" framework



Control goal:

induce an arbitrary state in the network




Theorems allow computing:

- minimum number of control nodes needed to control the whole network ("structural controllability")
- the control signal **u**(t) to be applied (given the control nodes)

Liu, Y. Y., Slotine, J. J., & Barabási, A. L. (2011). Controllability of complex networks. nature, 473(7346), 167-173.

Network control theory for the brain





brain as network of 100 nodes

A = anatomical connectivity

At macroscopic spatial scales and slow time scales, the dynamics is quasi - linear

1 driver node, 99 target nodes

Gu, S., ... & Bassett, D. S. (2015). Controllability of structural brain networks. Nature communications, 6(1), 8414.

"the brain is theoretically controllable through a single region"

And yet, control is difficult




$$u = B^T e^{At_f} W^{-1} (e^{-At_f} x_f - x_0)$$


$$W = \int_0^\infty d\tau e^{A\tau} B B^T e^{A^T \tau} \qquad \text{Gramian}$$

$$E = \int_{0}^{t_f} dt ||u(t)||^2 = x_f W^{-1} x_0$$

$$E_{max} = x_f \lambda_{min}^{-1} x_0 \qquad \qquad \text{Energy}$$




$$A = \left(\begin{array}{cc} 1 & 0 \\ 1 & 0 \end{array}\right), \ B = \left(\begin{array}{c} 1 \\ 0 \end{array}\right)$$



Sun, J., & Motter, A. E. (2013). Controllability transition and nonlocality in network control. PRL 110(20), 208701.


And yet, control is difficult







Control trajectories are long, energy large ...

... unless a sizable number of control nodes is used








Control numerically fails unless a sizable number of control nodes is used

A step back: target control





Gao, J., Liu, Y. Y., D'souza, R. M., & Barabási, A. L. (2014). Target control of complex networks. Nature communications, 5(1), 1-8.

Control goal:

induce an arbitrary state in *a selected subnetwork*

Significantly reduce number of control nodes needed, as well as control energy


Target control of brain networks




Control energy is astronomically large unless many nodes are controlled

Control energy scales *exponentially* with number of target nodes

We should restrict attention to a few target nodes at most





Manjunatha, K. K. H., Baron, G., Benozzo, D., Silvestri, E., Corbetta, M., Chiuso, A., ... & Allegra, M. (2024). Controlling target brain regions by optimal selection of input nodes. PLOS Computational Biology, 20(1), e1011274.


Target control of brain networks



Energy decreases with direct and indirect effective connections

Brain networks are signed

Both positive and negative connections contribute to control



Manjunatha, K. K. H., Baron, G., Benozzo, D., Silvestri, E., Corbetta, M., Chiuso, A., ... & Allegra, M. (2024). Controlling target brain regions by optimal selection of input nodes. PLOS Computational Biology, 20(1), e1011274.


Target control of brain networks


PADOVA neuroscience CENTER


Brain networks are asymmetric

Driver energy (energy to control other nodes from a nodes) correlates with EC out-strength

Target energy (energy to control a node) correlates with EC in-strength







Conclusions



- Elegant mathematical framework to control networks with linear dynamics
- Fine-grained control of the whole network requires acting on many nodes
- Adopting a Target control approach makes the problem more feasible
- Indirect and negative links are crucial for control

- Other control goals?
- Coarse-grained approach?

Acknowledgments











Karan Kabbur Hanumanthappa Manjunatha

Giorgia Baron Alessandra Bertoldo

Samir Suweis

Maurizio Corbetta



M. De Domenico



T. Scagliarini



V. D'Andrea



M. Faccin



Network Control Theory in Practice: the Example of Brain Networks