## **MGC on PFactor**

## Vidur Kailash

2/28/2018

Created 2 random 5x5 matrices to test MGC to make sure it was working properly.

```
require(mgc)
## Loading required package: mgc
## Loading required package: SDMTools
X <- matrix(abs(runif(25)), ncol=5)</pre>
X \leftarrow upper.tri(X)*X; X \leftarrow X + t(X)
Χ
##
             [,1]
                         [,2]
                                    [,3]
                                                [,4]
                                                           [,5]
## [1,] 0.0000000 0.91958045 0.82766779 0.46801736 0.9513645
## [2,] 0.9195805 0.00000000 0.39243113 0.01631873 0.9276307
## [3,] 0.8276678 0.39243113 0.00000000 0.01863992 0.8695778
## [4,] 0.4680174 0.01631873 0.01863992 0.00000000 0.8520979
## [5,] 0.9513645 0.92763072 0.86957777 0.85209787 0.00000000
Y <- matrix(abs(runif(25)), ncol=5)</pre>
Y <- upper.tri(Y)*Y; Y <- Y + t(Y)
Υ
##
             [,1]
                        [,2]
                                  [,3]
                                             [,4]
## [1,] 0.0000000 0.6485027 0.6416070 0.4714865 0.4764098
## [2,] 0.6485027 0.0000000 0.7917895 0.6632409 0.5978392
## [3,] 0.6416070 0.7917895 0.0000000 0.3137999 0.3285329
## [4,] 0.4714865 0.6632409 0.3137999 0.0000000 0.9927310
## [5,] 0.4764098 0.5978392 0.3285329 0.9927310 0.0000000
res <- mgc.test(X,Y)
print(res$statMGC)
## [1] 0.4250802
```

Since MGC requires 2 nxn distance matrices to inputted, I did the following caluculations on the pfactor data and the connectome data to get the input data in usaable form.

I found 5 patients with realtivelty high p factor values. I found the pairwise distacnes of each and created a 5x5 matrix with the results and called that matrix 'x'.

I then got the corresponding connectomes from ndmg output (using the connectomes from the desikan poarcellation). I converted the connectomes into numpy matrices (shown in


jupyter notebook) and found the frobenius norm of the distance matrices. This became the second 5x5 distance matrix.

I then ran MGC on the 2 nxn matirces and got a statMGC value of -0.2202395.

```
require(mgc)
require(ggplot2)
## Loading required package: ggplot2
require(latex2exp)
## Loading required package: latex2exp
x = matrix(c(0, 0.0134725, 0.33970251, 0.647503, 0.0656137, 0.0134725, 0, 0.
353175, 0.6609755, 0.0790862, 0.33970251, 0.353175, 0, 0.3078005, 0.27408879,
0.647503, 0.6609755, 0.3078005, 0, 0.58188927, 0.0656137, 0.0790862, 0.274088
79, 0.58188927, 0), nrow=5, ncol=5)
Х
##
             [,1]
                       [,2]
                                 [,3]
                                           [,4]
                                                     [,5]
## [1,] 0.0000000 0.0134725 0.3397025 0.6475030 0.0656137
## [2,] 0.0134725 0.0000000 0.3531750 0.6609755 0.0790862
## [3,] 0.3397025 0.3531750 0.0000000 0.3078005 0.2740888
## [4,] 0.6475030 0.6609755 0.3078005 0.0000000 0.5818893
## [5,] 0.0656137 0.0790862 0.2740888 0.5818893 0.0000000
y = matrix(c(0, 21.0134223, 16.49268088, 23.9195127, 19.01896152, 21.0134223)
, 0, 11.0393952, 12.62081885, 10.5266986, 16.49268088, 11.0393952, 0, 14.5288
314, 10.7402878, 23.9195127, 12.62081885, 14.5288314, 0, 12.42300484, 19.0189
6152, 10.5266986, 10.7402878, 12.42300484, 0), nrow=5, ncol=5)
У
##
            [,1]
                     [,2]
                              [,3]
                                       [,4]
## [1,] 0.00000 21.01342 16.49268 23.91951 19.01896
## [2,] 21.01342 0.00000 11.03940 12.62082 10.52670
## [3,] 16.49268 11.03940 0.00000 14.52883 10.74029
## [4,] 23.91951 12.62082 14.52883 0.00000 12.42300
## [5,] 19.01896 10.52670 10.74029 12.42300 0.00000
mgc.test(x, y)
## $pMGC
## [1] 0.706
##
## $statMGC
## [1] -0.2202395
##
## $pLocalCorr
        [,1] [,2] [,3] [,4] [,5]
##
## [1,]
          1 1.000 1.000 1.000 1.000
## [2,]
          1 1.000 0.982 1.000 0.942
```

```
## [3,]
         1 0.627 0.855 1.000 0.822
## [4,]
          1 0.549 0.767 0.991 0.745
## [5,]
          1 0.535 0.971 1.000 0.706
##
## $localCorr
##
                 [,2]
                           [,3]
                                     [,4]
                                                [,5]
       [,1]
## [1,]
          0 -0.7115987 -0.7233131 -1.0242553 -0.7189781
## [2,]
## [3,]
          0 0.1118481 -0.1849661 -0.4852445 -0.5364851
## [4,] 0 0.1380807 -0.1593607 -0.4320417 -0.4226489
         0 -0.1023249 -0.5943204 -0.7069746 -0.2202395
## [5,]
##
## $optimalScale
## [1] 25
res <- mgc.test(x,y)</pre>
mgc.plot.plot_matrix(res$localCorr, title = TeX("MGC Corr Map, Pfactor and Co
nnectomes"), legend.name=TeX("statMGC"))
```

## MGC Corr Map, Pfactor and Connectomes



```
print(res$optimalScale)
## [1] 25
print(res$statMGC)
```