

Image not found or type unknown



NLNG  
Ref No: TE-NLG-RFQ2302242330

Price Quotation



Thursday, 29 February 2024

NLNG  
Bonny Island

Attn: Mr. Sunday Ikpefua  
[sunday.ikpefua@nlg.com](mailto:sunday.ikpefua@nlg.com)  
Tel: +234 8039055000, Ext: 5533

NLG Rfx: 600019560

TAG Energy Limited Quotation for the PURCHASE OF GASKETS

Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
1	<b>PRODUCT NO: 8541326113</b>  CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:6, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:PTFE, INNER RINGMATERI AL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD: ASME B16.20	Each	15	0.00	1.00
2	<b>PRODUCT NO: 8541361121</b>  CUSTOMER DESCRIPTION: GASKET:SPW;1-1/2 IN GRPHTe SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:1-1/2, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:GRAPHITE,WINDING M ATERIAL:316 STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL,PRESSURE CLASS/RATING:300/600, PRESSURECLASS/RATING_UOM:LB, CERTIFICAT ION/STANDARD:ASME B16.20	Each	150	0.00	0.00
3	<b>PRODUCT NO: 8530050121</b>  CUSTOMER DESCRIPTION: GASKET:FLG;FLT RNG RF DN40 49MM 85.5MM SPECIFICATIONS: GASKET:FLANGE; MAKE:TBA, PART NUMBER:TBA, TYPE:FLAT RING, RAISED FACE,NOMINAL SIZE:DN40, INSIDE DIAMETER:49, INSIDEDIAMETER_UOM:MM, OUTSIDE DIAMETER:85.5, OUTSIDE DIAMETER_UOM:MM,THICKNESS:1.5, THICKNESS_UOM:MM, MATERIAL:REINFORCED GRAPHITE,PRESSURE CLASS/RATING:1 50, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD:ISO 10474-2.1, ADDITIONAL FEATURES: MANDATORYADDITIONAL REQUIREMENTS:MESC SPE 85/101 2007, MESC SPE 85/203 2010, CAPSCODE:GKTI GR01, INSPECTION	Pieces	180	0.00	0.00
4	<b>PRODUCT NO: 8541421149</b>  CUSTOMER DESCRIPTION: GASKET:SPW;KLINGER-SIL 2 IN SS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:KLINGER-SIL, PART NUMBER:TBA, TYPE:TBA,NOMINAL SIZE:2, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:GRAPHITE,WINDI NG MATERIAL:316L STAINLESS STEEL/FLEXIBLE GRAPHITE, INNER RINGMATERIAL:STAINLESS STEEL, OUTER RING MATERIAL:STAINLESS STEEL,PRESSURE CLASS/RATING:300/600, PRESSURE CLASS/RATING_UOM:LB	Pieces	100	0.00	0.00
5	<b>PRODUCT NO: 8530050341</b>  CUSTOMER DESCRIPTION: GASKET:FLG;KLINGER RF 16IN 407MM 514 SPECIFICATIONS: GASKET:FLANGE; MAKE:KLINGER, PART NUMBER:TBA,          ADDITIONAL FEATURES:INSERT MATERIALSPECIFICATION:316L STAINLESS  	Pieces	80	0.00	0.00



Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
6	PRODUCT NO: 8541631883	Pieces	3	0.00	0.00
	CUSTOMER DESCRIPTION: GASKET:SPW;MANGIAROTTI SPA 810MM 785MM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:MANGIAROTTI SPA, PART NUMBER:TBA, TYPE:TBA,NOMINAL SIZE:810, NOMINAL SIZE_UOM:MM, INSIDE DIAMETER:785,INSI DE DIAMETER_UOM:MM, OUTSIDE DIAMETER:867, OUTSIDE DIAMETER_UOM:MM,THICKNESS:7.2, THICKNESS_UOM:MM, FILLER MATERIAL:GRAPHITE,WINDING MATERIAL:316L STAINLESS STEEL, INNER RING MATERIAL:STAINLESSSTEEL, ADDITIONAL FEATURES:10 MM WD METAL JACKETED C-A TYPEPASS PARTITION				
7	PRODUCT NO: 8541328703	Each	20	0.00	0.00
	CUSTOMER DESCRIPTION: GASKET:SPW;DN350 VIRGIN PTFE SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:DN350, FILLER MATERIAL:VIRGIN PTFE, WINDING MATERIAL:316STAINL ESS STEEL, INNER RING MATERIAL:316 STAINLESS STEEL, OUTER RINGMATERIAL:CARBON STEEL, PRESSURE CLASS/RATING:150, PRESSURECLASS/RATING _UOM:LB, CERTIFICATION/STANDARD:ASME B16.5, ASME B16.20,ADDITIONAL FEATURES:MANDATORY ADDITIONAL REQUIREMENTS:MESC SPE85/103 2018				
8	PRODUCT NO: 8541631943	Pieces	3	0.00	0.00
	CUSTOMER DESCRIPTION: GASKET:SPW;MANGIAROTTI SPA CHNL FXD 1467 SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:MANGIAROTTI SPA, PART NUMBER: TBA, TYPE:CHANNEL, FIXED, NOMINAL SIZE:1467, NOMINAL SIZE_UOM:MM, INSIDEDIAMET ER:1417, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:1388, OUTSIDEDIAMETER_UOM:MM, THICKNESS:7.2, THICKNESS_UOM:MM, FILLERMATERIAL:GRAP HITE, WINDING MATERIAL:316 STAINLESS STEEL, INNER RINGMATERIAL:STAINLESS STEEL, ADDITIONAL FEATURES:NO PASS PARTITION				
9	PRODUCT NO: 8541630863	Pieces	5	0.00	0.00
	CUSTOMER DESCRIPTION: GASKET:SPW;FLEXITALLIC RF FLNGD 30IN SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:FLEXITALLIC, PART NUMBER:TBA, TYPE:RAISED FACEFLANGED, NOMINAL SIZE:30, NOMINAL SIZE_UOM:IN,THICKNESS:4.5, THICKNESS_UOM:MM, FILLER MATERIAL:EXFOLIATED EXPANDEDGRAPHITE, WINDING MATERIAL:316L STAINLESS STEEL, INNER RINGMATERIAL:STAINLESS STEEL, OUTER RING MATERIAL:STAINLESS STEEL, PRESSURECLASS/RATING:600, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD:ASME B16.4 7A, ADDITIONAL FEATURES:SERIES A				
10	PRODUCT NO: 8541632053	Pieces	3	0.00	0.00
	CUSTOMER DESCRIPTION: GASKET:SPW;610MM 668MM 697MM 4.5MM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:610, NOMINAL SIZE_UOM:MM, INSIDE DIAMETER:668, INSIDEDIAMETER_ UOM:MM, OUTSIDE DIAMETER:697, OUTSIDE DIAMETER_UOM:MM,THICKNESS:4.5, THICKNESS_UOM:MM, FILLER MATERIAL:GRAPHITE, WINDINGMATERIAL:316 STAINLESS STEEL, ADDITIONAL FEATURES:TYPE A,EQUIPMENT:KCS-SHELL & TUBE HEAT EXCHANGER, DRAWING NUMBER:DK99-467-002,ITEM/POISTION NU MBER:6-1				
11	PRODUCT NO: 8541632053	Pieces	3	0.00	0.00
	CUSTOMER DESCRIPTION: GASKET:SPW;610MM 668MM 697MM 4.5MM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:610, NOMINAL SIZE_UOM:MM, INSIDE DIAMETER:668, INSIDEDIAMETER_ UOM:MM, OUTSIDE DIAMETER:697, OUTSIDE DIAMETER_UOM:MM,THICKNESS:4.5, THICKNESS_UOM:MM, FILLER MATERIAL:GRAPHITE, WINDINGMATERIAL:316 STAINLESS STEEL, ADDITIONAL FEATURES:TYPE A,EQUIPMENT:KCS-SHELL & TUBE HEAT EXCHANGER, DRAWING NUMBER:DK99-467-002,ITEM/POISTION NU MBER:6-1				
12	PRODUCT NO: 8541326113	Each	15	0.00	1.00
	CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:6, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:PTFE, INNER RINGMATERI AL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD: ASME B16.20				
13	PRODUCT NO: 8541326113	Each	15	0.00	1.00
	CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, N				



Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
14	PRODUCT NO: 8541326113  CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:6, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:PTFE, INNER RINGMATERI AL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD: ASME B16.20	Each	15	0.00	1.00
15	PRODUCT NO: 8541326113  CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:6, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:PTFE, INNER RINGMATERI AL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD: ASME B16.20	Each	15	0.00	1.00
16	PRODUCT NO: 8541326113  CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:6, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:PTFE, INNER RINGMATERI AL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD: ASME B16.20	Each	15	0.00	1.00
17	PRODUCT NO: 8541326113  CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:6, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:PTFE, INNER RINGMATERI AL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD: ASME B16.20	Each	15	0.00	1.00
18	PRODUCT NO: 8541326113  CUSTOMER DESCRIPTION: GASKET:SPW;6 IN PTFE SS CS SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:TBA, TYPE:TBA, NOMINALSIZE:6, NOMINAL SIZE_UOM:IN, FILLER MATERIAL:PTFE, INNER RINGMATERI AL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD: ASME B16.20	Each	15	0.00	1.00

ESTIMATED PACKAGED WEIGHT:

ESTIMATED PACKAGED DIMENSION :

HS CODE: N/A

Notes to Pricing:

1. Delivery: 17-19 weeks.
2. Mode of transportation: Air
3. Delivery Location: NLNG. ISB WAREHOUSE, NIGERIA
4. Where Legalisation of C of O and/or invoices are required, additional cost will apply and will be charged at cost.
5. Validity: This quotation is valid for 30 days.
6. FORCE MAJEURE: On notification of any event with impact on delivery schedule, We will extend delivery schedule.
7. Pricing: Prices quoted are in USD
8. Prices are based on quantity quoted
9. A revised quotation will be submitted for confirmation in the event of a partial order.
10. Oversized Cargo: NO
11. Payment Term: 45 Days Net

Best Regards



Pelumi OGUNTOYE  
For: TAG Energy Limited

Sub total	8.00
Total	8.00

