

https://scm.enabledjobs.com/company-logo/2/logo_picture_s.png

James Walker
REF No: TE-NULL-0805242412

James Walker
James Walker South Africa (Pty) Ltd 296 Magwaza Maphalala
Street (Gale Street), Congella, Durban, 4001, South Africa
We are pleased to issue this purchase order in response to the pricing in your quotation.

By this letter, we request that you commence the immediate supply and ensure compliance as per your quotation
Attn: Shane Brammage
and the specification.
Ref No: Null

Certification type unknown
Friday, 25 October 2024

Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
1	<p>GASKET:SPW;FLEXITALLIC 350 MM LB</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:FLEXITALLIC, PART NUMBER:TBA, TYPE:TBA,NOMINAL SIZE:350, NOMINAL SIZE_UOM:MM, FILLER MATERIAL:EXFOLIATEDEXPANDED GRAPHITE, WINDING MATERIAL:316L STAINLESS STEEL, PRESSURECLASS/RATING:300, PRESSURE CLASS/RATING_UOM:LB</p> <p>WE OFFER:</p> <p>MJ-473390</p> <p>METAFLEX - TYPE SG 14" 300 ASME B16.20 316L / SPG CS OR QUOTED AS PER SHELL BUYING DESCRIPTION</p>	Each	20	10.91	218.20
2	<p>GASKET:SPW;FLEXITALLIC 8 IN 4.5</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;FLEXITALLIC 8 IN 4.5</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:FLEXITALLIC, PART NUMBER:TBA, TYPE:TBA,NOMINAL SIZE:8, NOMINAL SIZE_UOM:IN, THICKNESS:4.5,THICKNESS_UOM:MM, FILLER MATERIAL:EXFOLIATED EXPANDED GRAPHITE, WINDINGMATERIAL:316L STAINLESS STEEL, OUTER RING MATERIAL:CARBONSTEEL, PRESSURE CLASS/RATING:600, PRESSURE CLASS/RATING_UOM: LB,CERTIFICATION/STANDARD:ASME B16.20</p> <p>WE OFFER:</p> <p>MJ-454825</p> <p>METAFLEX - TYPE SG 8" 600 ASME B16.20 316L / SPG CS OR QUOTED AS PER SHELL BUYING DESCRIPTION.</p>	Each	50	6.18	309.00



Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
3	<p>GASKET:SPW;KUKIL INNTOT CO LTD 5002/61</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;KUKIL INNTOT CO LTD 5002/61</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:KUKIL INNTOT CO LTD, PART NUMBER:5002/61,TYPE:TBA, NOMINAL SIZE:1062, NOMINAL SIZE_UOM:MM, INSIDEDIAMETER: 950, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:1027, OUTSIDEDIAMETER_UOM:MM, THICKNESS:4.5, THICKNESS_UOM:MM, FILLERMATERIAL:GRAPHITE, WINDING MATERIAL:316 STAINLESS STEEL, INNER RINGMATERIAL:STAINLESS STEEL, ADDITIONAL FEATURES:PASS PARTITION</p> <p>WE OFFER:</p> <p>MJ-969307</p> <p>METAFLEX - TYPE C/IR/TE 316L / SPGH 316L IR 950MM X 1027MM X 1062MM X 4.5MM BAR WIDTH 10MM SHAPE 11</p> <p>QUOTED AS PER RFQ DESCRIPTION.</p> <p>PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION.</p>	Each	3	106.57	319.71
4	<p>GASKET:SPW;FLEXITALLIC 20 IN CS</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;FLEXITALLIC 20 IN CS</p> <p>ITEM SPECIFICATIONS: GASKET, SPIRAL WOUND, AISI316 GRAPHITE FILLED, 20 INCH X 150LB, ASMEB16.20, WITH CARBON STEEL OUTER RING, OEM: FLEXITALLIC (GENERIC)</p> <p>WE OFFER:</p> <p>MJ-454922</p> <p>METAFLEX - TYPE SG 20" 150 ASME B16.20 316L / SPG CS OR</p> <p>QUOTED AS PER SHELL BUYING DESCRIPTION.</p>	Each	4	16.80	67.20

Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
5	<p>GASKET:SPW;FLEXITALLIC 5002/62 1027MM</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;FLEXITALLIC 5002/62 1027MM</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:FLEXITALLIC, PART NUMBER:5002/62, TYPE:TBA,NOMINAL SIZE:1027, NOMINAL SIZE_UOM:MM, INSIDE DIAMETER:950,INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:1062, OUTSIDE DIAMETER_UOM:MM,THICKNESS:4.5, THICKNESS_UOM:MM, FILLER MATERIAL:GRAPHITE,WINDING MATERIAL:316 STAINLESS STEEL, INNER RING MATERIAL:316 STAINLESSSTEEL, ADDITIONAL FEATURES:TYPE O, EQUIPMENT:KCS-SHELL &TUBE HEAT EXCHANGER, DRAWING NUMBER:DK2000-005-002, ITEM/POISTION NUMBER:6-2</p> <p>WE OFFER:</p> <p>MJ-969308</p> <p>METAFLEX - TYPE C/IR 316L / SPGH 316L IR 950MM X 1027MM X 1062MM X 4.5MM</p> <p>QUOTED AS PER RFQ DESCRIPTION.</p> <p>PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION</p>	Each	3	89.80	269.40
6	<p>GASKET:SPW;E-3708 918MM 870MM 955MM</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;E-3708 918MM 870MM 955MM</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; LABEL:E-3708, MAKE:TBA, PART NUMBER:TBA, TYPE:TBA,NOMINAL SIZE:918, NOMINAL SIZE_UOM:MM, INSIDE DIAMETER:870,INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:955, OUTSIDE DIAMETER_UOM:MM,THICKNESS:4.5, THICKNESS_UOM:MM, FILLER MATERIAL:GRAPHITE,WINDING MATERIAL:316 STAINLESS STEEL, INNER RING MATERIAL:316 STAINLESSSTEEL, ADDITIONAL FEATURES:TYPE O, EQUIPMENT:KCS-SHELL &TUBE HEAT EXCHANGER, DRAWING NUMBER:DK2000-006-002, ITEM/POISTIONNUMBER:6-2</p> <p>WE OFFER:</p> <p>MJ-969309</p> <p>METAFLEX - TYPE C/IR 316L / SPGH 316L IR 870MM X 918MM X 955MM X 4.5MM</p> <p>QUOTED AS PER RFQ DESCRIPTION.</p> <p>PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION.</p>	Each	3	63.43	190.29

Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
7	<p>GASKET:SPW;6002/61 920MM 870MM 955MM</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;6002/61 920MM 870MM 955MM</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:TBA, PART NUMBER:6002/61, TYPE:TBA, NOMINALSIZE:920, NOMINAL SIZE_UOM:MM, INSIDE DIAMETER:870, INSIDEDIAMETER_UOM:MM, OUTSIDE DIAMETER:955, OUTSIDE DIAMETER_UOM: MM,THICKNESS:4.5, THICKNESS_UOM:MM, FILLER MATERIAL:GRAPHITE, WINDINGMATERIAL:316L STAINLESS STEEL, INNER RING MATERIAL:STAINLESS STEEL,ADDITIONAL FEATURES:10 MMWD METAL JACKETED E-C TYPE PASSPARTITION, EQUIPMENT:KCS-SHELL & TUBE HEAT EXCHANGER</p> <p>WE OFFER: MJ-969310 METAFLEX - TYPE C/IR/TE 316L / SPGH 316L IR 870MM X 920MM X 955MM X 4.5MM BAR WIDTH 10MM SHAPE 11 QUOTED AS PER RFQ DESCRIPTION. PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION</p>	Each	3	72.52	217.56
8	<p>GASKET:SPW;KUKIL INNTOT CO LTD 8002/42</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;KUKIL INNTOT CO LTD 8002/42</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:KUKIL INNTOT CO LTD, PART NUMBER:8002/42,TYPE:TBA, NOMINAL SIZE:937, NOMINAL SIZE_UOM:MM, INSIDEDIAMETER:1300, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:972, OUTSIDEDIAMETER_UOM:MM, THICKNESS:4.5, THICKNESS_UOM:MM, FILLERMATERIAL:GRAPHITE,WINDING MATERIAL:316 STAINLESS STEEL, INNER RINGMATERIAL:STAINLESS STEEL, ADDITIONAL FEATURES:10 MM WD METALJACKETED, E-B TYPE PASS PARTITION, EQUIPMENT:KCS-SHEL</p> <p>AWAITING DRAWING FROM NLNG IN ORDER TO QUOTE ACCORDINGLY.</p>	Each	3	0.00	0.00

Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
9	<p>GASKET:SPW;E-3710 935MM 870MM 972MM</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;E-3710 935MM 870MM 972MM</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; LABEL:E-3710, MAKE:TBA, PART NUMBER:TBA, TYPE:TBA,NOMINAL SIZE:935, NOMINAL SIZE_UOM:MM, INSIDE DIAMETER:870,INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:972, OUTSIDE DIAMETER_UOM:MM,THICKNESS:4.5, THICKNESS_UOM:MM, FILLER MATERIAL:GRAPHITE,WINDING MATERIAL:316L STAINLESS STEEL, INNER RING MATERIAL:316 STAINLESSSTEEL, ADDITIONAL FEATURES:TYPE O, EQUIPMENT:KCS-SHELL &TUBE HEAT EXCHANGER, DRAWING NUMBER:DK2000-008-002, ITEM/POISTIONNUMBER:4-1</p> <p>WE OFFER:</p> <p>MJ-969313</p> <p>METAFLEX - TYPE C/IR 316L / SPGH 316L IR 870MM X 935MM X 972MM X 4.5MM</p> <p>QUOTED AS PER RFQ DESCRIPTION.</p> <p>PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION.</p>	Each	3	75.12	225.36
10	<p>GASKET:SPW;FLEXITALLIC 02C0049-06-02-10</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;FLEXITALLIC 02C0049-06-02-10</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:FLEXITALLIC, PART NUMBER:02C0049-06-02-10,TYPE:TBA, NOMINAL SIZE:1129, NOMINAL SIZE_UOM:MM, INSIDEDIAMETER:1103, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:1182, OUTSIDEDIAMETER_UOM:MM, THICKNESS:4.5, THICKNESS_UOM: MM, FILLERMATERIAL:GRAPHITE, INNER RING MATERIAL:316L STAINLESS STEEL</p> <p>WE OFFER:</p> <p>MJ-969314</p> <p>METAFLEX - TYPE C/IR 316L / SPGH 316L IR 1103MM X 1129MM X 1182MM X 4.5MM</p> <p>QUOTED AS PER RFQ DESCRIPTION.</p> <p>PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION.</p>	Each	3	73.14	219.42

Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
11	<p>GASKET:SPW;DOOSAN MECATEC CO LTD 1129MM</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;DOOSAN MECATEC CO LTD 1129MM</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:DOOSAN MECATEC CO LTD, PARTNUMBER:02C0049-06-02-11, TYPE:TBA, NOMINAL SIZE:1129, NOMINALSIZE_UOM:MM,INSIDEDIAMETER:1103, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:1182,OUTSIDEDIAMETER_UOM:MM, THICKNESS:4.5, THICKNESS_UOM:MM,FILLER MATERIAL:GRAPHITE, INNER RING MATERIAL:316L STAINLESS STEEL,ADDITIONAL FEATURES:10 MM WDMETAL JACKETED E-B TYPE PASSPARTITION</p> <p>WE OFFER:</p> <p>MJ-969315</p> <p>METAFLEX - TYPE C/IR/TE 316L / SPGH 316L IR 1103MM X 1129MM X 1182MM X 4.5MM BAR WIDTH 10MM SHAPE 11</p> <p>QUOTED AS PER RFQ DESCRIPTION.</p> <p>PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION</p>	Each	3	83.48	250.44
12	<p>GASKET:SPW;FLEXITALLIC 02C0049-05-02-10</p> <p>CUSTOMER DESCRIPTION: GASKET:SPW;FLEXITALLIC 02C0049-05-02-10</p> <p>ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:FLEXITALLIC, PART NUMBER:02C0049-05-02-10,TYPE:TBA, NOMINAL SIZE:983, NOMINAL SIZE_UOM:MM, INSIDEDIAMETER:953, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:1024, OUTSIDEDIAMETER_UOM:MM, THICKNESS:4.5, THICKNESS_UOM:MM, FILLERMATERIAL:GRAPHITE, WINDING MATERIAL:316L STAINLESS STEEL, ADDITIONALFEATURES:SERIES A</p> <p>WE OFFER:</p> <p>MJ-969316</p> <p>METAFLEX - TYPE C/IR 316L / SPGH 316L IR 953MM X 983MM X 1024MM X 4.5MM</p> <p>QUOTED AS PER RFQ DESCRIPTION.</p> <p>PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION.</p>	Each	3	58.82	176.46

Item	Description	UOM	Qty	Unit Price (USD)	Total Amount (USD)
13	GASKET:SPW;DOOSAN MECATEC CO LTD 983MM CUSTOMER DESCRIPTION: GASKET:SPW;DOOSAN MECATEC CO LTD 983MM ITEM SPECIFICATIONS: GASKET:SPIRAL WOUND; MAKE:DOOSAN MECATEC CO LTD, PARTNUMBER:02C0049-05-02-11, TYPE:TBA, NOMINAL SIZE:983, NOMINALSIZE_UOM:MM,INSIDE DIAMETER:953, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:1024,OUTSIDE DIAMETER_UOM:MM, THICKNESS:4.5, THICKNESS_UOM:MM,FILLER MATERIAL:GRAPHITE, WINDING MATERIAL:316L STAINLESS STEEL, INNERRING MATERIAL:STAINLESS STEEL, ADDITIONAL FEATURES:10 MM WDMETAL JACKETED E-B TYPE PASS PARTITION WE OFFER: MJ-969318 METAFLEX - TYPE C/IR/TE 316L / SPGH 316L IR 953MM X 983MM X 1024MM X 4.5MM BAR WIDTH 10MM SHAPE 11 QUOTED AS PER RFQ DESCRIPTION. PLEASE CONFIRM ACCEPTANCE OF ITEM OFFERED OR SUPPLY DRAWING FOR CONFIRMATION.	Each	3	67.17	201.51

Total Packaged Weight:350 KG	Sub Total	2,664.55
Estimated Package Dimension: CASE 1 - 160 X 160 X 100CM	Total	2,664.55
HSCODE: N/A		


NOTE:

- 1. Delivery: N/A.
- 2. Delivery Locations: N/A
- 3. Payment Terms: 45 DAYS NET
- 4. Contact: Abraham OBAFAIYE , +234 1 342 8420, sales@tagenergygroup.net

Please kindly endorse below with your signature and company stamp to accept this order.



Best Regards



Abraham OBAFAIYE
For: TAG Energy Nigeria Limited

Accepted By:

Name/Title/Signature
For: James Walker