

NLNG Ref No: TE-NLG-RFQ0902242312



NLNG Bonny Island

Attn: Mr. Sunday Ikpefua

sunday.ikpefua@nlng.com Tel: +234 8039055000, Ext: 5533

## NLG Rfx: 0600019490

TAG Energy Quotation for the PURCHASE OF GASKET

Item	Description	иом	Qty	Unit Price (USD)	Total Amount (USD)
1	PRODUCT NO: 8541636703	Pieces	50	7.68	384.00
	CUSTOMED DESCRIPTION, CARLET CRIME EVITALLIC 40 IN CO.				
	CUSTOMER DESCRIPTION: GASKET:SPW;FLEXITALLIC 10 IN SS				
	CUSTOMER SPECIFICATION: GASKET:SPIRAL WOUND; MAKE:FLEXITALLIC, PART NUMBER:TBA, TYPE:TBA, NOMINAL SIZE:10, NOMINAL SIZE_UOM:IN,				
	FILLER MATERIAL:GRAPHITE, WIN DING MATERIAL:316 STAINLESS STEEL,				
	INNER RING MATERIAL:STAINLESS STEEL, OUTER RING MATERIAL:CARBON				
	STEEL, PRESSURECLASS/RATING:150, PRESSURE CLASS/RATING_UOM:LB,				
	CERTIFICATION/STANDARD:ASME B16.2				
2	PRODUCT NO: NV8541586301	Pieces	50	38.48	1,924.00
	CUSTOMER DESCRIPTION: GASKET:SPW;RNG DN300 4.5 MM 150				
	CUSTOMER SPECIFICATION: GASKET:SPIRAL WOUND; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:RING, NOMINAL SIZE: DN300, THICKNESS:4.5,				
	THICKNESS_UOM:MM, FILLERMATERIAL:GRAPH ITE, WINDING				
	MATERIAL:STAINLESS STEEL UNS S31803, PRESSURE CLASS/RATING:150,				
	PRESSURE CLASS/RATING_UOM:LB,CERTIFICATION/STANDARD:ASM E B16.5, ISO 10474-2.1, ADDITIONAL FEATURES:MANDATORY ADDITIONAL				
	REQUIREMENTS:MESC SPE 85/103 2010,MANDATORY ADDITIONAL				
	REQUIREMENTS :MESC SPE 85/203 2010, CAPS CODE:GKSW DS11, INNER RING				
	THICKNESS:3.2 MM				
3	PRODUCT NO: NV8541586361	Pieces	30	53.02	1,590.60
	CUSTOMER DESCRIPTION: GASKET:SPW;RNG DN450 4.5 MM 150				
	CUSTOMER SPECIFICATION: MANDATORY ADDITIONAL REQUIREMENTS:MESC				
	SPE 85/203 2010, CAPS CODE:GKSW DS11, INNER RING THICKNESS:3.2				
	MMCERTIFICATION/STANDARD:ASME B16.5, ISO 10474-2.1, ADDITIONAL				
	FEATURES:MANDATORY ADDITIONAL REQUIREMENTS:MESC SPE 85/103 2010,MATERIAL:GRAPHITE, WINDING MATERIAL:STAINLESS STEEL UNS S31803,				
	PRESSURE CLASS/RATING:150, PRESSURE				
	CLASS/RATING_UOM:LB,GASKET:SPIRAL WOUND; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:RING, NOMINAL SIZE:DN450, THICKNESS:4.5,				
	THICKNESS_UOM:MM, FILLER				
4	PRODUCT NO: 8541461321	Pieces	50	12.71	635.50
	CUSTOMER DESCRIPTION: GASKET:SPW;14 IN 4.5 MM CS				
	CUSTOMER SPECIFICATION: GASKET:SPIRAL WOUND; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:TBA, NOMINAL SIZE:14, NOMINAL SIZE_UOM:IN,				
	THICKNESS:4.5, THICKNESS_UOM:MM,FILL ER MATERIAL:EXFOLIATED				
	EXPANDED GRAPHITE, WINDING MATERIAL:316 STAINLESS STEEL, OUTER				
	RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATI NG:600, PRESSURE CLASS/RATING_UOM:LB, CERTIFICATION/STANDARD:ASME B16.20				
5	PRODUCT NO: NV8543604361	Pieces	30	102.99	3,089.70
	CUSTOMER DESCRIPTION: GASKET:SPW;DN450 600 LB				
	CUSTOMER SPECIFICATION: GASKET:SPIRAL WOUND; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:TBA, NOMINAL SIZE:DN450, FILLER MATERIAL:EXFOLIATED EXPANDED GRAPHITE, WINDINGM ATERIAL:ALLOY 825 ASTM B424 UNS N08825,				
	INNER RING MATERIAL:ALLOY 825 ASTM B424 UNS N08825,				
	MATERIAL:CARBON STEEL ASTMA28 5, PRESSURE CLASS/RATING:600,				
	PRESSURE CLASS/RATING_UOM:LB, ADDITIONAL FEATURES:MANDATORY				
	ADDITIONAL REQUIREMENTS:MESC SPE85/103 201 0, CLADDING MATERIAL				



WINDINGS:ALLOY 825











Item	Description	UOM	Qty	Unit Price (USD)	Total Amoun
6	PRODUCT NO: NV8543604381	Pieces	30	116.08	3,482.40
	CUSTOMER DESCRIPTION: GASKET:SPW;RNG DN500 4.5 MM 60				
	CUSTOMER SPECIFICATION: CODE:GKSW NF10, INNER RING THICKNESS:3.2				
	MMB16.5, ISO 10474-2.1, ADDITIONAL FEATURES:MANDATORY ADDITIONAL				
	REQUIREMENTS:MESC SPE 85/1 03 2010, MESC SPE 85/203 2010,				
	CAPSMATERIAL:GRAPHITE, WINDING MATERIAL:ALLOY 825, PRESSURE				
	CLASS/RATING:600, PRESSURE CLASS/RATING_U OM:LB,				
	CERTIFICATION/STANDARD:ASMEGASKET:SPIRAL WOUND; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:RING, NOMINAL SIZE:DN500, THICKNESS:4.5, THIC				
	KNESS_UOM:MM, FILLER				
7	PRODUCT NO: 8541461321	Pieces	50	12.71	635.50
	CUSTOMER DESCRIPTION: GASKET:SPW;14 IN 4.5 MM CS				
	CUSTOMER SPECIFICATION: GASKET:SPIRAL WOUND; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:TBA, NOMINAL SIZE:14, NOMINAL SIZE_UOM:IN,				
	THICKNESS:4.5, THICKNESS_UOM:MM,FILL ER MATERIAL:EXFOLIATED				
	EXPANDED GRAPHITE, WINDING MATERIAL:316 STAINLESS STEEL, OUTER				
	RING MATERIAL:CARBON STEEL, PRESSURECLASS/RATI NG:600, PRESSURE				
	CLASS/RATING_UOM:LB, CERTIFICATION/STANDARD:ASME B16.20				
8	PRODUCT NO: NV8541700821	Pieces	50	14.74	737.00
	CUSTOMER DESCRIPTION: GASKET:SPW;DN350 GRPHTE 300				
	CUSTOMER SPECIFICATION: GASKET:SPIRAL WOUND; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:TBA, NOMINAL SIZE:DN350, FILLER MATERIAL:GRAPHITE,				
	WINDING MATERIAL:316LSTAINLE SS STEEL, PRESSURE CLASS/RATING:300,				
	PRESSURE CLASS/RATING_UOM:LB				
9	PRODUCT NO: 8530051041	Pieces	100	1.20	120.00
	CUSTOMER DESCRIPTION: GASKET;22MM 54MM 1/2IN RENFD GRPHTE				
	CUSTOMER SPECIFICATION: 2007, MESC SPE 85/203 2010, CAPS				
	CODE:GKTIGR01, DIMENSION, INSERT MATERIAL SPECIFICATION:ASTM A240				
	TYPE STAINLESS STEEL 316LCLASS/RA TING_UOM:LB,				
	CERTIFICATION/STANDARD:ISO 10474-2.1, ADDITIONAL FEATURES:MANDATORY				
	ADDITIONAL REQUIREMENTS:MESC SPE 85/101DIAMETER_UOM:MM,				
	THICKNESS:1/2, THICKNESS_UOM:IN, MATERIAL:REINFORCED GRAPHITE,				
	PRESSURE CLASS/RATING:300, PRESSUREGASKET; MAKE:TBA, PART				
	NUMBER:TBA, TYPE:TBA, INSIDE DIAMETER:22, INSIDE DIAMETER_UOM:MM, OUTSIDE DIAMETER:54, OUTSIDE				
10	PRODUCT NO: 8530051201	Pieces	100	5.39	539.00
	CUSTOMER DESCRIPTION: GASKET:FLG;FLT RNG RF DN100 115MM 181				
	CUSTOMER SPECIFICATION: GASKET:FLANGE; MAKE:TBA, PART NUMBER:TBA,				
	TYPE:FLAT RING, RAISED FACE, NOMINAL SIZE:DN100, INSIDE DIAMETER:115,				
	INSIDEDIAMETER_UOM:M M, OUTSIDE DIAMETER:181, OUTSIDE				
	DIAMETER_UOM:MM, THICKNESS:1.5, THICKNESS_UOM:MM,				
	MATERIAL:REINFORCED GRAPHITE,PRESSURE CLASS/RATIN G:300, PRESSURE				
	CLASS/RATING_UOM:LB, CERTIFICATION/STANDARD:ISO 10474-2.1, ADDITIONAL				
	FEATURES:MANDATORYADDITIONAL REQUIREMENTS:MESC SPE 85/101 2007,				
STIMA	MESC SPE 85/203 2010, CAPS CODE:GKTI GR01, INSPECTION ITED PACKAGED WEIGHT:				
STIMA	ITED PACKAGED DIMENSION :			Sub total	13,137.70
s cor	DE: N/A			Total	13,137.70













## Notes to Pricing:

- 1. Delivery: 17-19 weeks.
- Mode of transportation: Air
- 3. Delivery Location: NLNG. ISB WAREHOUSE, NIGERIA
- 4. Where Legalisation of C of O and/or invoices are required, additional cost will apply and will be charged at cost.
- 5. Validity: This quotation is valid for 30 days.
- 6. FORCE MAJEURE: On notification of any event with impact on delivery schedule, We will extend delivery schedule.
- FORCE MAJEURE: On notification of
   Pricing: Prices quoted are in USD
- 8. Prices are based on quantity quoted
- 9. A revised quotation will be submitted for confirmation in the event of a partial order.
- 10. Oversized Cargo: NO
- 11. Payment Term: 45 Days Net

## Best Regards



Pelumi OGUNTOYE For: TAG Energy Nigeria Limited













