

B04_myStuff

May 27, 2026

0.1 Package import and dataset inspection

```
[1]: import sys, os
import argparse
import awkward
from datetime import datetime
import io
from matplotlib import pyplot as plt
import numpy as np
import time

import torch
import torch.nn as nn
import torch.nn.functional as F
import torch.optim as optim
from torch.utils.data import DataLoader, TensorDataset, random_split
from torch.utils.tensorboard import SummaryWriter # to print to tensorboard
from torch_geometric.data import Data, Batch
from torch_geometric.nn import knn_graph, DynamicEdgeConv, global_mean_pool

from gnn_encoder import GNNEncoder, collate_fn_gnn
from gnn_trafo_helper import normalize_x, normalize_y, normalize_time,
    ↪denormalize
#train_model, evaluate_model, , denormalize_x, denormalize_y,
    ↪get_img_from_matplotlib
DATA_PATH = "./IceCube_2D_Dataset/" # path to the data

# Load the dataset
train_dataset = awkward.from_parquet(os.path.join(DATA_PATH, "train.pq"))
val_dataset = awkward.from_parquet(os.path.join(DATA_PATH, "val.pq"))
test_dataset = awkward.from_parquet(os.path.join(DATA_PATH, "test.pq"))

# to get familiar with the dataset, let's inspect it.
print(f"The training dataset contains {len(train_dataset)} events.")
print(f"The validation dataset contains {len(val_dataset)} events.")
print(f"The test dataset contains {len(test_dataset)} events.")
print(f"The training dataset has the following columns: {train_dataset.fields}")
print(f"The validation dataset has the following columns: {val_dataset.fields}")
```

```

print(f"The test dataset has the following columns: {test_dataset.fields}")
# print the first event of the training dataset
print(f"The first event of the training dataset is: {train_dataset[0]}")

# We are interested in the labels xpos and ypos. This is the position of the
# neutrino interaction that we want to predict.
print(f"The first event of the training dataset has the following labels:
{train_dataset['xpos'][0]}, {train_dataset['ypos'][0]}")
# Awkward arrays also allow us to obtain the 'xpos' and 'ypos' label for all
# events in the dataset
print(f"The first 10 labels of the training dataset are:
{train_dataset['xpos'][:10]}, {train_dataset['ypos'][:10]}")

# The data can be accessed by using the 'data' key.
# The data is a 3D array with the first dimension being the number of events,
# the second dimension being the three features (time, x, y)
# the third dimension being the number of hits,
print(f"The first event of the training dataset has
{len(train_dataset['data'][0][0])} hits, i.e., detected photons.")
# Let's loop over all hits and print the time, x, and y coordinates of the
# first event.
for i in range(len(train_dataset['data'][0, 0])):
    print(f"Hit {i}: time = {train_dataset['data'][0,0,i]}, x =
{train_dataset['data'][0,1, i]}, y = {train_dataset['data'][0,2,i]}")
# To get all hit times of the first event, you can use the following code:
print(f"The first event of the training dataset has the following hit times:
{train_dataset['data'][0, 0]}")
print(f"The first event of the training dataset has the following hit x
positions: {train_dataset['data'][0, 1]}")
print(f"The first event of the training dataset has the following hit y
positions: {train_dataset['data'][0, 2]}")

```

The training dataset contains 10001 events.

The validation dataset contains 10001 events.

The test dataset contains 10001 events.

The training dataset has the following columns: ['xpos', 'ypos', 'data', 'energy', 'xdir', 'ydir']

The validation dataset has the following columns: ['xpos', 'ypos', 'data', 'energy', 'xdir', 'ydir']

The test dataset has the following columns: ['xpos', 'ypos', 'data', 'energy', 'xdir', 'ydir']

The first event of the training dataset is: {xpos: 3.94, ypos: -7.12, data: [[14.5, ...], ...], energy: 10, xdir: 1, ...}

The first event of the training dataset has the following labels:
3.9371957858673263, -7.117557573556748

The first 10 labels of the training dataset are: [3.94, -9.2, 6.35, 6.41, -7.42, -7.27, 9.1, -1.87, -2.57, 0.981], [-7.12, -1.42, -4.1, 3.23, 4.68, -0.412,

-0.377, -4.93, 1.34, 4.59]

The first event of the training dataset has 12 hits, i.e., detected photons.

Hit 0: time = 14.490445777588475, x = -2.5, y = -2.5

Hit 1: time = 17.1297022177257, x = -2.5, y = -2.5

Hit 2: time = 8.996675814194964, x = 2.5, y = -2.5

Hit 3: time = 12.021784213609394, x = 2.5, y = -2.5

Hit 4: time = 12.923289636173713, x = 2.5, y = -2.5

Hit 5: time = 25.1516276582378, x = -2.5, y = -0.8333333333333333

Hit 6: time = 15.286326473533162, x = 0.8333333333333335, y =
-0.8333333333333333

Hit 7: time = 15.14788039212255, x = 2.5, y = -0.8333333333333333

Hit 8: time = 16.565114961505415, x = -0.8333333333333333, y =
0.8333333333333335

Hit 9: time = 19.47621700139486, x = -0.8333333333333333, y = 0.8333333333333335

Hit 10: time = 16.912010076540938, x = 2.5, y = 2.5

Hit 11: time = 19.57845737402364, x = 2.5, y = 2.5

The first event of the training dataset has the following hit times: [14.5,
17.1, 9, 12, 12.9, 25.2, 15.3, 15.1, 16.6, 19.5, 16.9, 19.6]

The first event of the training dataset has the following hit x positions:
[-2.5, -2.5, 2.5, 2.5, 2.5, -2.5, 0.833, 2.5, -0.833, -0.833, 2.5, 2.5]

The first event of the training dataset has the following hit y positions:
[-2.5, -2.5, -2.5, -2.5, -2.5, -0.833, ..., -0.833, 0.833, 0.833, 2.5, 2.5]

0.2 Normalization

```
[2]: def normalize_data(og_dataset):  
    dataset = awkward.copy(og_dataset)  
    norm_times=normalize_time(dataset)  
    norm_x=normalize_x(dataset)  
    norm_y=normalize_y(dataset)  
    # Concatenate the normalized data back together  
    dataset["data"] = awkward.concatenate([norm_times, norm_x, norm_y], axis=1)  
    # Normalize labels (this can be done in-place), e.g. by  
    x_mean=awkward.mean(dataset["xpos"])  
    y_mean=awkward.mean(dataset["ypos"])  
    x_std=awkward.std(dataset["xpos"])  
    y_std=awkward.std(dataset["ypos"])  
    dataset["xpos"] = (dataset["xpos"] - x_mean) / x_std  
    dataset["ypos"] = (dataset["ypos"] - y_mean) / y_std  
    return dataset  
  
norm_train_data = normalize_data(train_dataset)  
norm_val_data = normalize_data(val_dataset)  
norm_test_data = normalize_data(test_dataset)
```

```
[3]: target_x_mean = awkward.mean(train_dataset["xpos"])
      target_x_std = awkward.std(train_dataset["xpos"])

      target_y_mean = awkward.mean(train_dataset["ypos"])
      target_y_std = awkward.std(train_dataset["ypos"])
```

0.3 Data loaders

```
[4]: batch_size = 128

      train_loader = DataLoader(norm_train_data, batch_size=batch_size, shuffle=True,
                                ↪collate_fn=collate_fn_gnn)
      val_loader = DataLoader(norm_val_data, batch_size=batch_size, shuffle=False,
                              ↪collate_fn=collate_fn_gnn)
      test_loader = DataLoader(norm_test_data, batch_size=batch_size, shuffle=False,
                               ↪collate_fn=collate_fn_gnn)
```

0.4 Network architecture

```
[5]: device = "cpu"

      model = GNNEncoder(
          n_features=3,
          hidden_dim=64,
          output_dim=2,
          n_graph_layers=3,
          k=8,
      ).to(device)

      print(model)

      criterion = nn.MSELoss()

      optimizer = torch.optim.Adam(
          model.parameters(),
          lr=1e-3,
          weight_decay=1e-5,
      )

      GNNEncoder(
          (layer_list): ModuleList(
            (0): DynamicEdgeConv(nn=MLP(
              (net): Sequential(
                (0): Linear(in_features=6, out_features=64, bias=True)
                (1): ReLU()
                (2): Linear(in_features=64, out_features=64, bias=True)
                (3): ReLU()
                (4): Linear(in_features=64, out_features=64, bias=True)
```

```

    )
    ), k=8)
    (1-2): 2 x DynamicEdgeConv(nn=MLP(
      (net): Sequential(
        (0): Linear(in_features=128, out_features=64, bias=True)
        (1): ReLU()
        (2): Linear(in_features=64, out_features=64, bias=True)
        (3): ReLU()
        (4): Linear(in_features=64, out_features=64, bias=True)
      )
    ), k=8)
  )
  (final_mlp): Sequential(
    (0): Linear(in_features=64, out_features=64, bias=True)
    (1): ReLU()
    (2): Linear(in_features=64, out_features=2, bias=True)
  )
)

```

0.5 Training

```

[6]: n_epochs = 50

train_losses = []
val_losses = []

for epoch in range(n_epochs):

    model.train()

    running_loss = 0

    for step, (batch_data, labels) in enumerate(train_loader):

        batch_data = batch_data.to(device)
        labels = labels.to(device)

        optimizer.zero_grad()

        pred = model(batch_data)

        loss = criterion(pred, labels)

        loss.backward()

        optimizer.step()

```

```

        running_loss += loss.item()

        # Print progress every 10th step, updating the same line
        if (step + 1) % 10 == 0:
            sys.stdout.write(f"\rEpoch [{epoch + 1}/{n_epochs}], Step [{step + 1}/{len(train_loader)}], Loss: {loss.item():.4f}")
            sys.stdout.flush()

    sys.stdout.write("\n") # Move to the next line after the epoch

    train_loss = (
        running_loss / len(train_loader)
    )

    train_losses.append(train_loss)

    model.eval()

    running_val_loss = 0

    with torch.no_grad():

        for batch_data, labels in val_loader:
            batch_data = batch_data.to(device)
            labels = labels.to(device)

            pred = model(batch_data)

            loss = criterion(pred, labels)

            running_val_loss += loss.item()

    val_loss = (
        running_val_loss / len(val_loader)
    )

    val_losses.append(val_loss)

    print(
        f"Epoch {epoch:03d} | "
        f"Train Loss = {train_loss:.4f} | "
        f"Val Loss = {val_loss:.4f}"
    )

```

```

Epoch [1/50], Step [70/79], Loss: 0.6736
Epoch 000 | Train Loss = 0.8414 | Val Loss = 0.6226
Epoch [2/50], Step [70/79], Loss: 0.5875

```

Epoch 001 | Train Loss = 0.5734 | Val Loss = 0.4959
Epoch [3/50], Step [70/79], Loss: 0.2387
Epoch 002 | Train Loss = 0.3352 | Val Loss = 0.2359
Epoch [4/50], Step [70/79], Loss: 0.2247
Epoch 003 | Train Loss = 0.2068 | Val Loss = 0.2021
Epoch [5/50], Step [70/79], Loss: 0.1811
Epoch 004 | Train Loss = 0.1863 | Val Loss = 0.1728
Epoch [6/50], Step [70/79], Loss: 0.1498
Epoch 005 | Train Loss = 0.1723 | Val Loss = 0.1722
Epoch [7/50], Step [70/79], Loss: 0.1528
Epoch 006 | Train Loss = 0.1616 | Val Loss = 0.1586
Epoch [8/50], Step [70/79], Loss: 0.1763
Epoch 007 | Train Loss = 0.1549 | Val Loss = 0.1627
Epoch [9/50], Step [70/79], Loss: 0.1980
Epoch 008 | Train Loss = 0.1531 | Val Loss = 0.1525
Epoch [10/50], Step [70/79], Loss: 0.1321
Epoch 009 | Train Loss = 0.1491 | Val Loss = 0.1702
Epoch [11/50], Step [70/79], Loss: 0.1476
Epoch 010 | Train Loss = 0.1432 | Val Loss = 0.1598
Epoch [12/50], Step [70/79], Loss: 0.1056
Epoch 011 | Train Loss = 0.1408 | Val Loss = 0.1758
Epoch [13/50], Step [70/79], Loss: 0.1666
Epoch 012 | Train Loss = 0.1445 | Val Loss = 0.1464
Epoch [14/50], Step [70/79], Loss: 0.0913
Epoch 013 | Train Loss = 0.1392 | Val Loss = 0.1369
Epoch [15/50], Step [70/79], Loss: 0.1463
Epoch 014 | Train Loss = 0.1306 | Val Loss = 0.1332
Epoch [16/50], Step [70/79], Loss: 0.1594
Epoch 015 | Train Loss = 0.1284 | Val Loss = 0.1320
Epoch [17/50], Step [70/79], Loss: 0.1050
Epoch 016 | Train Loss = 0.1288 | Val Loss = 0.1281
Epoch [18/50], Step [70/79], Loss: 0.1138
Epoch 017 | Train Loss = 0.1286 | Val Loss = 0.1346
Epoch [19/50], Step [70/79], Loss: 0.1140
Epoch 018 | Train Loss = 0.1238 | Val Loss = 0.1265
Epoch [20/50], Step [70/79], Loss: 0.0971
Epoch 019 | Train Loss = 0.1230 | Val Loss = 0.1290
Epoch [21/50], Step [70/79], Loss: 0.1051
Epoch 020 | Train Loss = 0.1241 | Val Loss = 0.1248
Epoch [22/50], Step [70/79], Loss: 0.1314
Epoch 021 | Train Loss = 0.1216 | Val Loss = 0.1254
Epoch [23/50], Step [70/79], Loss: 0.1446
Epoch 022 | Train Loss = 0.1207 | Val Loss = 0.1319
Epoch [24/50], Step [70/79], Loss: 0.0976
Epoch 023 | Train Loss = 0.1246 | Val Loss = 0.1382
Epoch [25/50], Step [70/79], Loss: 0.1155
Epoch 024 | Train Loss = 0.1208 | Val Loss = 0.1282
Epoch [26/50], Step [70/79], Loss: 0.1190

Epoch 025 | Train Loss = 0.1174 | Val Loss = 0.1205
Epoch [27/50], Step [70/79], Loss: 0.1227
Epoch 026 | Train Loss = 0.1167 | Val Loss = 0.1253
Epoch [28/50], Step [70/79], Loss: 0.1346
Epoch 027 | Train Loss = 0.1159 | Val Loss = 0.1272
Epoch [29/50], Step [70/79], Loss: 0.1171
Epoch 028 | Train Loss = 0.1142 | Val Loss = 0.1299
Epoch [30/50], Step [70/79], Loss: 0.1313
Epoch 029 | Train Loss = 0.1144 | Val Loss = 0.1364
Epoch [31/50], Step [70/79], Loss: 0.1221
Epoch 030 | Train Loss = 0.1168 | Val Loss = 0.1322
Epoch [32/50], Step [70/79], Loss: 0.1378
Epoch 031 | Train Loss = 0.1131 | Val Loss = 0.1201
Epoch [33/50], Step [70/79], Loss: 0.1241
Epoch 032 | Train Loss = 0.1125 | Val Loss = 0.1184
Epoch [34/50], Step [70/79], Loss: 0.1092
Epoch 033 | Train Loss = 0.1125 | Val Loss = 0.1269
Epoch [35/50], Step [70/79], Loss: 0.0962
Epoch 034 | Train Loss = 0.1116 | Val Loss = 0.1236
Epoch [36/50], Step [70/79], Loss: 0.1065
Epoch 035 | Train Loss = 0.1110 | Val Loss = 0.1233
Epoch [37/50], Step [70/79], Loss: 0.1006
Epoch 036 | Train Loss = 0.1074 | Val Loss = 0.1188
Epoch [38/50], Step [70/79], Loss: 0.0875
Epoch 037 | Train Loss = 0.1082 | Val Loss = 0.1205
Epoch [39/50], Step [70/79], Loss: 0.1090
Epoch 038 | Train Loss = 0.1090 | Val Loss = 0.1180
Epoch [40/50], Step [70/79], Loss: 0.1158
Epoch 039 | Train Loss = 0.1069 | Val Loss = 0.1180
Epoch [41/50], Step [70/79], Loss: 0.0962
Epoch 040 | Train Loss = 0.1047 | Val Loss = 0.1169
Epoch [42/50], Step [70/79], Loss: 0.1044
Epoch 041 | Train Loss = 0.1054 | Val Loss = 0.1192
Epoch [43/50], Step [70/79], Loss: 0.1028
Epoch 042 | Train Loss = 0.1052 | Val Loss = 0.1216
Epoch [44/50], Step [70/79], Loss: 0.1278
Epoch 043 | Train Loss = 0.1061 | Val Loss = 0.1169
Epoch [45/50], Step [70/79], Loss: 0.1135
Epoch 044 | Train Loss = 0.1041 | Val Loss = 0.1238
Epoch [46/50], Step [70/79], Loss: 0.0787
Epoch 045 | Train Loss = 0.1047 | Val Loss = 0.1153
Epoch [47/50], Step [70/79], Loss: 0.1071
Epoch 046 | Train Loss = 0.1027 | Val Loss = 0.1174
Epoch [48/50], Step [70/79], Loss: 0.0966
Epoch 047 | Train Loss = 0.1015 | Val Loss = 0.1173
Epoch [49/50], Step [70/79], Loss: 0.1047
Epoch 048 | Train Loss = 0.1032 | Val Loss = 0.1215
Epoch [50/50], Step [70/79], Loss: 0.1104

Epoch 049 | Train Loss = 0.1028 | Val Loss = 0.1220

[]:

```
[7]: plt.figure(figsize=(8, 5))


plt.plot(train_losses, label="Train")
plt.plot(val_losses, label="Validation")

plt.xlabel("Epoch")
plt.ylabel("Loss")

plt.legend()

plt.title("Training Curve")

plt.show()
```



```
[8]: model.eval()

all_preds = []
all_targets = []
```

```

with torch.no_grad():

    for batch_data, labels in test_loader:

        batch_data = batch_data.to(device)

        pred = model(batch_data)

        pred = pred.cpu().numpy()
        labels = labels.numpy()

        all_preds.append(pred)
        all_targets.append(labels)

all_preds = np.concatenate(all_preds)
all_targets = np.concatenate(all_targets)

```

```

[9]: all_preds =         
      ↪denormalize(all_preds,target_x_mean,target_x_std,target_y_mean,target_y_std)
all_targets =         
      ↪denormalize(all_targets,target_x_mean,target_x_std,target_y_mean,target_y_std)

```

```

[10]: dist_error = np.sqrt(
    (all_preds[:, 0] - all_targets[:, 0])**2
    +
    (all_preds[:, 1] - all_targets[:, 1])**2
)

print(
    "Mean reconstruction error:",
    np.mean(dist_error)
)

print(
    "Median reconstruction error:",
    np.median(dist_error)
)

print(
    "Median reconstruction error for x:",
    np.median(all_targets[:,0]-all_preds[:,0])
)

print(
    "Mean reconstruction error for x:",
    np.mean(all_targets[:,0]-all_preds[:,0])
)

print(
    "Median reconstruction error for y:",

```

```

    np.median(all_targets[:,1]-all_preds[:,1])
)
print(
    "Mean reconstruction error for y:",
    np.mean(all_targets[:,1]-all_preds[:,1])
)

```

```

Mean reconstruction error: 2.0202744
Median reconstruction error: 1.7047672
Median reconstruction error for x: -0.13177443
Mean reconstruction error for x: -0.11512223
Median reconstruction error for y: 0.5602714
Mean reconstruction error for y: 0.48787576

```

```

[11]: plt.figure(figsize=(6, 6))

plt.scatter(
    all_targets[:, 0],
    all_preds[:, 0],
    s=3,
)
plt.plot([-10, 10], [-10, 10], linestyle="--", color="red", linewidth=1)


plt.xlabel("True x")
plt.ylabel("Predicted x")

plt.title("x Reconstruction")

plt.grid()

plt.show()

```




```
[12]: plt.figure(figsize=(6, 6))

plt.scatter(
    all_targets[:, 1],
    all_preds[:, 1],
    s=3,
)
plt.plot([-10, 10], [-10, 10], linestyle="--", color="red", linewidth=1)

plt.xlabel("True y")
plt.ylabel("Predicted y")


plt.title("y Reconstruction")
```

```
plt.grid()
plt.show()
```




```
[13]: plt.hist(train_dataset["xpos"], bins=5000)
      plt.xlabel("x position")
      plt.ylabel("Counts")
```

```
[13]: Text(0, 0.5, 'Counts')
```



```
[14]: plt.hist(train_dataset["ypos"], bins=5000)
plt.xlabel("y position")
plt.ylabel("Counts")
```

```
[14]: Text(0, 0.5, 'Counts')
```




```
[17]: plt.figure(figsize=(8, 5))

plt.hist(
    dist_error,
    bins=100,
)


plt.xlabel("L2 Distance")
plt.ylabel("Counts")

plt.title("Distance Distribution")

plt.show()
```



```
[19]: residual_x = (  
    all_preds[:, 0]  
    - all_targets[:, 0]  
)  
plt.figure(figsize=(6, 6))  
  
plt.scatter(  
    all_targets[:, 0],  
    residual_x,  
    s=3,  
)  
  
plt.xlabel("True x")  
plt.ylabel("Residual x")  
  
plt.grid()  
plt.show()
```





```
[18]: residual_y = (  
    all_preds[:, 1]  
    - all_targets[:, 1]  
)  
  
plt.figure(figsize=(6, 6))  
  
plt.scatter(  
    all_targets[:, 1],  
    residual_y,  
    s=3,  
)  
  
plt.xlabel("True y")
```

```
plt.ylabel("Residual y")
```

```
plt.grid()
```

```
plt.show()
```




```
[20]: plt.figure(figsize=(7, 6))
```

```
plt.hist2d(  
    all_targets[:, 0],  
    all_targets[:, 1],  
    bins=100,  
)
```

```
plt.xlabel("True x")
```

```
plt.ylabel("True y")
plt.title("True Interaction Positions")
plt.colorbar()
plt.show()
```



```
[21]: plt.figure(figsize=(7, 6))


plt.hist2d(
    all_preds[:, 0],
    all_preds[:, 1],
    bins=100,
)
```

```
plt.xlabel("Predicted x")
plt.ylabel("Predicted y")

plt.title("Predicted Interaction Positions")

plt.colorbar()

plt.show()
```



```
[22]: plt.figure(figsize=(7, 6))

plt.hist2d(
    residual_x,
    residual_y,
```

```

    bins=100,
)


plt.xlabel("Residual x")
plt.ylabel("Residual y")

plt.title("Residual distribution")

plt.colorbar()

plt.show()

```




```

[23]: plt.figure(figsize=(7, 6))

plt.hist2d(


```

```
all_preds[:,0],  
residual_y,  
bins=100,  
)  
  
plt.xlabel("Predicted x")  
plt.ylabel("Residual y")  
  
plt.title("x prediction vs y residual")  
  
plt.colorbar()  
  
plt.show()
```



```
[24]: plt.figure(figsize=(7, 6))
```

```
plt.hist2d(  
    all_preds[:,1],  
    residual_y,  
    bins=100,  
)  
  
plt.xlabel("y prediction")  
plt.ylabel("Residual y")  
  
plt.title("Y prediction vs. residual y")  
  
plt.colorbar()  
  
plt.show()
```



```
[25]: plt.figure(figsize=(7, 6))


plt.hist2d(
    all_preds[:,0],
    residual_x,
    bins=100,
)

plt.xlabel("x prediction")
plt.ylabel("Residual x")

plt.title("x prediction vs residual x")

plt.colorbar()

plt.show()
```




```
[26]: plt.figure(figsize=(7, 6))


plt.hist2d(
    all_preds[:,1],
    residual_x,
    bins=100,
)

plt.xlabel("y prediction")
plt.ylabel("Residual x")

plt.title("Y prediction vs residual x")

plt.colorbar()

plt.show()
```



```
[ ]: plt.figure(figsize=(7, 6))


plt.hist2d(
    all_targets[:,0],
    residual_x,
    bins=100,
)

plt.xlabel("Residual x")
plt.ylabel("Residual y")

plt.title("Residual distribution")

plt.colorbar()

plt.show()
```



```
[ ]: plt.figure(figsize=(7, 6))


plt.hist2d(
    all_targets[:,1],
    residual_x,
    bins=100,
)

plt.xlabel("Residual x")
plt.ylabel("Residual y")

plt.title("Residual distribution")

plt.colorbar()
```

```
plt.show()
```




```
[ ]: plt.figure(figsize=(7, 6))

plt.hist2d(
    all_targets[:,0],
    residual_y,
    bins=100,
)

plt.xlabel("Residual x")
plt.ylabel("Residual y")

plt.title("Residual distribution")
```

```
plt.colorbar()
plt.show()
```



```
[ ]: plt.figure(figsize=(7, 6))

plt.hist2d(
    all_targets[:,1],
    residual_y,
    bins=100,
)

plt.xlabel("Residual x")
plt.ylabel("Residual y")

plt.title("Residual distribution")
```

```
plt.colorbar()  
plt.show()
```

