## Version Control

CS 490MT/5555, Fall 2015, Yongjie Zheng

## Fundamental Concepts

#### Version Control

▶ The management of evolution of software systems.

## Repository (Depot)

- The place where all completed work is stored, including
  - ▶ The current state of the project;
  - The entire **history** (i.e. changes) of the project: when each change was made, who made it, and a text log message.

## Working copy

The local reflection of the repository's files and directories.

### Baseline / Trunk

The "primary" location for code in the repository. Think of code as a family tree — the "trunk" is the main line.


### Version Control

#### Mission

- Keep track of all old versions of files
  - Every file in the system has a full history of changes, and can easily be restored to any version in its history. Each version has a unique identifier that looks like a string of letters and numbers.
- ▶ Enable collaborative editing and sharing of data
  - How to prevent users from accidentally overwriting each other's changes?
  - ▶ Help developers communicate their changes to each other.


# The problem of sharing

As a result, Harry's work is lost in the latest version of the file!




# The lock-modify-unlock solution


- The repository allows only one person to change a file at a time.
- One must "lock" a file before making changes to it.
- The user can only read the file that is locked by others.





# The copy-modify-merge solution

- Users can work simultaneously and independently on their private copies of the same file.
- The repository will inform the user that their file is out of date when the user is trying to upload their changes.










# The copy-modify-merge solution, cont.


- In response, the user needs to merge any new changes from the repository into their own working copy before they can commit.
- The user may need to resolve conflicts in the process of merging.



# Strategies (Versioning Models)


- Lock-Modify-Unlock (Pessimistic Model)
  - Only one person is allowed to change a file at a time.
  - Problem: over restrictive, inhibit productivity.
- Copy-Modify-Merge (Optimistic Model)
  - Each user creates and edits a personal working copy, and finally copies are merged into a new version.
  - Most current version control systems use this mechanism.
  - Problem: some files are hard to merge, such as files of binary formats.

Centralized (Client-Server) Repository Model



- Centralized (Client-Server) Repository Model
  - There is a central repository (server) that holds all of the versioned data.
  - Users (clients) change their working copies, and update the repository to incorporate those changes.
  - Users have to maintain a network connection to the central repository in order to track the changes that they make.

## Decentralized Repository Model



### Decentralized Repository Model

- Each developer has their own copy of the repository that includes complete history.
- Anyone can be a server.
- Each developer has a public repository and a private repository
  - Public repository is to share changes with other developers
  - Private repository is to manage drafts that they don't want to publish
- Network is not involved in most operations.
- Allows users to work productively even when not connected to a network.

# Version Control Systems

- Centralized
  - Open-source
    - > CVS, **Subversion**
  - Commercial
    - Visual SourceSafe, Perforce
- Decentralized
  - Open-source
    - Monotone, Git
  - Commercial
    - ▶ TeamWare, BitKeeper

# Important Operations of Version Control

## Basic Operations

- ▶ Add
- Check in
- Check out
- Update
- Head
- Revert

## Advanced Operations

- Branch
- Merge
- Tag
- Diff / Delta

## **Basic Operations**

#### ▶ Add

Put a file into the repository for the first time, i.e. begin tracking it with Version Control.

#### Check out

- Download a file from the repository. Checking out a repository creates a "working copy" of it on your local machine.
- The working copy becomes editable (Pessimistic Model only).

### Check in (Commit)

- Upload a file to the repository (if it has changed). The file gets a new revision number (per file v.s. per repository).
- The working copy becomes read only (Pessimistic Model only).

## **Basic Operations**

### Update

Refresh the local or working copy with any changes since checkout.

### Head


▶ The latest revision in the repository (the most recent commit).

### Revert

Throw away your local changes and reload the latest version from the repository.

### Branch

- Lines of development that exist independently and share a common history.
- ▶ Each branch generates its own history.




## Merge

- To take some changes which were done to one branch and apply them to another branch.
- Can cause conflicts
  - Require user intervention
- Other issues
  - Merging histories
  - Repeated merge

## Tag

- A "snapshot" of a project in time.
- A name that is given to a particular commit; the name that you want that particular commit to be represented by.
- Makes it easy to check out a release or configuration.

# Branch, Merge, and Tag



# Diff/Delta

- Diff/Delta: a specific modification to a document under version control.
- Most version control systems store diffs rather than full copies of the file to save disk space (Delta Compression).

### **Best Practices**

- Explain your checkins completely.
- ▶ Keep in touch with the repository (update often).
- Checkin your work to the repository as often as you can without breaking the build (commit often).
- Review the merge before you commit.
- Use checkout and revert with caution.

### Reference

- Pragmatic Version Control Using Git by Travis Swicegood
- Wikipedia: Revision control.
- Version Control with Subversion by Ben Collins-Sussman, Brian W. Fitzpatrick, and C. Michael Pilato.
  - Many diagrams of this lecture are from this book.
  - The book is free online: <a href="http://subversion.apache.org">http://subversion.apache.org</a>