

Slash

🏷 Tags:

Time Limit: 1 s Memory Limit: 64 MB
Submission: 182 AC: 75 Score: 98.08

Submit

Codes

AI Code Tips

Description

The American English slash (/) is a punctuation mark. In the early modern period, in the Fraktur script, which was widespread through Europe in the Middle Ages, one slash(/) represented a comma, while two slashes (//) represented a dash.

With the wide use of computers, slash appeared far more than at any previous time in history. On Unix-like systems and in URLs, the slash is to separate directory and file components of a path:

/home/whuacm/chaeyeon/Sherlockpp.jpg

http://acm.whu.edu.cn/

But in Windows systems, it uses () to separate directory and file components of a path:

C:\Users\yungao\Music\Shake

That really confuses me. Could you help me to judge if the string I wrote is right.

Please notice that I would only make a mistake by changing () to (/) or (/) to (). All the strings were constituted by a-z, A-Z, 0-9, (.) , () and (/), no other characters would appear in the strings.

A string of URL always begins with “[a-zA-Z]+:/” (Notice (/) maybe changed to ()), in which “[a-zA-Z]+” represents any non-empty string of letters.

Windows path begins with “[a-zA-Z]:” (Notice () maybe changed to (/)), in which “[a-zA-Z]” means an English letter. (e.g. “C:\windows” is a URL not a Windows path)

The path of Unix-like system begins with (/) or ().

I'll give you some strings, can you tell me which type those strings belong to and those correct forms.

Input

The first line consists of an integer T, indicating the number of strings.

The next T lines, each line consists of a single non-empty string. All of those are really data from our daily life.

Output

For each string:

If it belongs to a path in Unix-like systems, output “It's a path in Unix-like systems!” in a new line and the correct string in the next

line.

If it belongs to a path in Windows system, output “It’s a path in Windows system!” in a new line and the correct string in the next line.

If it’s a URL, output “It’s a URL!” in a new line and the correct string in the next line.

The kind of each input string can be uniquely determined.

Constrains

$0 < T \leq 20$

The length of each string will not be longer than 50.

Samples

input	Copy
<pre>4 http://acm.whu.edu.cn/felioj http://acm.whu.edu.cn/11111011001/ /home/whuacm/Slash/yama Z:\movie\chaeyeon</pre>	
output	Copy
<pre>It's a URL! http://acm.whu.edu.cn/felioj It's a URL! http://acm.whu.edu.cn/11111011001/ It's a path in Unix-like systems! /home/whuacm/Slash/yama It's a path in Windows system! Z:\movie\chaeyeon</pre>	

Source

[2009 Asia Wuhan Regional Contest Online](#)

Submit

Codes

HZNUOJ is based on HUSTOJ

[--- Maintainer List ---](#)

Server Time: 2025-8-26 14:58:13